







Log out [smarties]





Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.
















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page 1, 2, 3 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit **Author** Message smarties QUOTE Posted: Sat Mar 06, 2004 11:10 pm Post subject: Double star plan **EDIT** Anyone knows where I can find a plan to built a double star kite like Ferruh Baysu? Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada



Thanks,

Smarties (2)

Back to top

PROFILE

www

Smarties -

The only way we can prove it exists is by observing the things it affects.

I believe it is the same as the Snowflake, except the pieces are hollow squares instead of solid squares. I think it was talked about in one of the

QUOTE

E-MAIL

Posted: Sat Mar 06, 2004 11:33 pm Post subject:

E-MAIL

Dorsal Kite Builder II



Back to top

Posts: 714

Location: USA California Tracy - 50 miles to the right of San Francisco

Joined: 05 Oct 2003

Baha'i Faith

Dennis

PROFILE

www

PM ME!

Squareflake threads, a couple months ago.

"The wind is the perfect reminder of God.

That's why I believe in the wind, too."

PM ME!

inder.com view topic - Double star plan		
kiteguy Kitebuilder of the Year	Posted: Sun Mar 07, 2004 12:01 am Post subject:	OTE
2005	Almost, but not quite. The one that was discussed looks much more like a Snowflake than this one does. I am not sure but I think plans wer the Drachen magazine a while back. I do not have access to the Drachen magazine, nor could I read it if I did have access.	re in
	However, I can understand most kite plans, no matter what the language.	
Joined: 15 Sep 2003 Posts: 3196		
Location: USA - Kansas, Overland Park - Near Kansas City	Dave Ellis Kites + Kids = Education	
Back to top	PROFILE PM ME! E-MAIL WWW	
EiSvIn	Posted: Sun Mar 07, 2004 6:11 pm Post subject:	OTE
	It is not a snowflake, it looks a lot more slimmer and using spars in cross instead of the circular spar on the outside as Snowflake uses. But what if I make a slim and hollow Snowflake, would it work? What to think of to keep flying angle, bridling an such? Any thoughts?	
Joined: 14 Nov 2003 Posts: 40 Location: Oslo, Norway		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
rbojarski Master Kite Builder	Posted: Sun Mar 07, 2004 8:26 pm Post subject:	OTE
	Flying Wings (maker of Beetle stunt kite) just brought out a single line kite called the Lotus which is very similar. You can view it by going to Into the Wind site and doing a search for lotus.	o the
Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington		
Back to top	PROFILE PM ME! E-MAIL	

Don Lord Posted: Sun Mar 07, 2004 9:56 pm Post subject: QUOTE Kite Builder II kiteguy wrote: Almost, but not quite. The one that was discussed looks much more like a Snowflake than this one does. I am not sure but I think plans were in the Drachen magazine a while back. I do not have access to the Drachen magazine, nor could I read it if I did have access. However, I can understand most kite plans, no matter what the language. Joined: 22 Nov 2003 Posts: 181 Location: CANADA BC VANCOUVER I have the two most recent issues of the Drachen magazine, Hoch Hinaus. I have found a photo of this kite heading an article reporting on the 2003 St-Goar kite festival but I have not seen any plans in these issues, or mentioned in the magazine's archives. Cheers Don Lord PM ME! **PROFILE** E-MAIL Back to top **MSNM** stevef QUOTE Posted: Sun Mar 07, 2004 10:03 pm Post subject: Administrator Why not ask the man who built it? He is a member of this forum... Spectre's profile is here: http://www.kitebuilder.com/forums/profile.php?mode=viewprofile&u=57 Joined: 27 Aug 2003 Posts: 2193 Location: USA PA -Steve ALLENTOWN



Steve Ferrel
Kite Studio - Go Build a Kite!
Measure once, buy twice!

PM ME!

Medaure office, bus

Back to top

PROFILE

E-MAIL

knotronda Posted: Mon Mar 08, 2004 6:15 am Post subject: QUOTE Kite Builder II Spectre is a mystery man. He did not put his town or country in his profile. Is he from Germany? I did notice that when I was at the Berck Sur Mer festival a few years ago that the Germans liked to build the big versions of various kites. The proportions were impressive. knot(ty)ronda Joined: 22 Jan 2004 Posts: 804 Location: Lincoln City, OR USA **PROFILE** PM ME! Back to top E-MAIL Gary QUOTE Posted: Mon Mar 08, 2004 1:33 pm Post subject: Kite Builder II EiSvIn wrote: But what if I make a slim and hollow Snowflake, would it work? What to think of to keep flying angle, bridling an such? Any thoughts? The only 'issue' I have had with making high aspect (skinny) Facet Kites (Hi Scott) is that the shorter spine length has less 'authority' over the corners and the kites like to distort out of shape. The cure was to either bend metal tubing for the outside corners or use dihedrals. Joined: 26 Nov 2003 Posts: 328 good heavens; Location: Rhode Island, USA Gary E **PROFILE** PM ME! E-MAIL Back to top MA MA AM Don Lord Posted: Mon Mar 08, 2004 3:43 pm Post subject: QUOTE Kite Builder II knotronda wrote: Spectre is a mystery man. He did not put his town or country in his profile. Is he from Germany? I did notice that when I was at the Berck Sur Mer festival a few years ago that the Germans liked to build the big versions of various kites. The proportions were impressive. knot(ty)ronda Joined: 22 Nov 2003 Posts: 181 Ronda; by his name and what I read on his web site, I would say our mystery man is from Turkey. Location: CANADA BC VANCOUVER Don Lord **PROFILE** PM ME! E-MAIL Back to top **MSNM** Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page **1**, 2, 3 ... 67, 68, 69 Next















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

















Kitebuilder.com Forum Index

Viewing profile :: spectre

Avatar	All about spe	ectre
	Joined: Total posts: Location:	11 Nov 2003 114 [0.21% of total / 0.09 posts per day] Find all posts by spectre Ankara, Turkey
Contact spectre	Website:	http://www.ucurtma.org
E-mail address: E-MAIL	Occupation:	
Private Message: PM ME!	Interests:	kites, pets
MSN Messenger: ferruh@ucurtma.org		
Yahoo Messenger:		
AIM Address:		
ICQ Number:		

Jump to:

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group



















Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3, ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Progcraft Posted: Mon Mar 08, 2004 3:59 pm Post subject: QUOTE Kitebuilder of the Year 2004 Don Lord wrote: Ronda; by his name and what I read on his web site, I would say our mystery man is from Turkey. I would say your right Don. Spectre's 'about me' page on his web site states: Joined: 29 Sep 2003 Posts: 4023 "My name is Ferruh Baysu. First, sorry about my English. I am a kite flier from Turkey. " Location: Montreal, QC, He's got some neat kites. I like that Heksebeest kite. It looks to be based on a Conyne kind of plan. Canada Τ. There is no box PM ME! E-MAIL PROFILE Back to top www spectre QUOTE Posted: Mon Mar 08, 2004 6:47 pm Post subject: Hi, Everyone I took an e-mail which includes the link to this subject from Eirik a kiter from Norway. I draw the doublestar using Autocad. But I don't have a detailed plan but I'll make one. Now I am out of my home. I'll turn back in a week. When I turn back I'Ll prepare a pdetailed plan as soon as possible. Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey If anyone wants drawings I can send them. But you must wait until I am going back to home. Just tell me you can open Autocad files or not. If not tell me the format which you want. And also I updated my profile(The e-mail adress was wrong). Best Winds, Ferruh Baysu fbaysu@ucurtma.org PM ME! E-MAIL www PROFILE Back to top **MSNM**



spectre	Posted: Tue Mar 09, 2004 5:50 pm Post subject:	QUOTE
	Hi, Smartie	
	It is not my own design. I saw this kite in a festival in France and. Then I draw a three didrawing of this kite in AutoCAD. And yes, I can do PDF or JPG.	mensional
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	The most important think is the shape of the panels. I have drawings for 3(10feet) meter and 1.5-2meter 8 sides.	10 side
zocation. / mixara, / tarkey	Best Winds, Ferruh Baysu fbaysu@ucurtma.org	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Mountain Man Kitebuilder of the Year 2003	Posted: Tue Mar 09, 2004 9:28 pm Post subject:	QUOTE
Y	hi spectre!	
	what size of spars are you using in the 3 m and what size are you using in the smaller or what is the diameter of the center piece??? and center spar for the 3 meter?	ne??? and
	thanks!	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Bernie the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
wdrwilson	Posted: Tue Mar 09, 2004 10:16 pm Post subject:	QUOTE
	Wow this is great!! I would love to get a copy of the plan in PDF or Autocad format Bill	
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Dorsal Kite Builder II	Posted: Tue Mar 09, 2004 10:40 pm Post subject:	QUOTE
Joined: 05 Oct 2003 Posts: 714	Me too! Autocad format would be fine. jpg would work, even PDF! Whatever you feel like I'll find a way to use it. But please, put some dimensions on the drawing. Many conversion programs seem to ignore the "scale" of a drawing, and will proportion the drawing down "native" format of the converter program. Without dimensions, it's impossible to get the back to the proper size.	on to fit in the
	"The wind is the perfect reminder of God.	
Location: USA California Tracy - 50 miles to the right of San Francisco	The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too." Dennis	
Tracy - 50 miles to the right	The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too."	

Sary	Posted: Wed Mar 10, 2004 1:20 pm Post subject:	QUOTE
ite Builder II	Frosted. Wed Wal To, 2004 1.20 pm Tost subject.	00012
	I'd love to get a plan in PDF if possible.	
	good heavens;	
	Gary E	
oined: 26 Nov 2003 osts: 328 ocation: Rhode Island, USA		
lack to top	PROFILE PM ME! E-MAIL WWW	
	Display posts from previous:	
NEW POS		All times are GMT - 3 Hour Goto page Previous 1, 2 , 3, 67, 68, 69 Nex
Page 2 of 69		
Vatch this topic for replies	Love	
liew posts since last visit	Jump to:	You can post new topics in this forur You can reply to topics in this forur You can edit your posts in this forur You can delete your posts in this forur You can vote in polls in this forur
	Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group	TO



















Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3, 4 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message kiteguy Posted: Wed Mar 10, 2004 1:31 pm Post subject: QUOTE Kitebuilder of the Year 2005 If we are voting, I would vote for PDF, too. 诓 Dave Ellis Kites + Kids = Education Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City **PROFILE** PM ME! E-MAIL Back to top www Spence602 Posted: Wed Mar 10, 2004 3:26 pm Post subject: QUOTE I feel a 'poll' coming on! If I was to vote, I'd go for: Joined: 16 Sep 2003 .JPG/.GIF/.BMP/.TIF Posts: 740 .VSD Location: USA TX Houston .DXF/.DWG .PS/.EPS .VML .PCX In CAD, please put it all on 1 layer because sometimes other apps don't import all the layers cleanly. Dimensions are a must! and dementions are optional... Spectre: Stan has Corel, and I have Visio, and between us we can probably convert it to any format that one would want. (Although I can't offer Stan's time and effort per se...) Spence www.kiteshark.org

Back to top	PROFILE PM ME! E-MAIL		
	שישיש		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Wed Mar 10, 2004 5:43 pm Post subject: star plans	QUOTE	
¥ ***	ADT format would be ok I guess?		
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA			
Back to top	PROFILE PM ME! E-MAIL		
KiteSquid Master Kite Builder	Posted: Wed Mar 10, 2004 5:49 pm Post subject:	QUOTE	
	Almost any format		
E a	BTW I have AutoCAD 2004 on my PC		
	VR/		
Joined: 29 Aug 2003	KiteSquid		
Posts: 6248	AKA TakoIka AKA Harold		
Location: USA Virginia King George	King George VA		
	P.S. Yet another post by the Squid ODoesn't he ever shut up???		
	P.P.S. The wind is like the air, only pushier.		
	P.P.P.S. All information provided is for hobby use. None may be used commercially.		
	P.P.P.S. Please excuse my spelling		
Back to top	PROFILE PM ME! E-MAIL WWW		
knotronda Kite Builder II	Posted: Thu Mar 11, 2004 5:57 am Post subject:	QUOTE	
	Gary,		
9	You have such a head for knowing! (Moonstruck)		
Joined: 22 Jan 2004 Posts: 804	hahaha		
Location: Lincoln City, OR USA	knot(ty)ronda		
Back to top	PROFILE PM ME!		
	E-MAIL		





















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





View previous topic :: View next topic :: View posts since last visit			
	view previous topic view riext topic view posts since	idat viai	
Author	Message		
Grant L Kite of the Year 2004	Posted: Wed Mar 17, 2004 11:20 pm Post subject:	QUOTE	
	I was standing in the cafeteria with Kiteguy at MAKR waiting for the auction to start and I was a gentleman starts unpacking and assembling a star kite. As he was assembling it I notice center hub and radial spars Sure enough it was similar to the one that started this who of discussion. He had made the hub of Carbon fiber tubes epoxied together. I have a few phohome I will post, but none of the center hub I think Kiteguy got some photos too, but he Fort Wordon right now	ed tthe ole line otos at	
loined: 16 Sep 2003 Posts: 1507 Location: USA IN ndianapolis			
Back to top	PROFILE PM ME! E-MAIL		
CJQ Grand Champion, Kitebuilder of the Year 2006	GRANT did you have a conversation with the gentleman unpacking the double star ? How tall	UOTE	
	thing? Wonder why he didnt use a tinker toy fitting for the hub? Keep us posted. CJQ		
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - JSA			
Back to top	PROFILE PM ME! E-MAIL		

stevef Administrator



Joined: 27 Aug 2003 Posts: 2193 Location: USA PA ALLENTOWN

Posted: Thu Mar 18, 2004 1:19 am Post subject:

QUOTE

hmph...... epoxying several spars together to form the hub... I never thought of that. It would be big and bulky, but I quess it would work. I'd like to know if he ever had a glue failure on that fitting.

Do you know who the builder was?

PM ME!

Steve Ferrel

PROFILE

Kite Studio - Go Build a Kite!

Measure once, buy twice!



Back to top

Grant L Kite of the Year 2004



Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

www

Posted: Thu Mar 18, 2004 1:36 am Post subject:

E-MAIL

QUOTE

Kiteguy and I were both talking to him. I think he made the kite some years ago. I would guess that it was over three feet tall. Another interesting thing was that he had vertical spars halfway out between the center spine and the tips. When he put it together, it didn't look too taught, but then I saw where the other spars went. He didn't put them in because it was too much work for just having it hanging there. Here is the photo I have. I hope that Kiteguy hase better ones that he can posst next week. (A) The spar went right where the pink and the black meet. There were closed end pockets and he said that he would connect one side, put the middle spars in and then slide the top half over the middle spars before connecting it to the spreader spars. Like Steve said, I would expect the hub to be bulky, but it was fairly flat. 👸



Back to top

PM ME!

E-MAIL





Back to top

PROFILE

PM ME!

E-MAIL

spectre

Posted: Sat Mar 20, 2004 8:35 pm Post subject:

QUOTE

Joined: 11 Nov 2003

Posts: 114

Location: Ankara, Turkey

Ηi,

today I turned home. And try to make a detailed plan for Doublestar.

I tried to complete the plan all the day but not. Here is an uncompleted plan for Doublestar. But you can find the dimensions of the panels in several formats.

The original dimensions are in centimeters. I convert them also to inch.

And also I put A1 paper size PDF documents. If you find somewhere to print in A1, it will be better.

Here is the link.

http://www.ucurtma.org/doublestar.html

I hope I'll finish it in a few days. My English is not so good. And this one is my first detailed plan of a kite. So tell me what you want to see in a detailed plan and also my mistakes. So I can prepare a good Plan.

Best Winds, Ferruh Baysu

PROFILE PM ME! **MSNM**

E-MAIL

www


Back to top

Mountain Man Kitebuilder of the Year 2003

Joined: 04 Sep 2003

Posts: 1093 Location: NB Canada Posted: Sun Mar 21, 2004 8:09 am Post subject:

QUOTE





















Kitebuilder.com - Learn. Share. Fly.

















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3, 4, 5, 6 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View posts	s since last vis	
Author	Message		
mhartzel	Posted: Sun Mar 21, 2004 9:48 am Post subject:	QUOTE	
TANK T	That is a pretty well laid out plan. I wish more builders would show a page of how to la fabric like you did. Granted, if you take the time to do it yourself, you can appreciate it	-	
loined: 09 Dec 2003 Posts: 907	Good looking plan		
Location: USA, Michigan, Fraser	Mark Sand, Street or Sky I love to fly.		
Back to top	PROFILE PM ME! E-MAIL WWW		
Dennist3	Posted: Sun Mar 21, 2004 11:29 am Post subject:	QUOTE	
	the plans seem to be very goodI'm still not sure how to take a set of plans and conva kite	vert them to	
loined: 20 Feb 2004 Posts: 566 Location: USA, Virginia, HAMPTON ROADS	I am interested in making one of these is there a step by step set of instruction to go verblans?	with the	
TAME FOR ROADS	who all is going to take this on?		
	Dennis		
Back to top	PROFILE PM ME! E-MAIL MSNM		
wdrwilson	Posted: Sun Mar 21, 2004 12:50 pm Post subject:	QUOTE	
60	WOW Thank so much spectre!!!		
	This is fantastic I have a feeling there will be a few of these flying in Dieppe soon!!		
	Cheers,		
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Bill		

Back to top	PROFILE PM ME! E-MAIL WWW		
Mountain Man Kitebuilder of the Year 2003	Posted: Sun Mar 21, 2004 4:20 pm Post subject:	QUOTE	
	5 ft spars x 10mm might be a problem! could not see them at Stevefunless he as the in the catalog material is not too bad! but the spars is were the cost is going to be! (2) to looking into it! yes should be a few this summer for sure! think you will be one of the and me and???	out im	
oined: 04 Sep 2003 Posts: 1093 Location: NB Canada	the Mountain Man Paint the sky		
Back to top	"Fly a Kite!" PROFILE PM ME! E-MAIL WWW		
spectre	Posted: Sun Mar 21, 2004 5:01 pm Post subject:	QUOTE	
	Hi, Mountain Man, You can try to 8 mm but then you can not flight in high winds.		
loined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	I flight up to 25 mph winds with 10 mm spars. There was no problem with the spars but wooden center connector was cracked. Or you can do a smaller one. I have drawings for 8 point 2 and 1.5 meter dia. You can us 8mm/6mm spars.		
	Best Winds, Ferruh Baysu		
Back to top	PROFILE PM ME! E-MAIL WWW		
Nountain Man (itebuilder of the Year 2003	Posted: Sun Mar 21, 2004 5:12 pm Post subject:	QUOTE	
	its ok I will find the right spars just have not look hard enough yet I really like it! and will build it peggy as already chosen her colors		
12	thanks again for all the info on it!		
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Bernie the Mountain Man Paint the sky "Fly a Kite!"		
Back to top	PROFILE PM ME! E-MAIL WWW		
Mountain Man (itebuilder of the Year 2003	Posted: Sun Mar 21, 2004 5:14 pm Post subject:	QUOTE	
	your center piece what is the diameter of it ? and how thick ??? Bernie the Mountain Man Paint the sky "Fly a Kite!"		
oined: 04 Sep 2003 Posts: 1093 Location: NB Canada			



MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3, 4, 5, 6 ... 67, 68,

69 Next

Page 5 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 5, 6, 7 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message stevef QUOTE Posted: Mon Mar 22, 2004 1:05 pm Post subject: Administrator 5 ft spars are not a problem at all! I'll just order them. So...... 8mm, 10 mm...... or something in between? Tinkertoy is easy too. who wants them? Joined: 27 Aug 2003 Posts: 2193 This is a great kite and plan, thank you, Ferruh for taking the time and sharing it with us . Location: USA PA ALLENTOWN -Steve Steve Ferrel Kite Studio - Go Build a Kite! Measure once, buy twice! **PROFILE** PM ME! E-MAIL Back to top www Mountain Man Posted: Mon Mar 22, 2004 1:43 pm Post subject: QUOTE Kitebuilder of the Year 2003 Can you get us a price/ 11 spars 10mm 5 ft long so 13 spars would be better to have a couple of spares! and a tinker toy with a 10mm whole in the center and 10 holes of 10 mm around the edge thanks (%) Bernie Joined: 04 Sep 2003 the Mountain Man Posts: 1093 Location: NB Canada Paint the sky... "Fly a Kite!" PM ME! PROFILE E-MAIL Back to top 1007 1007 1007

wdrwilson	Posted: Mon Mar 22, 2004 3:40 pm Post subject:	QUOTE
	I second that request Hey MM, we should combine orders on this one	
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Bill	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Gary Kite Builder II	Posted: Mon Mar 22, 2004 4:20 pm Post subject:	QUOTE
	stevef wrote: who wants them?	
Joined: 26 Nov 2003 Posts: 328 Location: Rhode Island, USA	Put me down for 10 spars and a tinkertoy, please. If MM is gettting 10 mm, I'll take 10 mm. 5 foot long. (whatever MM is getting) See what you started, Bernie?	
	good heavens; Gary E PROFILE PM ME! E-MAIL	
Back to top	www	
spectre	Posted: Mon Mar 22, 2004 4:37 pm Post subject:	QUOTE
	I finished the doublestarplan. I put the bridle information. Please tell me if anything missing. I also put the panel dimensions for a 2 meter 8 point doublestar in PDF format. Best Winds,	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW	
Dennist3	Posted: Mon Mar 22, 2004 7:07 pm Post subject:	QUOTE
	Thank you Spectre!!!!!! you are truly a open hearted kite builder	
Joined: 20 Feb 2004 Posts: 566 Location: USA, Virginia, HAMPTON ROADS	thank you!, Dennis	
Back to top	PROFILE PM ME! E-MAIL MSNM	







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 5, **6**, 7 ... 67, 68, 69 Next

Page 6 of 69



















Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 6, 7, 8 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message smarties QUOTE Posted: Mon Mar 22, 2004 8:37 pm Post subject: **EDIT** Huuumm, looks like there is some energy flying around here for an online workshop 🔒 Did I trigger something by starting this thread (?) Joined: 05 Nov 2003 Smarties (11) Posts: 1791 Location: Dieppe, NB, Canada PROFILE PM ME! E-MAIL Back to top www Dennist3 QUOTE Posted: Mon Mar 22, 2004 9:06 pm Post subject: I hope so!!!!! **Dennis** Joined: 20 Feb 2004 Posts: 566 Location: USA, Virginia, HAMPTON ROADS PROFILE PM ME! E-MAIL Back to top **MSNM** Mountain Man QUOTE Posted: Mon Mar 22, 2004 10:10 pm Post subject: Kitebuilder of the Year 2003 Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada

	for those that wants to know 😉	
	this is roughly what I will be ordering and prices are approximately	
	Fabric	
	No 1 colour FRNC 75B rasp 4 yd \$14.00 us	
	No 2 colour FRNC 75B white 5 yd 20.00 us	
	No 3 colour FRNB 75A Ice Blue 4 yd 32.00 us	
	No 4 colour FRN 75B blue 3 yd 12.00 us	
	Spars No price here yet!	
	13 10mm x 60" (2 are for spares)	
	2 arrow nock for 10mm	
	14 end caps for 10mm	
	fitting no price here either	
	tinkertoy for 10mm with a center for a 10mm	
	now the order may be a bit bigger as they may be more locals that wants to add to the order	der!
	but that is a quideline for now! Hope SteveF will clear that up soon! 😉	
	keep watching	
	Bernie	
	the Mountain Man	
	Paint the sky	
	"Fly a Kite!"	
Deals to ton	PROFILE PM ME! E-MAIL	
Back to top	www	
Dennist3	Posted: Mon Mar 22, 2004 11:55 pm Post subject:	QUOTE
	Mountain Man wrote:	
	FRNC 75B rasp 4 yd \$14.00 us	
Joined: 20 Feb 2004	No 2 colour FRNC 75B white 5 yd 20.00 us	
Posts: 566	No 3 colour FRNB 75A Ice Blue 4 yd 32.00 us No 4 colour FRN 75B blue 3 yd 12.00 us	
Location: USA, Virginia, HAMPTON ROADS	No 4 colour FRN 75B blue 5 yu 12.00 us	
	FNRC?	
	just wondering	
	Dennis	
De de la lace	PROFILE PM ME! E-MAIL	
Back to top	MSNM	
Don Lord Kite Builder II	Posted: Tue Mar 23, 2004 1:10 am Post subject:	QUOTE

	Dennis; that would be KiteStudiospeak to ID the fabric as being in this case: Fabric, Ripsto	op, Nylon,
	Challenge Cloth, .75oz, Grade B.	
7	Don Lord	
Joined: 22 Nov 2003		
Posts: 181		
Location: CANADA BC VANCOUVER		
VAINCOUVER	PROFILE PM ME! E-MAIL	
Back to top		
	MSNM	





Page **7** of **69**

TOPIC

Watch this topic for replies

REPLY

Kite Design & Construction

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

69 Next

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group



















Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 7, **8**, 9 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last vi			
Author	Message		
vdrwilson	Posted: Wed Mar 24, 2004 11:50 am Post subject:	QUOTE	
	The Word is "INCONCEIVABLE" - From Princess Bride Excellent Movie		
	Sorry for the Hi-Jack		
T.	http://funwavs.com/wavfile.php?quote=1127&sound=83		
oined: 24 Oct 2003 osts: 1359 ocation: Canada, Nova cotia, Halifax	Bill		
ack to top	PROFILE PM ME! E-MAIL WWW		
ennist3	Posted: Wed Mar 24, 2004 6:26 pm Post subject:	QUOTE	
	AHHHHHH oh yes I rememberWow going OLD SCHOOL huh?		
oined: 20 Feb 2004	LOL		
osts: 566 ocation: USA, Virginia, IAMPTON ROADS	Dennis		
Back to top	PROFILE PM ME! E-MAIL MSNM		
tevef dministrator	Posted: Thu Mar 25, 2004 12:28 pm Post subject:	QUOTE	
oined: 27 Aug 2003 osts: 2193 ocation: USA PA LLENTOWN			

We are working on a sample fitting for this kite. Its gonna be a big one. Question for Spectre... do you think it is enough if the 10mm spars are only inside the fitting by 1 inch (25.4 mm)? If it needs to be more, the diameter of the fitting will have to be much bigger, OR some other alternative..... If 1" is okay, the fitting will have a 2.75" diameter and have a thickness of 1". Yep, this is a big fitting. -Steve Steve Ferrel Kite Studio - Go Build a Kite! Measure once, buy twice! **PROFILE** PM ME! E-MAIL Back to top www spectre Posted: Thu Mar 25, 2004 8:06 pm Post subject: QUOTE I don't think that 1" will be enough(it is 2" on my HUB). In the high winds the force is to much on the center. I also insert 8mm fiber inside the 10mm spar on the center. My HUB is made of wwod and plastic tube. I used 3mm wood. Between two circular wood, there is vertical woods and between vertical and horizantal woods there is plastic tubes(12mm outer and 10 mm inside dia). Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey Best Winds, Ferruh Baysu **PROFILE** PM ME! E-MAIL 1007 1007 1007 Back to top **MSNM** CJQ Posted: Thu Mar 25, 2004 10:42 pm Post subject: Star hub QUOTE Grand Champion, Kitebuilder of the Year 2006 Hello Ferruh, I understand the spars in your kite go into the hub 2 in. What is the diameter of your hub. Also you incert a re-inforcement rod in the bottom end of the spar, how deep or long is the incert. have you experimented with a two peice spar having a 10 mm at the center and a smaller size half way out. Is there less force on the spars towards the outer circumfrence. Regards **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA PROFILE PM ME! Back to top E-MAIL spectre Posted: Fri Mar 26, 2004 3:57 am Post subject: QUOTE The Diameter of the HUB is 13.5cm more then 5". and I used 7.5cm/3" insert(8 mm carbonprince) at the bottom of the spar. I don't test any other configuration. I didn't want to risk the spars because there is no kite material source in Turkey and buying spars it too expensive becfause of shipping and taxes. But if you want Joined: 11 Nov 2003 you can try different alternatives. Posts: 114 Location: Ankara, Turkey My system is working very good I test this up to 25mph. Best Winds, Ferruh Baysu PROFILE PM ME! E-MAIL www Back to top **MSNM**

Dennist3 QUOTE Posted: Fri Mar 26, 2004 9:23 am Post subject: talk about SOLID!!!! that is most assurdly not the weak point!!!!! Joined: 20 Feb 2004 Posts: 566 thanks you for being so patient with al of our questions!!! Location: USA, Virginia, HAMPTON ROADS **PROFILE** PM ME! E-MAIL Back to top **MSNM** stevef Posted: Wed Mar 31, 2004 2:02 pm Post subject: QUOTE Administrator I am starting to get orders for this fitting! Guys, we are having a bit of a problem... The largest size plastic we have is 2.75". At that diameter each spar will only go in about 1". If we need the spar to go in 2", the plastic will be 4.75" - that is no problem for our indexer, BUT, the largest diameter our Joined: 27 Aug 2003 lathe can accomodate is 3"... and three inches gives us only and extra 1/8" insertion. Posts: 2193 Location: USA PA The price for a 2.75" tinkertoy with 10 holes will be around \$8.00. ALLENTOWN Another option is to use the 2.75" plastic, but drill the holes bigger to accommodate a 2" aluminum ferrel that fits the 10 mm spar. That way the spar will go into the ferrel 2" and the ferrel will go into the fitting 1". The biggest issue with doing it this way is cost. The tinkertoy stays at 8 bucks, but the ferrels cost \$2.00 each. So the fitting would approach \$28.00, PLUS there really should be a ferrel for the spine going though the center of the fitting.... bringing the total cost to \$30. Kinda pricey, but then... this will be a big kite worth at least \$1,000. So...... Its your choice. Take the \$8.00 without the ferrels if you think it will be strong enough, or go for the beefed up \$30 version..... In either case, you might also consider adding a 3" internal ferrel inside the 10mm.... use either the solid or hollow 8mm (.2810") Also note, the fitting will be made from UHWM, which cannot be glued, so if you go with the bigger option, the aluminum ferrels will have to be glued to the spar. My personal gut feeling is that the 1" insertion without the ferrel will be okay.....but....... I never made this kite. No gaurantees if you go this route. Heck, there are no gaurantees if you go the other route either! (77) Any other ideas? I guess we could buy a bigger lathe? 🙆 Steve Ferrel Kite Studio - Go Build a Kite! Measure once, buy twice **PROFILE** PM ME! E-MAIL Back to top W W W Mountain Man Posted: Wed Mar 31, 2004 2:38 pm Post subject: QUOTE Kitebuilder of the Year 2003 well stevef I for one will be using that 30 dollar center piece! So for those that wanted to know what MM was going to use! that is it! I have ordered mine and took the liberty of ordering one for bill wilson also! Want it to be goodyes all the material is ordered and now! will have to sit and wait! my patterns are drawn and cut ready to put on the ribstop! it will be a impresive kite for sure! 🖰 **Bernie** Joined: 04 Sep 2003 Posts: 1093 the Mountain Man Location: NB Canada

Paint the sky...
"Fly a Kite!"





















Kitebuilder.com - Learn. Share. Fly.






















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 67 68 69 Next

	View pre	vious topic :: View next topic :: Vie	w posts since last visi
Author	M	essage	
smarties	Posted: Wed Mar 31, 2004 3:04 pm Post su		QUOTE EDIT
	I don't know how the wind pushes on this kite be part of the structure that will hold everything to stress on the center piece?		
loined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada	Stevef, For that center piece, since your lathe can only shape instead of round? This way, you wouldn't		n an octogonal
	Smarties 😃		
Back to top	PROFILE PM ME! E-MAIL		
KiteSquid Master Kite Builder	Posted: Wed Mar 31, 2004 3:13 pm Post su	oject:	QUOTE
	I think they are using the late to drill the spine that is how I would do it.	nole in the fitting and as a cut of	f tool, or at least
	VR/		
laterate 20 Aven 2002	KiteSquid AKA TakoIka		
oined: 29 Aug 2003 Posts: 6248	AKA Harold		
ocation: USA Virginia King George	King George VA		
	P.S. Yet another post by the Squid ODoesn	n't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.		
	P.P.P.S. All information provided is for hobby us	e. None may be used commercia	ally.
	P.P.P.P.S. Please excuse my spelling		
Back to top	PROFILE PM ME! E-MAIL		





Mountain Man Posted: Wed Apr 07, 2004 9:20 pm Post subject: QUOTE Kitebuilder of the Year 2003 building of a double star is about to begin! I will be posting here regularly as I put this kite together! I will encourage all the other 5 builders to chip in and post pics of their progress also! I know of at least 5 that intend to build it! so here in Atlantic Canada there is Bill and myself! then there is Gary and also CJQ (Clive) and SteveD said later this summer! But all are welcome to chat with us as we go trough this process! We are a big kite family and lets keep it that way! I will be receiving my material same with Bill sometime next week! Joined: 04 Sep 2003 here is my pattern pieces cut in poster board and ready to go! Posts: 1093 now have not yet seen the need of using other material for patterns! but never had that many Location: NB Canada pieces to cut! will see 🕮 😘 each section is identified with the number of pieces to be cut! now I have heard from good source (i) that Clive as already got his material and is mostlikely cuttin pieces as is! Hope he will now find time to post here what he as done this will be a very impressive kite and im sure we will have all different color! it will be a fun project! Bernie the Mountain Man Paint the sky... "Fly a Kite!" Last edited by Mountain Man on Fri Mar 25, 2005 10:10 am; edited 1 time in total PROFILE PM ME! E-MAIL Back to top 100710071007 wdrwilson QUOTE Posted: Wed Apr 07, 2004 11:33 pm Post subject: Hey MM, Well done! I guess I have to get my butt in gear... I am in the middle of building a 6ft Rok for my company.. So once that is finished, probably by Sunday or Monday, I can start on the star. I am still having a hard time picking colors but I keep coming back to Spectre's original colors as Joined: 24 Oct 2003 being so beautiful.. so I think I will use Yellow, Yam, Orange, and Black (I may substitute the black Posts: 1359 Location: Canada, Nova for Red.. we'll see.) Scotia, Halifax Looking forward to getting the parts... --Bill PROFILE PM ME! E-MAIL 100 100 100 Back to top **MSNM**

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 8, **9**, 10 ... 67, 68, 69 Next

Page 9 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum


















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 9. **10**. 11 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since	e last visi	
Author	Message		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Thu Apr 08, 2004 1:03 am Post subject: DOUBLE STAR	QUOTE	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	Bennie Bernie Bernie, Your putting the pressure on me to get off my butt and post some pic At this point in time I have cut the fabric for the front section .That represents 60 panels. A have mentioned to you I hate to fold the fabric over and sew an edge. What is easiest for medge bind ,and i'm doing that in the same panel colors . I have prox 25 panels ready to join together. The first thing I will do is the core sewing, To form the spine pocket . I will put two grosgrain loops oposite each other for the spine tension. at the pocket edge. I had a concern about using pockets at the outer tips . the fabric tapers to a point and the preded for a 10mm rod is massive . Initially thought of using a peice of 200lb dacron sewn in tip and thru a sloted cap. Now I have my doubts about that .But for sure I dont think pocket the hot setup. MORE TO COME	s I may ne is to 1 3/8 in bocket nto the	
Back to top	Regards CLIFF PROFILE PM ME! E-MAIL		
Mountain Man Kitebuilder of the Year 2003	Sorry CJQ did not mean to create preasure! Very sorry! I will behave!	QUOTE	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	the Mountain Man Paint the sky "Fly a Kite!"		
Back to top	PROFILE PM ME! E-MAIL WWW		

Kitebuilder.com :: View topic - Double star plan Dennist3 Posted: Thu Apr 08, 2004 8:55 am Post subject: QUOTE Preasure!!!!! I am dying to see more pics of these!!!! Joined: 20 Feb 2004 Posts: 566 sounds like you guys have a good grasp...if I get enought Pics up I might be able to make my Location: USA, Virginia, own HAMPTON ROADS so please post um!!!!! **Dennis PROFILE** PM ME! E-MAIL Back to top MSNM CJQ Posted: Thu Apr 08, 2004 9:07 am Post subject: Double star QUOTE Grand Champion, Kitebuilder of the Year 2006 HI bernie NO no, just joking, this is going to be a fun project working together. DID you study the joint sewing diagrams ? I.E. sewing a to b, b to c, ect. ? are you going to hot cut the fabric to keep the panels aligned for your sew.? Getting back to the tip pockets that were suggested, the outside panel gets quite narrow out at the end , I had thoughts about strength. I was trying to equate the 10mm rods to the fabric size and wondered if the cloth was strong enough or if the rods were over sized ,but then I think about the size of the entire kite and say it all makes sense. Since its been done before it must work. Some people have a tendency to under size some tend to over size, I tend to undersize. Today is picture time and some sewing Plus maby a short knap. Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -Regards, CLIFF USA **PROFILE** PM ME! Back to top E-MAIL kiteguy Posted: Thu Apr 08, 2004 2:39 pm Post subject: Re: DOUBLE STAR QUOTE Kitebuilder of the Year 2005 CJQ wrote: I had a concern about using pockets at the outer tips . the fabric tapers to a point and the pocket needed for a 10mm rod is massive. Initially thought of using a peice of 200lb dacron sewn into the tip and thru a sloted cap. Now I have my doubts about that .But for sure I dont think pockets are the hot setup. Regards CLIFF Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, The double star kite that we saw at MAKR had line sewn into the tips forming loops. They were Overland Park - Near Kansas fitted over arrow nocks at the end of the spar tips during setup. City On the Lotus the tips are overlapped, reinforced with dacron, with a grommet installed. Then stoppers were fixed to the rods and the rods slip through the grommet during assembly. Dave Ellis Kites + Kids = Education

PROFILE

NOT NOT NO

Back to top

PM ME!

E-MAIL

wdrwilson



Joined: 24 Oct 2003 Posts: 1359

Location: Canada, Nova Scotia, Halifax

Posted: Thu Apr 08, 2004 2:45 pm Post subject:

QUOTE

You could us a fitting similar to steves Rose Tree fitting if you used the grommet technique...



Hey steve are you mass producing those fittings yet?

Cheers,

Bill

Back to top

PROFILE MSNM

PM ME! E-MAIL www

CJQ

Grand Champion, Kitebuilder of the Year 2006

Posted: Thu Apr 08, 2004 4:16 pm Post subject: double star

QUOTE

HI kiteguy, thanks much for researching and sending it out to us. Oh by the way are you making a D. S. ?

Regards CLIFF



Joined: 27 Dec 2003

Posts: 1702

Location: Coopersburg, PA -

USA

Back to top

PROFILE

PM ME!

E-MAIL

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003

Posts: 1702

Location: Coopersburg, PA -

USA


Posted: Thu Apr 08, 2004 4:31 pm Post subject: D. S. Info

QUOTE

Just thought I would pass on an observation I made regarding the fabric layout for the star .Spectre gave us a layout method that would minimize scrap . However there is a trade off. If you are not overly concerened with a little waste sque the templates prox 10 deg. that will put the fabric grain in line with the tension created by the tips of the star. It may not make a row of beans one way or another . I didnt think of it until I laid the panels ene to end . The most important thing is to be consistant with the grain direction on all panels.

Will post again

CLIFF





View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















tebuilder.cor

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 10, 11, 12 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Mountain Man Posted: Thu Apr 08, 2004 10:30 pm Post subject: QUOTE Kitebuilder of the Year 2003 Sorry Cliff..... well guess we are all doing a bit of that me with wrong names on peopleothers who are calling Marion (imagin) a he when she is true Lady! She is a school teacher and a wonderful friend! yes Cliff I did know it was going to be a big kite that is why im building it! 👸 Remember I just Joined: 04 Sep 2003 finished building a Dragon with 24 ft wing span a a 22 ft body! lots of sewing their too! Posts: 1093 Location: NB Canada Lookin foward to startingyou will have yours done before I get my material I hope sometime next week! UPS as it sittin in Lachine Que and propbably will sit there till monday! so it could be wed before I get it on the Mountain!!! but then watchout! I will be busy! Bernie the Mountain Man Paint the sky... "Fly a Kite!" PROFILE PM ME! E-MAIL Back to top www Dennist3 Posted: Thu Apr 08, 2004 10:54 pm Post subject: QUOTE Woah!... OOPS!!!!!!!!!!!!!!!!! Joined: 20 Feb 2004 OMG I AM SOOOOO SORRY!!!!!!!!!!! Posts: 566 Location: USA, Virginia, HAMPTON ROADS Marion I had no idea!!!! Please accept my most humble apolgies Ma'am!!!!!! **Dennis**

Back to top	PROFILE PM ME! E-MAIL MSNM	
imagin Kite Builder I	Posted: Thu Apr 08, 2004 11:30 pm Post subject:	QUOTE
****	Oh, please don't be embarassed! It's kinda funny. Knowledge is limited. Imagination encircles the world.	
Joined: 22 Oct 2003 Posts: 330 Location: Moncton, NB Canada		
Back to top	PROFILE PM ME! WWW ICO	
Gary Kite Builder II	Posted: Thu Apr 08, 2004 11:50 pm Post subject:	QUOTE
	Mountain Man wrote:	
	on the pockets for the end of each spar I was complating a pocket like I did on my rocs Like in Gary 's plans of the Rokkaku! this way you can adjust the tention by loosening or tighning the velcro closure! so would do that with a v shape piece of dacron! ok! will tomor build one and take pics of it! its easier than trying to explain what I mean!	
Joined: 26 Nov 2003 Posts: 328 Location: Rhode Island, USA	Hmmmm I am looking forward to those pics. I was thinking about using some kind of between the tips of the sails. I was thinking about sewing line or narrow Webbing to the h threading it thru a fitting that was bored to accept the 10mm stick, and cross-drilled to ac line or Webbing. So many projects, so little time	ems and
Back to top	PROFILE PM ME! E-MAIL WWW	
Mountain Man Kitebuilder of the Year 2003	Posted: Fri Apr 09, 2004 4:47 pm Post subject:	QUOTE
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	ok here is a sample of what I would like to do for the tips of my double star! I just used some scrap and did 4 ends! now sew the top two together sew the bottom two together then using insigna cloth I made two identical pieces and then attach the top and botom pi and in the center of it a piece of large Webbing with velcro on it! so to create a pocket the hold and lock the spar in place! hope this is clear enough now the pictures! hope this will make my discription a bit clearer! Open for discusions! Bernie the Mountain Man Paint the sky "Fly a Kitel"	

	Last edited by Mountain Man on Fri Mar 25, 2005 10:18 am; edited 2 times in total	
Back to top	PROFILE PM ME! E-MAIL WWW	
Dennist3	Posted: Fri Apr 09, 2004 5:05 pm Post subject:	QUOTE
	imagin wrote: Oh, please don't be embarassed! It's kinda funny.	
oined: 20 Feb 2004 Posts: 566 .ocation: USA, Virginia, HAMPTON ROADS	I shoulda knownyour creativity is so far surpassing what a mere man like me could Dennis	ever do!!!!
Back to top	PROFILE PM ME! E-MAIL MSNM	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Fri Apr 09, 2004 6:12 pm Post subject: D.S. tip pocketsBerm	QUOTE
oined: 27 Dec 2003	Bernie you get a gold star . that pocket adapted to the star tips is very clever . It was explain in 500 words or less . Good photos , is that one of the colors you will use? Do end cap on the rod?Is that the pocket you tought gary how to make? Oh by the way it sounds like GARY is going to jump in and join us from the intrest he Gary yes?? At this time I have 45 panels cut and edge bound . Panels a, b, and c. Very boring wo binding , have to walk away from it once in a while. this weekend I will shoot some pi promise.	you put an is showing?
Posts: 1702 Location: Coopersburg, PA - JSA	Regards CLIFF	
Back to top	PROFILE PM ME! E-MAIL	
Mountain Man Kitebuilder of the Year 2003 Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Posted: Fri Apr 09, 2004 6:25 pm Post subject: Thanks of the star *grin* but I have to clear up! Gary is the one that tought me how velco pocket! Its in is Rok plans! Thanks Gary I have been using that ever since my I addapted it with conjonction with Insigna cloth and the 4 pieces of kite are inside the and ziz zag over! will not come out of there! as to the colourno that was just a piece of scrap! from what I understand yes Gary putting one together! Hope this tips will make it easier to adjust the tension! Bernie the Mountain Man Paint the sky "Fly a Kite!"	first rok! nov e two layers
Back to top	PROFILE PM ME! E-MAIL	
Administrator Joined: 27 Aug 2003 Posts: 2194 Location: USA PA	Posted: Fri Apr 09, 2004 6:34 pm Post subject: Bernie, do you get any deformation on the fabric strips when you apply tension to the Steve Ferrel Kite Studio - Go Build a Kite! Measure once, buy twice!	spar?
ALLENTOWN Back to top	PROFILE PM ME! E-MAIL	

















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.











Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 11, 12, 13 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit **Author** Message Mountain Man QUOTE Posted: Fri Apr 09, 2004 7:17 pm Post subject: Kitebuilder of the Year 2003 Hoping to hear from Spectre on this! Since he as build and flow the double star ... what do you think???? will this tip do the job? any danger of diforming the material when tightning the Ripstop? tightning using comon sense! 👸 it work for some of the stars with did before! and works for the rok! I beleive it will work ok! Bernie the Mountain Man Joined: 04 Sep 2003 Paint the sky... Posts: 1093 "Fly a Kite!" Location: NB Canada PROFILE PM ME! E-MAIL Back to top www CJQ Posted: Fri Apr 09, 2004 10:35 pm Post subject: D. S. TIP QUOTE Grand Champion, Kitebuilder of the Year 2006 Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA

Hi bernie did some more thinking on your adjustable pocket . good design for the application . the pocket will be oriented front to back when mounted and will equilize when the front and rear assembles go under tension. thats a good thing. The two tips sewn together as a pair from either section should equalize also. The pair sewn together must be of exact same length so they both recieve the same tension . My guess would be your pocket will be fine . I took a different approach, I first thought that sewing in a 200 lb dacron line in the tip would be the hot setup, However , after thinking some more I decided to use a grossgrain re-enforcement with a triangular attachment point . This triangle is my foundation for a number of different attachment methods. I think I will use an end cap that will stay with the kite sail . Doing that will make setting up the kite each time go easier. Each of the 4 tips will have a fastening line with knots precisely spaced that will be in slots in the end cap. Once the kite is initially assembled only infrequent adj. will be required. Moisture causing fabric strech must be compensated. This kind of a kite requires nece tight sails for good flight. The other way to achieve tension would be to increase the distance between the front and back sails with the spine loops ,but, if spread too far sail deformation may occur. Well , thats enough for now just wanted to pass this on .

Here is a picture of the star tip I made from scrap. The grossgrain is 3/8 in wide. The triangle I made and its 14 ga formvar coated copper with soldered ends.



		7000
	Regards, Cliff	
Back to top	PROFILE PM ME! E-MAIL	
Dennist3	Posted: Sat Apr 10, 2004 12:13 am Post subject:	QUOTE
	Awsome Idea Cliff!!!!!!	
Joined: 20 Feb 2004 Posts: 566 Location: USA, Virginia, HAMPTON ROADS	mind if I "borrow" it for future projects? Dennis	
Back to top	PROFILE PM ME! E-MAIL MSNM	
spectre	Posted: Sat Apr 10, 2004 3:55 pm Post subject:	QUOTE
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Yes, Mountain Man, it is a very good idea. Also it will work fine in the future to tight the sail. Cut the frames a little bit longer(1cm longer). In the future the fabric will stretch. So you can tight the sail very easy in the future. I am waiting for your flight test. If it works fine, I'll put your idea in my plan. Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
kiteguy Kitebuilder of the Year 2005	Posted: Sat Apr 10, 2004 9:01 pm Post subject: Mountain Man wrote:	QUOTE
	Thanks of the star *grin* but I have to clear up ! Gary is the one that tought me how to make the velco pocket ! Its in is Rok plans ! Thank Gary!	S
Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City	I learned how to make the Velcro pockets from a Premier kite that I had purchased. Do you suppose THEY got the idea from Gary, too? Bummer, I can not see the photo of the tip attachment that CJQ is planning to use.	' ❷
	Dave Ellis Kites + Kids = Education	
Back to top	PROFILE PM ME! E-MAIL WWW	

CJQ Posted: Mon Apr 12, 2004 6:43 pm Post subject: Double Star QUOTE Grand Champion, Kitebuilder of the Year 2006 Promised i would do pictures over the weekend I did now I must learn to post them myself. My wife was doing my photo posts but now she said its about time I learn to them . Is that insubordination? So I will try Dont laugh. Now all 70 panels are cut and edge bound and ready for sewing. Spectre has a dwg. of the center section sew, but no dimensions, I just finished a second mock-up with scraps to determine what dimensions were needed to creat a reasonable size hole for the spine. I ended up with a center hole of 3/4 in. with these dinensions === I applied a 1/4 in double stick tape along the inside edge of the "a" panels I also put a washable pencel line parallel to that edge 3/4 in in . Further I found the center of that edge and put a mark across the 3/4 in line on both sides of the fabric. This mark keeps all your panels aligned bofore sewing. You may wonder why I used the double stick tape, It does two things for Joined: 27 Dec 2003 me It makes sewing easier cause I don't prefer hot tacking and panel alignment is quite important, and I think the tape offeres some joint re-Posts: 1702 enforcement. Location: Coopersburg, PA -When you get all the 10 panels held together centered properly the will look like they are mis-aligned ,they are not . You can connect all 10 USA together make9 sews close the loop then do the last sew. Good luck. If you have a question fire away. **CLIFF** PROFILE PM ME! Back to top E-MAIL Mountain Man Posted: Mon Apr 12, 2004 8:38 pm Post subject: QUOTE Kitebuilder of the Year 2003 ok I have a question? where is the pictures *grin* that is about the measurment that I ended up with my mockup! so I thinks that is about right !now when you did the mock up did you use insigna cloth in the center to reiforce? Bernie the Mountain Man Paint the sky... "Fly a Kite!" Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada PROFILE PM ME! E-MAIL Back to top www CJO Posted: Mon Apr 12, 2004 8:59 pm Post subject: Double Star QUOTE Grand Champion, Kitebuilder of the Year 2006 HI Bernie For got to mention I sewed in two grossgrain loops 180 deg, from each other with triangular loops like in my previous post. And to your question no I did not use any insg. cloth to re-enforce. I thought about the stress and concluded thet if I do good sewing and all the sewing locations (at the joints) are Exactly the same distances apart at all the cross locations the stress should be uniform all the way around. That is the theory. Wether I make that happen is a different story ,say! **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA PM ME! PROFILE Back to top E-MAIL

Mountain Man Kitebuilder of the Year 2003	Posted: Wed Apr 14, 2004 5:55 pm Post subject:	QUOTE
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Monday we receiced from Stevef our order of Ripstop and tuesday started the tracing then cutting of material! then we did double fold the first 20 pieces wich is the center! here on our kite that will be white! then we sewed those 20 pieces to form the center and added a dacron reinforcement pieces on 2 pieces that will be accross from each will serve two perpous! one as anchor point to tie the harness and Second to attach the line to hold the arrow nock pieces! here showing A pieces sewed together! Now folding the double hem for the B pieces here those will be Rasberry! very nice red! now their is 40 pieces of those to hem! lots we will continue to post pics as we advance!	n other and
	Cliff your pictures? I know that is awful since your picture poster as resign on you? *grin* Bernie the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
smarties	Posted: Wed Apr 14, 2004 6:15 pm Post subject:	}
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada	Wow, look at MM, how focused he is on his work to see this kite in Dieppe's sky smartles	
Back to top	PROFILE PM ME! E-MAIL WWW	
	Display posts from previous:	

MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 11, **12**, 13 ... 67, 68, 69 Next

Page **12** of **69**

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.






















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1

	View previous topic :: View next topic :: View pos	sts since last visit
	view previous topic view next topic view pos	313 311100 1031 11311
Author	Message	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Wed Apr 14, 2004 6:29 pm Post subject: Bernie and Double Star	QUOTE
Y ****	Hi Smarties , look close at the last picture of bernie folding the sails , notice his finge glowing red! and he's only done 20 panels . Thats the first stage , soon the fingers w smoke. Man there is a bunch of panel work. I mis-calculated there is actually close to edgeing to apply . Berniekeep cranking!! CLIFF	ill start to
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
Mountain Man Kitebuilder of the Year 2003	Posted: Wed Apr 14, 2004 11:30 pm Post subject:	QUOTE
	ok 11:28 PM and just stoped sewing! all the B pannels are hemed so the rasberry cotomrow I will attach them to A pannels! lots of hemming! lots of fun!	olour done!
1	Bernie	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	



Back to top	PROFILE PM ME!	
	E-MAIL	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Thu Apr 15, 2004 12:11 am Post subject: Double Star Mr. wilson , hows your progress with your star , you have been very quiet whats up ?? CLIFF	QUOTE
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
wdrwilson	Posted: Thu Apr 15, 2004 1:04 pm Post subject:	QUOTE
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Looking good Bernie!! I just got my templates made last night. Tonight I think I will cut the A Panels and start t process. I have another kite that I have to finish by the 2nd of May so I may get a little distracted.	he heming
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Mountain Man Kitebuilder of the Year 2003 Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Posted: Thu Apr 15, 2004 10:47 pm Post subject: ok got the A pannels sewed to B pannels! looking sharp! another view! This showing the 1/8 in or so drop on all of them but I dont think it will make a difference why! again a different view! now I have to wait for a while! waiting for more Ripstop from steveffor the 3 pannels spars and center piece hope to hear from Stevef soon on them ??? so for now im on a stand still! Bernie the Mountain Man Paint the sky	
Back to top	"Fly a Kite!" PROFILE PM ME! E-MAIL WWW	

















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

Home Kite Supplies Auctions Forums Techsheets Plans Profiles Competition Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 13, 14, 15 ... 67, 68, 69 Next


	View previous topic :: View next topic :: View posts since last visit
Author	Message
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Thu Apr 15, 2004 11:31 pm Post subject: Double Star
Y ****	Hi Bernie glad your at a stand still ,I cant keep up to your pace ,now i'll have a chance to catch up .Ha Ha, I see what you mean about the drop off 1/8 in . Ya it comes from the angled panels and the folding of the joints . I had the same problem ,I kind of centered the adjoining two panels and sewed. I dont think it makes a difference at all. I was out to stevef's yesterday and the rods are not in yet but very soon . Tony is well into a prototype mock-up and soon be making what we need. Tomorrow I will be sewing panels C to D .I'm getting nervous about getting the panels all sewn with equal lengths between the sews. We dont find out until we put the fabric on the frame. What colors are you changing? W ill it be white red orange black?
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	CLIFF
Back to top	PROFILE PM ME! E-MAIL

Here are 60 center tinkertoys!



And here is a sample of a finished tinkertoy (notice the extra holes on the face, drilled to remove excess weight) *courtesy of CJQ





CJQ Posted: Fri Apr 16, 2004 12:06 pm Post subject: Double Star QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Bernie, boy you are quite observant. Yes, the D panels will not be sewn together at the tips. Last minute plan change. At first I thought I would sew the adjacent tips together ,However further thougt occured and I decided to sew in triangle loops on each tip, the purpose being it would allow for additional adjustment between adjecent cells . I will attach a line from one tip go thru an end cop and down to the adjecent tip. At that tip I will loop thru the triangle and tie a tensioning slip knot .The name of that knot slips my mind But, I believe 10 not experts will respond and remind me . EH. Did you take notice I covered the grossgrain with the same color fabric. Wow only one question Must be good pictures .EH. Joined: 27 Dec 2003 BTW Stevef you suprised me when I saw the Proto-type I made Scared the hell out of me ,cause I didnt remember posting it Thank you for the Posts: 1702 credit. Location: Coopersburg, PA -USA CLIFF **PROFILE** PM ME! Back to top E-MAIL smarties QUOTE Posted: Fri Apr 16, 2004 12:43 pm Post subject: **EDIT** Wow, I never thought that asking for plan for this beautiful kite will end-up in a thread over 14 pages 🔯 I'm glad to see all these peoples building this kite. Now my mind keeps telling me to start building one. 🚱 It's climbing its way up in my todo list. Joined: 05 Nov 2003 I was trying to visualize what kind of pressure the tinkertoy is submitted to in the wind. Which direction the spars will compress or pull on the Posts: 1791 tinkertoy? Anyone can answer this? Location: Dieppe, NB, Canada Smarties (4) **PROFILE** PM ME! E-MAIL Back to top W W W Mountain Man Posted: Fri Apr 16, 2004 10:58 pm Post subject: QUOTE Kitebuilder of the Year 2003 that is quite a pic! Cliff I can see better !Now that as the making of a super double star! I see the crisscrossing of the colour! very nice effect! love it! you will have the spars and tinkertoy before me any wayand I will see a flying pic of it before I can do my C and D pieces 😚 looking forward to seeing that ! (5) hope you dont mind my posting this pic !!! Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada Bernie the Mountain Man Paint the sky... "Fly a Kite!" PROFILE PM ME! E-MAIL Back to top www

CJQ Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA Posted: Fri Apr 16, 2004 11:06 pm Post subject: Double Star

QUOTE

Hi Smarties, It is amazing how many people got hooked on this star. Thanks for your efforts too. Your question about the stress on the tinkertoy has been considered. We are following the plan that Spectre has put into practice and he claims that the design will handle winds up to 25 mph. Thats a bunch of wind. The amazing thing is there are three bridle points at 10, 2, and 6 oclock. The bridles attach to the 5 ft. 10 mm. spars, those three spars carry the load. The amount of stress transmitted to the center hub will not be excessive. Certinly the core section has the most sail area and creat the most force but that force will be distributed to the outer tips. When you look at the front and rear sections from the side you will see a triangular profile caused by the prox 10 degree pitch in the sail panels. Anyway thats the theory The important thing is Spectre says it works.


I posted some pictures in the notebook this A.M. showing some construction. This evening I finished sewing the first section, got so excited I took it outside and layed it out on the ground for pictures, wish the heck I had some 5 ft rods to assemble the thing, oh well cant have everything.

Here is the pic.



Back to top

PROFILE PM ME! E-MAIL



















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 14, 15, 16 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last			
Author	Message		
Mountain Man Kitebuilder of the Year 2003	Posted: Sat Apr 17, 2004 7:07 pm Post subject:	QUOTE	
	just had to do something! so got all my dacron cut and ready with all my pieces cut with velcro on! Bernie	and sewed	
16	the Mountain Man Paint the sky		
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	"Fly a Kite!"		
Back to top	PROFILE PM ME! E-MAIL WWW		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Sat Apr 17, 2004 9:42 pm Post subject: Double Star	QUOTE	
X ****	Bernie you are a bundle of energy. Sounds like you cant sit idle. I see the velcro strips ,what those blue peices of fabric used for. I cut all the panels for the second section. Also cut edg strips for half of them ,so the work moves on. Its still a long way to the end. I'm realy burn out cause I would realy like to have rods so I can mount the first completed section, wish I build a fire under stevef's supplier. I guess when you get old your patients goes away. Keep us posted on your progress.		
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	CLIFF		
Back to top	PROFILE PM ME! E-MAIL		

Kitebuilder.com :: View topic - Double star plan Mountain Man Posted: Sat Apr 17, 2004 9:52 pm Post subject: QUOTE Kitebuilder of the Year 2003 Those are the insigna cloth! its dacron with glue on back! I will use one on each side of the tips then the velcro pieces sewed in between to form the Tip that is adjustable! so the pieces ends are sandwitched in between the Dacron then sewed! hope that help! will put pictures when I get to that stage! Joined: 04 Sep 2003 Bernie Posts: 1093 the Mountain Man Location: NB Canada Paint the sky... "Fly a Kite!" **PROFILE** PM ME! E-MAIL Back to top www Grant L Posted: Mon Apr 19, 2004 2:39 am QUOTE Post subject: Kite of the Year 2004 Next 🥸 😈 😛 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis **PROFILE** PM ME! Back to top E-MAIL CJQ Posted: Mon Apr 19, 2004 8:23 am Post subject: Multi-layer Star QUOTE Grand Champion, Kitebuilder of the Year 2006 HI GRANT, Dont do that to us! we are suckers for chalanges! **CLiFF** P.S. Bernie close your eyes.

Joined: 27 Dec 2003 Posts: 1702


Location: Coopersburg, PA -

USA

Back to top

PROFILE E-MAIL

PM ME!





















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 67, 68, 69 Next 15, **16**, 17

	View previous topic :: View next topic :: View posts since	e last vis
Author	Message	
Mountain Man Kitebuilder of the Year 2003	Posted: Mon Apr 19, 2004 4:41 pm Post subject:	QUOTE
	hi Ferruh! that is problably the same kite! you are looking at the back of the kite and red front of the kite you if you look good! im pretty sure its the same kite!	can see
oined: 04 Sep 2003	the Mountain Man	
Posts: 1093 Location: NB Canada	Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
kiteguy Kitebuilder of the Year 2005	Posted: Mon Apr 19, 2004 9:48 pm Post subject:	Έ
X ****	Kitesquid wrote:	
	Grant,	
	Where did that photo come from and who built it????	
Refe	NICE	
Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City	I think it came from the same place as this picture. But it is outside, here.	



Dave Ellis

Kites + Kids = Education

PM ME!

Back to top

PROFILE

E-MAIL

Posted: Tue Apr 20, 2004 12:33 am Post subject:

www

Grant L

Kite of the Year 2004



Joined: 16 Sep 2003 Posts: 1507

Location: USA IN Indianapolis

Back to top

PROFILE

E-MAIL

spectre

Posted: Tue Apr 20, 2004 2:19 am Post subject:

QUOTE

QUOTE

Yes, Grant they are the same kites.

PM ME!

Now I remember that the picture you post is from Indoor Kiting Show(Holland). Here is the link.

http://www.home.zonnet.nl/redbaronkiteteam/dra03/dracht03.htm

and a small picture with the purple panel on the back.

http://www.fryske-draeken.nl/fotos/Foto~6s.jpg

Henk told me that it is to hard to construct the all three parts, so generally he flights only 2 parts(Green and Red).

🙍 I can't find where I found the photo 🙉 I was surfing a last night and kept finding link within link. And now I'm not sure where the photo came from. I have a file of kite photos I add to whenever I see a cool kite

online. the bad part is trying to go back and find where you got the photos from

Best Winds, Ferruh Baysu



Location: Ankara, Turkey

Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Grant L Kite of the Year 2004	Posted: Tue Apr 20, 2004 11:10 am Post subject:	QUOTE
	Thanks spectre. That is the site I got them from 😛	
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
KiteSquid Master Kite Builder	Posted: Tue Apr 20, 2004 11:53 am Post subject:	QUOTE
	Thanks Ferruh and Grant. Good job guys!!!	
	I like that kite especally with the third set of pannels added	
	Too cool!!!!!	
Joined: 29 Aug 2003 Posts: 6248	I would love to fly it!!!!!!	
Location: USA Virginia King George	VR/ KiteSquid AKA TakoIka AKA HaroId King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL WWW	
spectre	Posted: Tue Apr 20, 2004 5:06 pm Post subject:	QUOTE
	Hi, Kitesquid This kite is a low flyer, needs too much wind and pulls too much(without the purple panel). We fligkite only 2-3 minutes in 2002 Frejus Kite Festival but there was not enough wind in 2003. Come to 2004, probably Henk and his kite will be there.	-
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	

smarties



Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada Posted: Fri Apr 23, 2004 11:09 pm Post subject:

QUOTE EDIT

QUOTE

A few months ago, I bought a book on kites written by Jean-Philippe Ritter. In his book he shows how to build various classic kites. Very good book, but in French.

He has a simple way of doing a "tinkertoy". Because of copyrights, I can't post a copy of the page but I will try to describe it.

To build the "tinkertoy" of an hexagonal kite, he uses a piece of plywood (1/4" or 5mm) that he cut in a hexagonal shape (6 sides). Then, from each corner towards the middle, he cut, with a jigsaw, a slot about 2/3 of the radius and the width of the tube that will hold the spar. At the end of the slot, he let a little bump that will end-up inside the end of a piece of tubing to hold it there.

Sketch

He then inserts an aluminium tube in each slot and tie it down with a piece of wire close to the entrance point. The tube sticks out about 1 inch. Then he poured epoxy all along the tubes on each side. The spars can then be inserted in the tubes once the epoxy is dry.

Anyone followed me? His kite was just about 5ft diameter (160cm). I'm not sure if this method would be strong enough for a larger kite but I thought it could trigger some new ideas.

Smarties 😛

Back to top

PROFILE PM ME!

E-MAIL

Posted: Mon Apr 26, 2004 10:39 am Post subject:

www

KiteSquid Master Kite Builder

I got it!!!!



Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George Simple yet elegant...

I still prefer the Kite Studo Tinkertoys as I realy LOVE machined plastic parts, but the plywood version has great merrit.

if the tube that he epxoyed into the hex was the same OD as the thickness of the plywood or less, you could epoxy another piece of wood to he outside of it to add strength, but more mass.

or add more holes and more wire to act as whipping.

Add Microballons to your epoxy to reduce its weight wihtout decreacing its strength.

Be sure to corse sand the outside of the tubes to give the epxoy more surface area to bond to.

VR/

KiteSquid

AKA Takolka

AKA Harold

PROFILE

WWW.

King George VA

P.S. Yet another post by the Squid..... ODoesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.S. Please excuse my spelling.....

Back to top

PM ME!

E-MAIL

Kitebuilder.com :: View topic - Double star plan CJQ QUOTE Posted: Mon Apr 26, 2004 11:23 am Post subject: Wood tinker toy Grand Champion, Kitebuilder of the Year 2006 Yep I agree with harold ,has lots of merit . I would prefer epoxy but a type that we have down here called J-B WELD (brand name) or one called P C-7 (brand name) found in places like home depot ECT. The products are two part mix 50/50, The material is thick paste. When cured you can grind it drill it, tap it, and its good to bond almost anything except teflon type mtls. It makes good fillets in corners. Just thought i'd pass this on. Dont know if stevef has any . **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL Display posts from previous: All times are GMT - 3 Hours Kitebuilder.com Forum Index » Single Line Kite POST NEW Goto page Previous 1, 2, 3 ... 15, 16, 17 ... 67, 68, REPLY TOPIC Design & Construction 69 Next Page 16 of 69 Watch this topic for replies Jump to: View posts since last visit You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

> Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

TOP



















Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 16, 17, 18 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message KiteSquid QUOTE Posted: Mon Apr 26, 2004 11:31 am Post subject: Master Kite Builder CJQ, Those are metal filled epoxies..... JB Weld **PC-Products** Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King Great for maching after they cure!!!!! George Strong and I thing both are waterproff too. VR/ KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... Open Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... **PROFILE** PM ME! E-MAIL Back to top www Steve D Posted: Thu May 06, 2004 11:33 am Post subject: QUOTE How are the double stars coming along these days? Haven't heard much the past week or two? Joined: 02 Sep 2003 Posts: 996 Location: USA GA Newnan























itebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction







Double star plan Goto page Previous 1, 2, 3 ... 17, 18, 19 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message CJQ QUOTE Posted: Thu May 06, 2004 10:16 pm Post subject: Double Star Grand Champion, Kitebuilder of the Year 2006 Hi guys , Thanks for asking about me . The Star is on the middle burner right now. I just mentioned in whats on your mind that i'm working and filling in for a vacationing employee at my sons place of business . I'd rather be building kites . The Star is coming along the first section is finished just like Burnies . The remaning 70 panels to make the second section are all cut and edge bound. the tips of the star now have the triangular loops sewn in . The nylon adjustable end caps for the radial 10mm rods are complete . All I need now is some time . This weekend looks good .YES STEVE, you can post the pics. that you took of the star on your front lawn . You know it is a difficult thing for Joined: 27 Dec 2003 me to do .eh. Posts: 1702 Bernie you beat everybody again with the biggest and bestes. Good for you . What will you call it? Location: Coopersburg, PA -I havent named mine yet . USA Hey anybody, Who's making one of these stars??? Let me say this is one great kite. Its not a difficult kite to build all the sewing is straight sewing. I did some calculations on how many yds. of fabric I think its maybe 10 to 12. Very little waste . When its done the kite would be worth many hundred dollars . but the important point is its bueatiful and unusual and you can be a proud builder. I saw a post showing a picture of three in the air and had serious thoughts of making two more. Kiters are crazy, Well maybe some. Regards **CLIFF PROFILE** PM ME! Back to top E-MAIL Mountain Man Posted: Thu May 06, 2004 11:05 pm Post subject: QUOTE Kitebuilder of the Year 2003 well I guess I am too cause I have been thinking of that same thing build more than one ! im thinking of that for sure! Bernie the Mountain Man Paint the sky... "Fly a Kite!" Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada

Back to top	PROFILE PM ME! E-MAIL	
spectre		OHOTE
	Posted: Fri May 07, 2004 3:38 am Post subject: Hi, Bernie You have a very big sewing room. Our kitchen is too small to sew. Very nice colors. But y be faster otherwise Cliff will finish before you.	ou must
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Cliff, we are waiting for your kites photos? What is the color of your kite? Is this a secret	?
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Fri May 07, 2004 8:23 am Post subject: Double Star Colors	QUOTE
	Hi Spectre , No the colors are not a secrete . They are light blue and dark purple . What i is the grafic design . The center core panel #1 is purple and then the colors alternate and grafic into A flower pedal . There are 5 blue and 5 purple pedals . the only pictures now s and he said he would post . But the pics. are only the front section thats finished . Bernie is the master of speed and beauty ,however we are all going to catch up to him. S Regards	form the tevef took
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	CLIFF	
Back to top	PROFILE PM ME! E-MAIL	
Mountain Man Kitebuilder of the Year 2003	Posted: Fri May 07, 2004 8:38 am Post subject: Stevef looking foward to seeing Cliff's double star! that will be just super! im just a retir fart Cliff is a master kite builder we know it will be a great flyer and a colour full f	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Bernie the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
smarties	Posted: Fri May 07, 2004 9:42 am Post subject:	
	MM, do you think you will have your double star ready for Sunday? Smarties	
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada		
Back to top	PROFILE PM ME! E-MAIL WWW	























Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star	plan Goto page Previous 1, 2, 3 18, 19 , 20 67, 68, 69 Next	
	View previous topic :: View next topic :: View posts since last visit	
Author	Message	
smarties	Posted: Sat May 08, 2004 3:58 pm Post subject:	
Joined: 05 Nov 2003 Posts: 1791	MM, I really like your choice of color. I didn't plan to go to the flying field tomorrow because of mother's day but I may still drop in for a few minutes to see this magnificent double star kite, that if my better half agrees. She had the whole weekend to herself to do what ever she wants. Yesterday was her birthday and tomorrow mother's day.	
Location: Dieppe, NB, Canada	What time do you plan to be there so I can start negociating? Smarties	
Back to top	PROFILE PM ME! E-MAIL WWW	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Sat May 08, 2004 4:13 pm Post subject: D.S.	
¥ ** **	OH GOOD cant wait for your flight pic's. I dont remember if I had mentioned that when I set up the front sections at steves the 10mm rods were a little short for me. Probably the way I made my jounts. Rather than peiceing and glueing extensions on each rod steve ordered 10mm rods at 5 ft in long. that should do the job for me. Oh man I am as thrilled as you about tomorrow. This will be the first Double Star flown on the North American Continent .YES!	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	PS. Smarties you better show up tomorrow and get some pic's. also . Tell your wife this is a momentis occasion that you cant miss. eh.	
Back to top	PROFILE PM ME! E-MAIL	





Kitebuilder.com :: View topic - Double star plan KiteSquid QUOTE Posted: Mon May 10, 2004 3:22 pm Post subject: Master Kite Builder if you look in Into the Wind's 2004 catalog you will see the Lotus on page 34 or I am sure you can find it on their internet site... Theirs is a 4 and a half foot size for \$55.... I dont know who manufactures it for them as I cannot find it at Go Fly A Kite, Premier, or New Tech's web sites. Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King VR/ George KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... Oo Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... PM ME! **PROFILE** E-MAIL Back to top www Display posts from previous: All times are GMT - 3 Hours POST Kitebuilder.com Forum Index » Single Goto page Previous 1, 2, 3 ... 18, 19, 20 ... 67, 68, TOPIC REPLY Line Kite Design & Construction 69 Next Page 19 of 69 Watch this topic for replies Jump to: View posts since last visit You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You **can** delete your posts in this forum You can vote in polls in this forum TOP Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.




















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1 2 3

	View previous topic :: View next topic :: View po	nsts since last visi
	view previous topic view flext topic view pr	Jata allice last VIS
Author	Message	
pectre	Posted: Mon May 10, 2004 5:06 pm Post subject:	QUOTE
	Yes, I know this kite. If I am not remember wrong they are selling this kite more than 1 year ago. And it "Flying Wings" from Taiwan. The outer panels are single peace. I thing they are mal because it is too small.	-
oined: 11 Nov 2003 Posts: 114 Ocation: Ankara, Turkey		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
i teguy (itebuilder of the Year 20	Posted: Mon May 10, 2004 6:55 pm Post subject:	QUOTE
	I got one of the Lotus kites while in Seattle. I understood that it is made by the same responsible for making the Beetle sport kite.	ne folks
oined: 15 Sep 2003 Posts: 3196 .ocation: USA - Kansas, Overland Park - Near Kan: City	Dave Ellis Kites + Kids = Education sas	
Back to top	PROFILE PM ME! E-MAIL WWW	
Dennist3	Posted: Mon May 10, 2004 8:24 pm Post subject:	QUOTE
	AWSOME KITE MM!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	
oined: 20 Feb 2004 Posts: 566 Ocation: USA, Virginia, HAMPTON ROADS	Dennis	



CJQ Grand Champion, Kitebuilder	Posted: Sun May 16, 2004 9:19 pm Post subject: The D S	TE
of the Year 2006	Bernie , I wish I was there to shake your hand and say great job old chap !!! Truely well done . It's a bueatiful kite , be proud .	
	Regards	
	CLIFF	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
Mountain Man Kitebuilder of the Year 2003	Posted: Sun May 16, 2004 9:42 pm Post subject:	ΣΤΕ
	thanksI will repeat truly a kite to be recomended! Spectre that plans you put on your webs is realy suberb! easy to read and to build! the satifaction is so great! im still on a high from fly it! sore arms but other wise ready to start over!	
the contract of	the only change I did to the pattern is the end pieces! I made my own with dracron and belting and it works supervelco attachment permit to do quick adjustment to tension on the spars!	
Joined: 04 Sep 2003 Posts: 1093	other wise ! supberb !	
Location: NB Canada	wow!	
	Bernie the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
spectre	Posted: Mon May 17, 2004 3:13 am Post subject:	ΣΤΕ
	Great Job MM. I happy that you like the kite. I want to use your end pieces photos on my plan. So peoples have different alernatives to make kite. May I use?	the
Joined: 11 Nov 2003 Posts: 114	And I am waiting some photos with blue sky and white clouds on the background.	
Location: Ankara, Turkey Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Grant L Kite of the Year 2004	Posted: Mon May 17, 2004 9:56 am Post subject:	ЭΤΕ
	Beautiful Bernie (Thanks for sharing along the way. Now the rest of us won't be intimidated and after seeing the photos are anxious to get started (



















Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 20, 21, 22 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message KiteSquid QUOTE Posted: Mon May 17, 2004 10:05 am Post subject: Master Kite Builder Another NICE kite!!!!!!!!!!! (2) VR/ KiteSquid AKA Takolka **AKA Harold** Joined: 29 Aug 2003 King George VA Posts: 6248 Location: USA Virginia King George P.S. Yet another post by the Squid..... Oppose Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling...... **PROFILE** PM ME! E-MAIL Back to top www stevef Posted: Mon May 17, 2004 11:18 am QUOTE Post subject: Administrator another fine job - congratulations Bernie! Also glad the fitting works.. wheew! spectre, doesnt it feel good to see your plan come to life?? Joined: 27 Aug 2003 Steve Ferrel Posts: 2194 Location: USA PA Kite Studio - Go Build a Kite! ALLENTOWN Measure once, buy twice **PROFILE** PM ME! E-MAIL Back to top 1007 1007 1007

With a Council of		
KiteSquid Master Kite Builder	Posted: Mon May 17, 2004 11:30 am Post subject:	QUOTE
	I am SOOOOOO glad that Spectre decided to share his kite plans with the world!!!!!!	!!!
	VR/	
	KiteSquid	
	AKA Takolka	
Joined: 29 Aug 2003	AKA Harold	
Posts: 6248	King George VA	
Location: USA Virginia King George		
-	P.S. Yet another post by the Squid Open Doesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL	
	www	
smarties	Posted: Mon May 17, 2004 12:44 pm Post subject:	
e	EDIT	
9 9	I'm so glad I asked a question about this plan two months ago ⊕ ⊜ ⊕	
	This organization about this plan two months ago of organization	
	Smarties (i)	
Joined: 05 Nov 2003 Posts: 1791		
Location: Dieppe, NB,		
Canada	PROFILE FRANCISCO FRANCISC	
Back to top	PROFILE PM ME! E-MAIL	
wdrwilson	Posted: Mon May 17, 2004 1:49 pm Post subject:	QUOTE
964	This is such a cool kite in the air, and it makes a great noise when you are standing nearly half suited believing through all of the feests is very year.	r by the
	wind hollowing through all of the facets is very very cool.	
	You could see it from very far away and attracted a few spectators (a)	
Joined: 24 Oct 2003	WELL DONE BERNIE!	
Posts: 1359 Location: Canada, Nova	Bill	
Scotia, Halifax		
Back to top	PROFILE PM ME! E-MAIL WWW	
spectre	MSNM CRested Man Man 17, 2004 1, 50 and Death addition	
W. //	Posted: Mon May 17, 2004 1:50 pm Post subject:	QUOTE
	Yes, smarties. You are the quilty. Everything began wtih you.	
	I was in holiday when you submit and the drawings of the kite is	
	resting in my harddisk. Thanks to you, to submitting this subject.	
	Steve, I am very happy that my plan works well. I don't have a good english, and I am	not a very
Joined: 11 Nov 2003	good kite builder and also this iwas my first detailed plan. I was very worried about the plan work	
Posts: 114 Location: Ankara, Turkey Location: Location: Location to the price of		
	and also I want to add the pics from MMs and from others projects if they are accept. B there is some alternatives for the end pieces.	ecause
	PROFILE PM ME! E-MAIL WWW	
Back to top	MSNM	

smarties	OU OFF	7
a L	Posted: Mon May 17, 2004 3:26 pm Post subject:	
	Spectre, Thanks to you for posting your double star in this forum. That's what triggered the whole	e thing. 😉
L. L. O.S. N O.S.O.	Smarties 😃	Ŭ
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada		
Back to top	PROFILE PM ME! E-MAIL WWW	
Mountain Man kitebuilder of the Year 2003	Posted: Mon May 17, 2004 5:15 pm Post subject:	QUOTE
Y CONTRACTOR OF THE PARTY OF TH	Spectre thanks again and feel free to use any of the pictures or text you want on your p maybe even a reference to the Kitebuilder Online Forum! will keep looking at your pamore plans that would interest me!	-
6	Bernie the Mountain Man	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
Mountain Man (itebuilder of the Year 2003	Posted: Wed May 19, 2004 6:15 pm Post subject:	QUOTE
Y Marie Marie Mari	more pics can be seen at my page for the double star!	
	http://www.macbern.bravepages.com/Double%20Star/Thumbnails.html Hope you enjoy! thanks to Peggy Imagin and Smarties for the pictures! what a nice flying kite!	
loined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Bernie the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
rbojarski Master Kite Builder	Posted: Wed Jun 02, 2004 1:36 am Post subject:	QUOTE
	I was hoping to resist making this kite. I was real successfull until I saw the pictures of I and heard about Cliff flying his down at Wildwood this past weekend.	
Heard he was a real crowd pleaser and even got his picture in the local newspaper.		_
loined: 30 Sep 2003 Posts: 440	AnywayI ordered the spars, center hub and material today. Going to make the Double Star in the same colors as my Waldof box. Really liked the way that came out.	
Location: Auburn, Washington	I'm getting a late start on this project, but at least I can read all the excellant post Bern have made so I can pick up construction pointers.	ie and Cliff
	Ray Bojarski PROFILE PM ME!	
Back to top	E-MAIL	
	Display posts from previous:	















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🔄 Plans 🖺 Profiles 🛣 Competition 🕮 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 21, **22**, 23 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View po	osts since last visi
Author	Message	
imagin Kite Builder I	Posted: Wed Jun 02, 2004 6:28 am Post subject:	QUOTE
	Way to go Ray. When Bernie started the project I had no particular inclination to make it, but wow, when I was there to see it fly I decided I'd better grab one of those centre pieces. I ordered it. Won't be making one right away but sure likely will down the road.	
loined: 22 Oct 2003 Posts: 330 Location: Moncton, NB Canada	Knowledge is limited. Imagination encircles the world.	
Back to top	PROFILE PM ME! WWW ICO	
r bojarski Master Kite Builder	Posted: Thu Jun 03, 2004 11:58 am Post subject:	QUOTE
Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington	Well, I'm committed to making the kite after ordering all the parts for it. Now I have all the cutting a look forward to before it starts to look like a kite. Not quite sure I want to cut and hem over 160 sep but it sure looks like the result is worth all the effort. I'm going to take my time on this, so I probably won't be getting it in the air anywhere near as quick Cliff did. I do appreciate all the posts that Bernie and Cliff made on there progress and construction tips. Ray Bojarski	arate pieces,
Back to top	PROFILE PM ME! E-MAIL	
Mountain Man Kitebuilder of the Year 2003	Posted: Thu Jun 03, 2004 12:32 pm Post subject:	QUOTE
X S	ray I know its lot of material to handle and hem but one consolation is the fact that all the piece are small and easy to handle! the problem starts when you start assembling! then you hve to be more carefull as its very easy to peice at the wrong place! odne itso I know what its like! but all this work is really reward you will enjoy the work you put in it as it goes up! it really is difficult to use words to describe the fe	sew the wrong
Joined: 04 Sep 2003	Cliff can say the same !	
Posts: 1093 .ocation: NB Canada	have fun and we will gladly help if we can! looking foward to your pics as you assemble!	
	Bernie the Mountain Man	

Paint the sky...



	Cliff	
Back to top	PROFILE PM ME!	
	E-MAIL	
spectre	Posted: Mon Jun 07, 2004 4:14 am Post subject:	QUOTE
	Hi, Cliff I like the colors too much. And your pattern is different. I put the pics of doublestar(yours and Bernies) to web page(bottom of the doublestar plan).	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Best Winds, Ferruh	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Mountain Man Kitebuilder of the Year 2003	Posted: Mon Jun 07, 2004 10:50 am Post subject:	QUOTE
	thanks Spectre for putting my page of the double star! and thanks again for putting up you plan! Looking to the next plan you will put up!*hint* *hint* (5)	g foward
	Bernie the Mountain Man Paint the sky	
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	"Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
wdrwilson	Posted: Mon Jun 07, 2004 11:23 am Post subject: Great looking kite Cliff!!! The color scheme works really really well! Bill	QUOTE
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
conklincomputer	Posted: Thu Jun 24, 2004 9:48 am Post subject:	QUOTE
DONT TRAD ON TO	Ferruh, Bernie, and Cliff, I'm beginning work on my own double-star. My question is this: Which section (A being the inside and D to outside) seems to be the most prominent? It seems to me from looking at the pictures that the B section the most, it uses the most fabric, but I'm curious from the point of view of those who have actually made	stands out
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	the kite which part of the kite stands out the most. Basically it's so I can plan my colors. Thanks!	
	Marc 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com	
Back to top	PROFILE PM ME! E-MAIL	



















tebuilder.cor

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.




















Kitebuilder.com Forum Index » Single Line Kite Design & Construction







Double star plan Goto page Previous 1, 2, 3 ... 22, 23, 24 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Grant L QUOTE Posted: Fri Jul 09, 2004 8:49 am Post subject: Kite of the Year 2004 I'm just getting ready to order spars and tinkertoy from Steve. Bernie and Cliff, do you think the 0.60 oz Toray would be strong enough? I ordered a bunch and was thinking about using it with Design Master paints to get a color scheme I wanted. I just wanted to get some opinions from those that have already built one @ Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis **PROFILE** PM ME! Back to top E-MAIL rbojarski Posted: Fri Jul 09, 2004 8:58 am Post subject: QUOTE Master Kite Builder Grant.....I'm also in the process of building a double star. The kite does require a lot of material. I 've assembled parts A and B, and have just started cutting out part C. You probably need at least 15 yards of material for all 140 panels. You might get by with a little less if you can cut out all the panels as efficiently as the one picture showed. I allowed a little waste around each panel to make cutting a little easier. I'm probably wasting about 1/2 yard per color. That said, I've never used Design Master paint. How many yards of material can you paint per can of the paint? Make sure Joined: 30 Sep 2003 you have enough before you get started spraying. Posts: 440 Location: Auburn, Washington Ray Bojarski **PROFILE** PM ME! Back to top E-MAIL



E-MAIL







Page 23 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

TOP

















itebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.




















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 23, 24, 25 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Grant L QUOTE Posted: Fri Jul 23, 2004 10:53 am Post subject: Kite of the Year 2004 My computer died so I can't sit at home trying to figure out the color scheme, so I'm still getting my order together. One thing I am concerned with is the ability to travel with the kite, (Five foot spars 🔯 ,) I wrote to Bernie and he said that the kite is heavy overall and you need to be sure it is sturdy enough for landings. He also though that is was best to allow the center hub to move up and down the center spar. I was considering making the center spar 3 piece so the center section is clear of obstructions, (with internal and possibly external Ferrels.) and the horizontal spars 2 piece, Joined: 16 Sep 2003 (with external and possibly internal Ferrels.) I don't have any experience with this type/size of kite. Posts: 1507 Bernie stressed that the spars have to be strong. Any other advice/comments? Am I better off just Location: USA IN leaving the spars one piece and living with it? Indianapolis **PROFILE** PM ME! Back to top E-MAIL rbojarski Posted: Mon Jul 26, 2004 1:22 pm Post subject: QUOTE Master Kite Builder Grant...I'd recommend leaving the spars in one piece. If you make the spars multiple pieces to shorten the lengths, then you still have to deal with rolling up all the material that makes up the front and back of the star. You'll either end up with a somewhat longish, fairly fat bag to transport the kite, or a shorter and extremely fat bag to hold the kite. Gathering up all the material for storage may be a problem if you have shorter spars. But that's, my thoughts, I have parts A, B, & C all done and assembled. Getting ready to start cutting and making all the part D sections. So far its Joined: 30 Sep 2003 a hand-full wrapping up the two sections of the 3/4 assembled kite. Posts: 440 Location: Auburn, Ray Bojarski Washington PROFILE PM ME! Back to top E-MAIL



Kitebuilder.com :: View topic - Double star plan **PROFILE** PM ME! E-MAIL www Back to top **MSNM** spectre QUOTE Posted: Thu Aug 26, 2004 6:24 am Post subject: Here is a new Doublestar made by Leandro from Brasil. This one is a halfsize(1.5meter) and made by bamboo and paper. Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey

> Best Winds, Ferruh Baysu

Back to top

CJQ Grand Champion, Kitebuilder of the Year 2006

Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

PROFILE PM ME! E-MAIL www **MSNM**

Posted: Thu Aug 26, 2004 8:02 am Post subject: Double Star --Paper/Bamboo

Hi Ferruh, Thanks for the picture. Did you see the kite yourself? It amazes me that the material is paper . The joining points of the panels have stress in directions that cause extreme shear. I'm wondering how that was overcome?Can you comment.Was the hub made like yours?How about the pockets?

QUOTE

Wait for your comments

CLIFF

Kitebuilder.com :: View topic - Double star plan **PROFILE** PM ME! Back to top E-MAIL spectre QUOTE Posted: Thu Aug 26, 2004 2:49 pm Post subject: Cliff, I didn't see the kite. I take an e-mail in portuguese language. I translate it to english using babelfish. I ask some questions Leandro in English, and take answers in Portuguese. And traslate it to English again. In his e-mails he wrote he made with paper nad bamboo (in Portuguese). I don't know how it is made it but according to me joining points will be ok when using Double Face Joined: 11 Nov 2003 Tape. I am using Double Face Tape and acetate paper on my paper kites to strength. It works fine. Posts: 114 I think you do the pockets in same way. Location: Ankara, Turkey Best Winds, Ferruh Baysu PROFILE PM ME! E-MAIL www Back to top **MSNM** Grant L QUOTE Posted: Thu Aug 26, 2004 7:02 pm Post subject: Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

> Got my templates made from "flashing" aluminum and started doing the cutting. I have all of the center "A" pieces cut out and will start on the rest tonight. I'm aligning the line along the length of the template with the fabric. I'll post more photos as I progress 😛

Back to top

PROFILE PM ME! E-MAIL

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 23, 24, 25 ... 67, 68, 69 Next

Page 24 of 69















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

Home Kite Supplies Auctions Forums Techsheets Plans Profiles Competition Photo Album








Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 24, 25, 26 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit **Author** Message Mountain Man Posted: Thu Aug 26, 2004 7:29 pm Post subject: QUOTE Kitebuilder of the Year 2003 What is your colour skeam? may I ask? 6 look good up to now and I know for a fact you will enjoy flying this kite! I sure can vouch for that and so does Cliff! its just such a nice feeling! Bernie the Mountain Man Paint the sky... Joined: 04 Sep 2003 Posts: 1093 "Fly a Kite!" Location: NB Canada PROFILE PM ME! E-MAIL Back to top www Grant L Posted: Thu Aug 26, 2004 9:07 pm Post subject: QUOTE Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis





Hi Bernie,

I liked the way the colors popped out on yours and the way the colors were laid out on Cliff's. So mine is going to be red/white/blue, (I know Kiteguy will like it is) with a white center and the red and blue in a pattern like Cliff's kite. I'm trying to find time to work on it around home and school activities. Going to get started cutting out the red and blue tonight be Look for questions in the next couple of weeks. Ferruh was nice enough to send me some files so that I could print out the patterns out on 8 1/2 x 11 paper. I'll be glad to send them to anyone else planning on making one, (Thanks Ferruh!)

Back to top

PROFILE PM ME!

conklincomputer	Posted: Fri Aug 27, 2004 10:48 am Post subject:	QUOTE
	I've been working on my double star as well, color scheme from center to outside - black - gold - white - black.	
DON'T TARAD ON YE	I've got the bottom half assembled, and I'm working on the top half now. The actual assembly of the kite is fairly quick, it's the cuttin hemming that was taking me so long - very tedious.	g and
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	I'm hoping to have the kite done and test-flown by labor day weekend for the Beech Mountain kite fly in NC. I don't have a digital can figure someone may get a picture or two of it there.	nera, but I
·	Marc	
	1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com	
Back to top	PROFILE PM ME! E-MAIL WWW	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Fri Aug 27, 2004 5:26 pm Post subject: Double Star	QUOTE
Y ****	Hi Marc, sounds great, anxious to see pictures. I think that Harold Ames is going to that fly and he has a digital camers. Shurly he wover your kite scoping it out and pics. too.	vill be all
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
conklincomputer	Posted: Sat Aug 28, 2004 5:37 pm Post subject:	QUOTE
CONT READ OWN	question: Cliff, you did your tip pockets as regular pockets, MM, you did yours with velcro. The two of you have seen each other's kites now, which do you think is better?	
	Marc	
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com	
Back to top	PROFILE PM ME! E-MAIL WWW	

Mountain Man

Kitebuilder of the Year 2003

Posted: Sat Aug 28, 2004 5:45 pm Post subject:

QUOTE

Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada Bernie the Mountain Man

"Fly a Kite!"

Back to top

PROFILE

Paint the sky...

PM ME! E-MAIL

www

Grant L Kite of the Year 2004

Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

Posted: Wed Sep 01, 2004 2:16 am Post subject:

QUOTE

When we came home from vacation a few weeks back, we brought home two suitcases 🔯 full of "KNEX" that my nephew gave to my four year old son. So I have been spending my free time building with him, (we now have a small carnival in our living room that includes a roller coaster and a ferris wheel,) and have had to do my cutting at night. But I finally cut out the last of the 140 main pieces tonight 🚇 (and only one minor stab wound and no lost fingertips (A) I am playing around with something that I can use to crease the fold lines so that I can speed up the process of folding all of the edges. I have experimented with a straight edge and a small, dulled chisel, using my cutting mat as a surface. Works OK but I'm still trying to find something that will form a better crease without damaging the Ripstop. I hope to make lots of progress this week 😛


well my way is a little harder to build but make it easy to adjust tension on the sails now cliff had to special order the spars as 5 ft was not long enough! now I did not watch Cliff assemble his kite! but with the velcro it makes it very easy to assemble! now lets here Cliff comments 😘



Back to top

PROFILE

E-MAIL







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 24, **25**, 26 ... 67, 68, 69 Next

Page 25 of 69

Watch this topic for replies

View posts since last visit

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 25, 26, 27 ... 67, 68, 69 Next View previous topic :: View next topic :: View posts since last visit Author Message CJQ Posted: Wed Sep 01, 2004 8:19 pm Post subject: Double Star Tips QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Guys , sorry for delay in posting . Back out of retirement filling in for one of my son's employee's. Thats the bad news the good news is that i'm shaking the money tree. Gettin some bucks for my AKA trip in oct. About the panel "D" tips. ,As Bernie has mentioned he used velcro pockets to tension the sails. I used grossgrain loops on the tips and end caps I made with slots for adjustments. However, since Bernie's and my kites were made some further thought has been given and a special end cap was suggested for that application. The adjustable end cap is in the kite studio catlog and its called Joined: 27 Dec 2003 theMKS endcap. It has a hole drilled thru the cap 90 deg. to the center line and a nylon set screw Posts: 1702 to afix a line that is passed thru the side hole . The recomendation is for a 200 lb peice of line be Location: Coopersburg, PA sewn to the panel tip. that line is then slipped thru the fitting and locked in place by the screw. USA VERY SLICK APPLICATION. I said it was a special end cap ,not realy , steve can make them up easily. I believe that Ray B., Grant L, and canadian Bill are employing this method. Probably if bernie and I knew of the fitting thats what we may have used . The fitting can be left in position at dis -assembly, plus it allows tensioning of the front and rear sail individualy. NEAT> Hope this helps you marc. **CLIFF PROFILE** PM ME! Back to top F-MAII smarties QUOTE Posted: Wed Sep 01, 2004 10:26 pm Post subject: **FDIT** Looks like this thread will never end. I think this kite was a good exercice to learn a lot and we're still learning from it.



Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada

Thanks to all who contributed to this thread. If I can one day flush my todo list, I may get to build one of these. 😘

Smarties (11)



http://www.yvonhache.com

To boldly go where no imagination as gone before! 😛 😛



PROFILE PM ME! E-MAIL Back to top 1007 1007 1007 rbojarski QUOTE Posted: Thu Sep 02, 2004 1:14 am Post subject: Master Kite Builder To GrantL...About making creases for kite hems: This is what works for me, and I used this for the Waldof Box I made last year....put a series of marks on the sail twice the width of the hem you want. For example, if you want a 1/4 inch hem, put your marks 1/2 inch in from the edge of the sail. Depending on the size of the hem, 3 to 6 marks spaced somewhat evenly should be enough, Fold the edge of the sail over to meet the marks and press down with you finger to start the crease. After the entire hem is made, go back and set the crease with your finger nail to get a sharper Joined: 30 Sep 2003 hem. You can then run the edge of the kite over the edge of a table to help set the hem. Tape the Posts: 440 hem in place with cellophane tape and then sew the hem. Works great for me. Location: Auburn, Washington Ray Bojarski Last edited by rbojarski on Thu Sep 02, 2004 1:18 am; edited 1 time in total PROFILE PM ME! Back to top E-MAIL rbojarski Posted: Thu Sep 02, 2004 1:18 am Post subject: QUOTE Master Kite Builder Follow up to Cliff's post..... I plan to try the MKS fittings to tension out the Double Star. Not quite at the point in construction to see how these fittings work. I just started cutting and assembling all the part D panels. When I get all 40 made, I'll start attaching them to the assembled A+B+C parts of the kite. Depending on the weekend, I should get around to framing up the Double Star some time next week. Now if I can find some place tall enough in the house to put the kite together..... Joined: 30 Sep 2003 Ray Bojarski Posts: 440 Location: Auburn, Washington **PROFILE** PM ME! Back to top E-MAIL Progcraft Posted: Thu Sep 02, 2004 1:22 am Post subject: QUOTE Kitebuilder of the Year 2004 rbojarski wrote: To GrantL...About making creases for kite hems: This is what works for me, and I used this for the Waldof Box I made last year.....put a series of marks on the sail twice the width of the hem you want. For example, if you want a 1/4 inch hem, put your marks 1/2 inch in from the edge of the sail. Depending on the size of the hem, 3 to 6 marks spaced somewhat evenly should be enough, Fold the edge of the sail over to meet the marks and press down with you finger to start the crease. After the entire hem is made, go back and set the crease with your finger nail to get Joined: 29 Sep 2003 a sharper hem. You can then run the edge of the kite over the edge of a table to help set the Posts: 4023 hem. Tape the hem in place with cellophane tape and then sew the hem. Works great for me. Location: Montreal, QC, Canada This is where the guilters ruler comes in real handy. If you don't have a quilters ruler yet, I highly recomend it. It is sooooo usefull. I use it now for everything. Hemming, making templates, marking various seam lines, everything. Wonderfull tool. The Della Porta class, stage three, has a good description of hemming. Step 3 and step 6. BTW, it was Kitenerd who convinced me to get a quilters ruler. I thank him endlessly for that 😩 I use a combination of Ray's and Conklincomputers methods. Mark a 1/2" line in from the edge (quilters ruler). Fold fabric edge to line. Hold with one hand's thumb and forfinger. Use credit card to press fold. Do a whole side like this. Then fold over again, use credit card again. Viola, double fold. Quick, easy, and very even. Ρ. There is no box

Back to top	PROFILE PM ME! E-MAIL WWW	
sharky	Posted: Mon Sep 06, 2004 6:08 am Post subject:	QUOTE
	Im about to start making a doublestar now, but i wonder if i should use 8 or 10 mm spreason for wondering is that around where i live we do normally have low winds. so if a have any experiense of what the low end of the windrange is on the double-star is the to know,	any of you
Joined: 22 Mar 2004 Posts: 30 Location: Norway		
Back to top	PROFILE PM ME! WWW	
CJQ Grand Champion, Kitebuilder of the Year 2006	□Posted: Mon Sep 06, 2004 9:09 am Post subject: Double Star Spar Size	QUOTE
Hello Sharky, Glad you are going to make a D.S. You will enjoy the kite when you fly i or 8 people who have made or are making one now. To my knowledge we all used 10 r. The wind needed to keep it in the air is about 10 mph. I have flown the star many time wished it would fly in about 7 to 8 mph winds. So I am doing an expirement and order Carbon spars. A 5 foot 10 mm spar is prox. 2.875 ounces. A 2800 spar is prox. 2.0 ou believe my weight savings will be a little over 1/2 lbs. My concern was or is spar stiffned see, and let you know. The spars should arrive within a week. If your just starting to star ,which will take a bit of time to sew(right guys??) I will have the results by the time framing. There is an incredible amount of posting about the D.S. to read, in fact this the more posts than any other topic in this forum. Guess its because its such an ausum kind share your project with us.		
Posts: 1702 Location: Coopersburg, PA -	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this t more posts than any other topic in this forum. Guess its because its such an ausum ki share your project with us.	make the me you get to hread has
Posts: 1702 Location: Coopersburg, PA - USA	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this timore posts than any other topic in this forum. Guess its because its such an ausum ki	make the me you get to hread has
Posts: 1702 Location: Coopersburg, PA - USA Back to top Mountain Man Kitebuilder of the Year 2003	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this ti more posts than any other topic in this forum. Guess its because its such an ausum ki share your project with us. CLIFF PROFILE PM ME!	make the me you get to hread has
Posts: 1702 Location: Coopersburg, PA - USA Back to top Mountain Man	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this ti more posts than any other topic in this forum. Guess its because its such an ausum ki share your project with us. CLIFF PROFILE PM ME! E-MAIL	make the me you get thread has te. Hope you guote vays have the dered I will gest to wait
Posts: 1702 Location: Coopersburg, PA - USA Back to top Mountain Man Kitebuilder of the Year 2003 Joined: 04 Sep 2003 Posts: 1093	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this ti more posts than any other topic in this forum. Guess its because its such an ausum ki share your project with us. CLIFF PROFILE PM ME! E-MAIL Posted: Mon Sep 06, 2004 9:49 am Post subject: eh Cliff! Let me know as I would surely do a change too cause very often we dont alw right wind for the star! very good flyer but a bit heavy! so since you already have or wait for the result! and to every one in the building of the double star I would sug to see the result of cliff experiment! it will make a difference specially if you fly in a local content of the star of the cliff experiment! it will make a difference specially if you fly in a local content of the star of the cliff experiment!	make the me you get thread has te. Hope you guote vays have the dered I will gest to wait
Posts: 1702 Location: Coopersburg, PA - USA Back to top Mountain Man Kitebuilder of the Year 2003	see, and let you know. The spars should arrive within a week . If your just starting to star ,which will take a bit of time to sew(right guys ??) I will have the results by the ti framing. There is an incredible amount of posting about the D.S. to read, in fact this timore posts than any other topic in this forum. Guess its because its such an ausum ki share your project with us. CLIFF PROFILE PM ME! E-MAIL Posted: Mon Sep 06, 2004 9:49 am Post subject: eh Cliff! Let me know as I would surely do a change too cause very often we dont alw right wind for the star! very good flyer but a bit heavy! so since you already have orwait for the result! and to every one in the building of the double star I would sug to see the result of cliff experiment! it will make a difference specially if you fly in a local cookin foward to see wht happen!	make the me you get thread has te. Hope you guote vays have the dered I will gest to wait



phpBB © 2001, 2002 phpBB Group

















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 26, 27, 28 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View p	osts since last visi
Author	Message	
smarties	Posted: Tue Sep 07, 2004 9:11 am Post subject:	OTE DIT
	Grant, Keep going, you're not so far from having it flying, on and we can't wait to see those pictures.	•
loined: 05 Nov 2003 Posts: 1791 .ocation: Dieppe, NB, Canada	Smarties (i) http://www.yvonhache.com To heldly go where no imagination as gone before. (ii) (ii)	
Back to top	To boldly go where no imagination as gone before!	
conklincomputer	□Posted: Tue Sep 07, 2004 10:42 am Post subject:	QUOTE
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	High Kite Fly in Beech Mtn, NC (I'm pretty sure I had it up high enough at one point to be an act sea level! () Jim Podlasek, a WACKOS member who runs the kiteflier.com web site was kind enough to share he took, here are some links: Double Star 1 Double Star 2	
	Other Mile High Kite Festival Pictures from Kitefliers.com	
	To anyone in the process of cutting or hemming: hang in there! I thought I was going to go craz those pieces, but once that's done, and you get to assembling the kite, and you finally get to fly worth it!	
	Cliff, I'm looking forward to hearing the results of your spar experiment, it is a pretty heavy kite	!
	Bernie, I ended up using your pockets, thanks for the good advice![/url]	
	Marc 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com	
Back to top	PROFILE PM ME! E-MAIL	

stevef Administrator	Posted: Tue Sep 07, 2004 11:45 am Post subject:	QUOTE	
	yep, by my count it is #3 but two more on on the way!		
Joined, 27 Aug 2002	Great job conklin! I like the black "frame". Cliffs's spars were a special order and I hope to rec I am sure he'll post a report.	eive them soon	
Joined: 27 Aug 2003 Posts: 2194	i am sure ne il post a report.		
Location: USA PA ALLENTOWN	Will we se it at AKA Seaside?		
	Steve Ferrel		
	Kite Studio - Go Build a Kite! Measure once, buy twice!		
	PROFILE PM ME! E-MAIL		
Back to top	PROFILE PRINCE CHARGE		
conklincomputer	Posted: Tue Sep 07, 2004 12:20 pm Post subject:	QUOTE	
	stevef wrote:		
DON'T TREAD ON TS	Will we se it at AKA Seaside?		
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	'fraid not Steve. I did get an invite for sport kite competition, and would love to go, but a weel during the school year is pretty tough!	c across country	
	Marc		
	1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com		
	PROFILE PM ME! E-MAIL		
Back to top	www		
kitepoor	Posted: Tue Sep 07, 2004 12:49 pm Post subject:	QUOTE	
Kite Builder II ★★			
Joined: 05 Sep 2003	I was there and the star was VERY cool!! Great job Mark!!!!		
Posts: 548 Location: USA Virginia	Randy		
Harrisonburg	a kite a nice thing		
	kite in the air a beautiful thing kites to share the coolest thing		
	PROFILE		
Back to top	PM ME!		
spectre	Posted: Tue Sep 07, 2004 5:18 pm Post subject:	QUOTE	
	Hi, Sharky and CJQ		
	I turned home yesterday from a 9 day trip. And saw that the DS reply is going bigger. It seem end.	s this will never	
	I am waiting for your news about the 8mm spar. But I don't know your spars are much more t	han which Lused	
Joined: 11 Nov 2003 Posts: 114	or there is something different. Because my DS can flight less wind. When I have time I'll weig		
Location: Ankara, Turkey	have time please also you check the weigh so we can compare. Did anyone tried to move the		
	down. I'll check my DS bridle again. It is possible that I made a mistake if But on the picture kite seems correct. So this a very low probability.	es the angle of the	
	kite seems correct. So this a very low probabilty.		
	Probably 8mm will work on the less wind. My friend has one 8 point 2 meter DS with 6 mm Carbon spar. It flight less wind but when the wind goes more the kite begin to change its shape. May be you can carry two types of frame with you.		
	Conklin, I like your black/orange color. What is the color of the orange and which type of Fabri link to my webpage. But I don't know your name and location so I can write only Marc as build		
	Here is a photo of my Doublestar in my eye.		



Best Winds. Ferruh Baysu

Last edited by spectre on Wed Sep 08, 2004 3:03 am; edited 1 time in total

Back to top

PROFILE MSNM

PM ME! E-MAIL

CJQ Grand Champion.

Kitebuilder of the Year 2006

Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Posted: Tue Sep 07, 2004 5:29 pm Post subject: Marc's Super Double Star

OH MAN Great job Marc. The colors pop, good combination. Is it an ausum feeling to fly,or what!! Yee yow eee .

QUOTE

Hey Randy are you ready to start one??? Hope Marc let you fly it a bit. Although it's tough to give up a new toy, hope he let you touch the line anyway.HA HA. Sorry you cant make the AKA. I know Ray B. will have his there. Not sure about Grant . His probably would will be finished ,dont know if he's going. What was the wind speed when you had it up? As Steve mentioned Were waiting on the 2800 spars. Hopefuly it will allow flight at 8 mph. which is a more common speed ,for me it seems. Will let everyone know.

Did you see the post by SHARKY who said he decided to make the star also. I think the intrest is generated by a few things. The kite shape is ausum. There are so many color combinations that can be used to create individualism. And I think many have decided to try thier hand making one because they feel comfortable knowing we are all here to help when problems arise. (it's the family thing) And last the KITE STUDIO is here to supply the parts we need --Thanks Steve!

CLIFF

Back to top

PROFILE PM ME! E-MAIL

Halit QUOTE Posted: Tue Sep 07, 2004 5:49 pm Post subject: You can find some picures of my double star at. http://www.geocities.com/turkishkites/20040321.htm Joined: 07 Sep 2004 I still could not find the right bridle lenghts. Posts: 69 Location: Istanbul / Turkey Good winds www.ucuc.cjb.net Istanbul/Turkey www.ucurtma.com.tc PROFILE | PM ME! E-MAIL Back to top 10071007100 CJO QUOTE Posted: Tue Sep 07, 2004 5:51 pm Post subject: THE D.S. Grand Champion, Kitebuilder of the Year 2006 Hi Ferruh, You are a wild and crazy man ,how did you ever think of a reflection in your eye--Love it. Yes I have expiremented with the attack angle . I have a slider on the bridle to the center so adjusting is very easy. I change the angle to meet the wind strength. 10 to 12 mph is the range that will lift and maintain flight. I just weighted the kite. the 10 mm spars with the tip fittings are 2 lb./11 oz. the center hub alone is 6.15 oz. the sail is 1 lb/13 oz. the total wt . is 78.15 oz's. or 4.88 lbs. With the use of 2800 spars I will reduce the wt. by a little more than 8.0 oz. Hopefuly it will allow flight at 8 or so mph. we shall see. Thanks again for your help. Joined: 27 Dec 2003 CLIFF Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL kiteguy Posted: Tue Sep 07, 2004 8:38 pm Post subject: QUOTE Kitebuilder of the Year 2005 Spectre, loved the picture of the reflection of the kite in your eye. My wife likes to take reflection photos and has a few taken in the silver sunglasses you see people wearing, but this one is great. Dave Ellis Joined: 15 Sep 2003 Kites + Kids = Education Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City **PROFILE** PM ME! E-MAIL Back to top ישרעשרעשר Display posts from previous: All times are GMT - 3 Hours NEW POST Kitebuilder.com Forum Index » Single Line Kite Goto page Previous 1, 2, 3 ... 26, 27, 28 ... 67, 68, TOPIC REPLY Design & Construction 69 Next

Page 27 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star	plan Goto page Previous 1, 2, 3 27, 28 , 29 67, 68, 69 Next	
	View previous topic :: View next topic :: View posts since last visi	
Author	Message	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Tue Sep 07, 2004 8:55 pm Post subject: D.S. Bridles.	
T ***	Hi, Halit, went back and saw your double star . very nice colors red and purple complement each other very well. what kind of a center hub/fitting did you use. how did you make the tip attachments? The bridle I use on my star is 25 feet long for the two bottom and prox. 27 feet for the bridle that goes to the center. The center one is adjustable to match wind conditions. The plan I used called for shorter ones . I thought that longer was better for control. What length are you using?	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - JSA	CLIFF	
Back to top	PROFILE PM ME! E-MAIL	
spectre	Posted: Wed Sep 08, 2004 8:24 am Post subject:	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Halit, welcome to forum. Halit's DS is 8 point and uses 6 Carbon mm spars. And the HUB is a standart 6mm/8point of (dia must be 6cm/2.4inch). We flights our kites with lots of time but we can never flght our DS together with Halit. Cliff, I'll weigh my DS as soon as possible. and check with yours. 4.lb means more than 2kg don't think mine is heavy as this. May be our spars are different. What is the inside dia of your spars? Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	

CJQ Posted: Wed Sep 08, 2004 8:31 am Post subject: D.S. spars QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Spectre, the inside diameter of the 10 mm spars is 7.24 mm . Is that the same as yous? **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top F-MAIL spectre QUOTE Posted: Wed Sep 08, 2004 10:00 am Post subject: My spars has an inside dia of 8mm and the outer must be 9.9mm. If yours 10/7.24 then this means my spars are 39% lighter then yours. If I am not wrong total difference is 12oz. I'll check the weight of kite when I turn back to home. Best Winds, Joined: 11 Nov 2003 Ferruh Baysu Posts: 114 Location: Ankara, Turkey PROFILE PM ME! E-MAIL 100 100 100 Back to top **MSNM** conklincomputer Posted: Wed Sep 08, 2004 11:18 am Post subject: QUOTE Spectre, The gold in my double star is texlon Ripstop, I think the proper color title is "California Gold". As for demographic information, my name is Marc Conklin, I'm from Midlothian, VA, USA. I think that the weight difference between your original double star and the ones we've made here Joined: 12 Jan 2004 Posts: 81 could be the hub. You made yours out of wood, I think we've all used the machined hub that the Location: Midlothian, VA Ferrell's made for us (thanks! 👸), I don't know a lot about the material, but I'm thinking that it would weigh more than yours. All I know is, while the kite flies extremely well, and was pretty stable considering the bumpy air I was flying in, it's pretty heavy and would fall like a rock if the wind dropped. I was running up the hill several times to get it back up (to the cheers of Harold Ames!). I really wish I was going to Nationals, it'd be a blast to have a double-star mass ascenscion! Maybe I'll send mine with some folks who are going so that could be accomplished! How many double stars will be at the convention I wonder? Marc 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com PROFILE PM ME! E-MAIL Back to top www

Grant L Posted: Wed Sep 08, 2004 12:43 pm Post subject: QUOTE Kite of the Year 2004 I can't make the nationals, (can't pull the kids out of school 🙆) but I think we will be in Dieppe next summer , There should be at least three there for a mass ascenscion Have all but the D pieces hemmed. Waiting on the end pieces so that I can figure exactly how I will do the tips before I hem them. (may incorporate 200#line into the hems to go through the tip fittings.) Off to repair and pack for Grand haven this weekend (4) Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis PROFILE PM ME! Back to top E-MAIL spectre Posted: Wed Sep 08, 2004 1:14 pm QUOTE Post subject: Hi, I came home and weigh my DS. I don't have a good scale, but I check it with 1kg. It seems ok. I can only weigh 50gr steps not accurrate as CJQ. But in total there may be maximum 100gr error. Here is what I get. I think this shows why my doublestar flights in low winds 5mph(but you can not stake in this wind, you must play with the line) and stake at 6-7mph. Joined: 11 Nov 2003 Weight Difference of CJQ DS and my DS: Posts: 114 Frame Location: Ankara, Turkey CJQ : 43 oz = 1219 grMy : 26.5 oz = 750 grWeight Difference : 16.5 oz = 469 grHUB CJQ : 6.15 oz = 175grMy : 3.5 oz = 100grWeight Difference : 2.65 oz = 75 grSail CJQ : 29oz = 822 grMy : 23oz = 650 grWeight Difference : 6 oz = 172 gr**Total** CJQ: 78.15 oz = 2215grMy : 53 oz = 1500 grWeight Difference: 25.15 oz = 715gr Best Winds, Ferruh Baysu PROFILE | PM ME! E-MAIL 100110011001 Back to top **MSNM** conklincomputer QUOTE Posted: Wed Sep 08, 2004 2:13 pm Post subject: Grant L wrote: I can't make the nationals, (can't pull the kids out of school 쯙) but I think we will be in Dieppe next summer 🔑 Joined: 12 Jan 2004 Gee, my wife's been wanting me to take her to Canada... (5) Posts: 81 Location: Midlothian, VA Marc. 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com **PROFILE** PM ME! E-MAIL Back to top ישרישרישר



















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 67. 68. 69 Next 28. **29**. 30

		View previous topic :: View next topic :: View posts sin	nce last visit
Author		Message	
Mountain Man Kitebuilder of the Year 2003	Posted: Wed Sep 08, 2004 6:31 pm	Post subject:	QUOTE
X Company of the comp	well my scale is not very accurate! but the total is just under the 4 lbs! guess the only different with Cliff is the length of his spars! and yes I need good winds! but I fly it as often as I have steady winds! and yes will do a mass asscention of double stars! I can organise that! it would be cool!		
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	Bernie the Mountain Man Paint the sky "Fly a Kite!"		
Back to top	PROFILE PM ME! E-MAIL		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Wed Sep 08, 2004 7:14 pm Hi MM , I will be at the Dieppe Festival stars flying together? wow. CLIFF	Post subject: D.S. Mass. Asention and will participate in the event . Can you imagine	4 or 5
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA			
Back to top	PROFILE PM ME! E-MAIL		

Progcraft Posted: Wed Sep 08, 2004 7:22 pm Post subject: QUOTE Kitebuilder of the Year 2004 So, it looks like I have to make one of these within the next year then 😃 Ρ. There is no box Joined: 29 Sep 2003 Posts: 4023 Location: Montreal, QC, Canada **PROFILE** PM ME! E-MAIL Back to top 10011001100 sharky QUOTE Posted: Wed Sep 08, 2004 7:46 pm Post subject: i did buy the Ripstop for my DS today the colours is going to be like the pic in the post that started this never ending story yellow orange red and black. a friend of mine is geting the templates printed on a plotter so i get them in the exackt to scale. the reason for the choise of colours is that it was the best looking colourcombination i could make Joined: 22 Mar 2004 with the Ripstop my lokal kitepusher had in stock Posts: 30 Location: Norway PROFILE PM ME! Back to top 10011001100 rbojarski Posted: Wed Sep 08, 2004 10:11 pm Post subject: QUOTE Master Kite Builder Spectre....I knew the kite on ebay was either the lotus from Flying Wings, or a ripoff of their design. I bought a lotus a while ago. I just made the previous post to add a little levity to this thread. Sorry for the slight diversion. Anyway, I have now completed one half of the double star. I have all the parts A thru D assembled and sewn together. I have grosgrain tabs over the D+D pieces like Cliff had done. The other half is Joined: 30 Sep 2003 assembled with A+B+C. All the remaining parts D are finished waiting attachment. I haven't Posts: 440 inserted the radial spars into the center hub to a test fit for necessary spar lengths. Location: Auburn, Washington I slipped the completed sail over the center spar, which brings up several questions: 1. About how long should the center spar be? Right now it is the full 60 inch length. Is this close to the necessary length or does it get trimmed substantially? 2. I added small tabs at the back of the assembled parts A. The intent is to put a loop around the pieces which hold the center hub in place, so I can tension the half of the sail back from the end of the spar to the center hub. Is this a good idea? 3. How do you wrap this whole thing up for storage? I tried rolling up the completed half, with out much apparent success. How big around should the bag be to store the kite? There were other posts above about cutting down weight on the double star so it would fly in lighter winds. Would using icarex (or the equivalent .5 ounce material) be a better alternative to thinner walled rods and a lighter center hub? I guess I've used about 12 to 15 yards of material for all the 140 panels, plus edge binding. How much lighter would the kite be using 12+ yards of .5 ounce vs .75 ounce fabric? Thanks, Ray Bojarski PROFILE PM MEI Back to top E-MAIL

spectre



Joined: 11 Nov 2003

Posts: 114

Location: Ankara, Turkey

Posted: Thu Sep 09, 2004 2:31 am Post subject:

QUOTE

1. My center spar is 150cm long. With the arrow knocks it goes 151-152 cm. It must be it this length because the kite has 150m depth plus 1-2 cm(.5inch) for the pockets. So 59.5-60inch is fine. But you must decrease the length of the other spars because of HUB (in my HUB this 2.5cm - 1 inch). If you will not use pockets, the length of the spars will be longer than the others. I recommend you not to cut the frame until you finished the sail.

The Equation must be

Lenght=150cm-HUB's space(Center to the beginning od the Spar)+Length after the End Tips And add 0.5cm or less for a mistake. You can easily cut later this part.

- 2. Some of our kite friends are doing like that, but in my plan no need to this. I try it and take no change. So now I am using without tensioning.
- 3. 151cm(60inch)-12cm(4.7inch) diameter. (The bags around is totally 38cm(15inch). But I am taking the GUB and carry it in another bag.

Best Winds, Ferruh Baysu

Back to top

PROFILE

PM ME!

E-MAIL

www

MSNM

spectre



Joined: 11 Nov 2003 Posts: 114

Location: Ankara, Turkey

Posted: Thu Sep 09, 2004 3:10 am Post subject:

QUOTE

Hi,

I saw that every doublestar maker has a problem with the weight of the kite except me. The difference is come mostly from the frame of the kite. The avia uses a thick walled spar. Which are 40% more weigh than my 10mm. CJQ writes in his post the frame weighs 1219 but when I checked avia's site the weight of the frame and saw that it must be 908gr+endcaps +insertion. And I think this is less than 1000gr. There is 200 gr difference. So difference with the CJQ's frame and mine is 16.5oz(469gr). I think this comes from the Carbon manufacturers difference. May be my10mm spar has same deflection with avia's smaller dia spars.

I just looked at kitebuilder. Steve have 10mm, 9.5mm, 8.7mm and 8mm.

- 9.5 mm is already %11 weigher than my frame but %19 lighter than avia 10mm.
- 8.7 mm is thin walled. This must be the lightest frame but there is no information on Avia's site. According to my calculations this frame must be %30 lighter than my frame and %49 lighter than avia 10mm. I think this is not a suitable one.

8mm is also has a thick wall than my 8 mm. This is %14 lighter than my frame and %38 lighter than avia 10mm. This frame has a outer dia of 0.315"(8mm) and 0.232"(5.9mm), in europe this is 7.9mm and 6mm.

You can see that 9.5mm is %11 weigher than my frame and 8mm is %11 lighter than my frame. It is possible 8mm will be OK for Avia. Also with 9.5 mm you can gain more than 86 gr/3oz.

The second weigh difference comes from HUB. I have a wooden HUB. So this is nearly the half weigh of yours. You can reduce the weigh by reducing the dia of the HUB 1cm/.5 inch.

If anyone take a chance to try different frames and HUB dia. Please tell me so I can tell about this on my plan.

Sorry about the 10mm recommendation, I don't know before that Avia's frame is to heavy. I think that all 10mm are nearly the same weigh but there is lots of difference with European and Avia frame.

Best Winds,

MSNM


Ferruh Baysu

Back to top

PROFILE PM ME!

E-MAIL

mmm



MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 28, **29**, 30 ... 67, 68, 69 Next

Page **29** of **69**

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double sta	ar plan Goto page Previous 1, 2, 3 29, 30 , 31 67, 68, 69 Next	
	View previous topic :: View next topic :: View post	s since last visit
Author	Message	
rbojarski Master Kite Builder	Posted: Thu Sep 09, 2004 2:28 pm Post subject:	QUOTE
	SharkyThanks for the nice shots of the Double Stars. Makes me want to run back to area and get back to work trimming and sewing sails.	o the sewing
Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington		
Back to top	PROFILE PM ME! E-MAIL	
spectre	□Posted: Fri Sep 10, 2004 10:15 am Post subject:	QUOTE
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	what about this 12 point star kite. Today, I'l draw a plan for it and begin to make one. If I am not wrong this kite made by an italian kite flier. I found the link. http://www.geometrievolanti.cacozza.it/theme_45.html Best Winds, Ferruh Baysu Last edited by spectre on Tue Sep 14, 2004 4:44 am; edited 3 times in total	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	

smarties	Posted: Fri Sep 10, 2004 10:19 am Post subject:	UOTE
666		EDIT
	Wow, it looks like a Christmas decoration. 😛 😛	
	As this thread keeps going, the pressure is going up for me to build one. Now that machine, the only thing stopping me is time. Maybe this winter during a snow stopping me is time.	_
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada	Smarties (i) http://www.yvonhache.com	
	To boldly go where no imagination as gone before! 😛 😛	
Back to top	PROFILE PM ME! E-MAIL WWW	
stevef Administrator	Posted: Fri Sep 10, 2004 10:52 am Post subject:	QUOTE
	spectre wrote:	
	what about this 12 point star kite. Today, I'l draw a plan for it and begin to make of	one.
Joined: 27 Aug 2003 Posts: 2194 Location: USA PA	beautiful.	
ALLENTOWN	Let me guess White, Ice Blue, Red, Teal, and Violet?	
	Steve Ferrel Kite Studio - Go Build a Kite! Measure once, buy twice!	
	Last edited by stevef on Fri Sep 10, 2004 11:02 am; edited 1 time in total	
Back to top	PROFILE PM ME! E-MAIL WWW	
spectre	Posted: Fri Sep 10, 2004 11:01 am Post subject:	QUOTE
	Steve, I think I bought ocean blue not Ice Blue	
	Best Winds, Ferruh Baysu	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey		
Back to top	PROFILE PM ME! E-MAIL WWW	
sharky	□Posted: Fri Sep 10, 2004 11:21 am Post subject:	QUOTE
	now i know what im going to do the next winter for sure the ds im in the startface of making now will get a sister (hmm or is it a brother im unsure of the sex of a kite)	
Joined: 22 Mar 2004 Posts: 30 Location: Norway		
Back to top	PROFILE PM ME!	
υσοκ το τορ	www	

spectre QUOTE Posted: Fri Sep 10, 2004 12:04 pm Post subject: Finished 3d drawing and panels. On thepicture there is 7 steps but I made 6 steps. Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey But what will be the size? 3 meter or bigger may be 4 meter. Now need to calculate how much fabric I need and colors. Steve I think I need some more fabrics. Because I bought red and white to make a kite white national colors. Best Winds, Ferruh Baysu PROFILE PM ME! E-MAIL www Back to top **MSNM** sharky Posted: Fri Sep 10, 2004 1:15 pm Post subject: QUOTE I realy liked the dense midle of the kite and the open outerparts reminds me of a flower Joined: 22 Mar 2004 Posts: 30 Location: Norway **PROFILE** PM ME! Back to top www



Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn
2006 Kite of the year: Kelvin Wood's 'Man in Black'

Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

Home Wikite Supplies Auctions Forums Techsheets Plans Profiles Competition Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 30, **31**, 32 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since last	t visi
Author	Message	
Mountain Man Kitebuilder of the Year 2003	Posted: Fri Sep 10, 2004 7:10 pm Post subject:	OTE
	well I also lost my speach! Wow! ok have to think on this one too! it wont be for a while any way! but its a awsome kite to say the least!	
	still the double star in my view the niceeast of the two! (10points compare to the 12! I find the 12 is too dense! and looses some of its charmedbut that is just my opinion! and Peggy says hers too!	l
100	Bernie Bernie	
Joined: 04 Sep 2003	the Mountain Man	
Posts: 1093 Location: NB Canada	Paint the sky "Fly a Kite!"	
LOCATION. IND CANADA		
Back to top	PROFILE PM ME! E-MAIL WWW	
dpb Master Kite Builder	Posted: Fri Sep 10, 2004 8:53 pm Post subject: Re: BIG double star	OTE
	CJQ wrote:	
RO 1	SPECTRE , SPECTRE, what are you doing to us? I dont know how to respond to the NEW star. Let me say this about that! INCREADIBLE KITE.	
	REGARDS CLIFF	
Joined: 17 Dec 2003 Posts: 568 Location: Portland, OR	Cliff, you think you have problems? How am I gonna convince Diane to paint that one?	
Escation: Fortiaria, SK	Dave	
	Cherry Blossoms fall like rain,	
	A lively kite steals the sky, Paradise in a moment.	
Back to top	PROFILE	
	PN ME!	

spectre

Posts: 114

Location: Ankara, Turkey

Back to top

Posted: Sat Sep 11, 2004 4:13 am Post subject:

QUOTE

Bernie, you may be right. I wil make one two learn which is nice.

www

The kite on the pic has 7 step and DS has 4, and I 'll make 6 steps and a little bit bigger 3.2 or 3.5 meter. So it will be not so dense as on the picture.

Now only problem is for me is the color choice. I ordered some white and red fabric from Steve two make a national colored kite(a big pyro delta). May be I can do a national color DS.

Best Winds, Ferruh Baysu

PROFILE

PM ME! E-MAIL

MSNM


spectre


Posted: Sat Sep 11, 2004 6:37 am Post subject:


QUOTE



Posts: 114 Location: Ankara, Turkey I amde Solid 3d drawings of 10 point and 12 point doublestar. If any one need, I can colorize and render for you. So you have an idea how it seen in the air.









NEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 30, **31**, 32 ... 67, 68, 69 Next

Page 31 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















tebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 31, 32, 33 ... 67, 68, 69 Next

Message

Author

spectre

Posted: Sun Sep 12, 2004 6:06 am Post subject:

QUOTE

View previous topic :: View next topic :: View posts since last visit

Joined: 11 Nov 2003

Posts: 114

Location: Ankara, Turkey


I calculate the how much Fabric Ineed for 3.4dia 12point DS. totally 21 meter of 138cm wide fabric. Nearly the twice of 10 point DS.

This time I'll make a different pattern. Less colorfull, only two colors.



	Best Winds,		
	Ferruh Baysu		
Back to top	PROFILE PM ME! E-MAIL WWW		
smarties	QUOTE		
i C	Posted: Sun Sep 12, 2004 8:45 am Post subject:		
	It reminds me this drawing that my daughter did: Mandala		
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB,	Smarties Uhttp://www.yvonhache.com		
Canada	To boldly go where no imagination as gone before! 😛 😛		
Back to top	PROFILE PM ME! E-MAIL WWW		
spectre	Posted: Sun Sep 12, 2004 3:04 pm Post subject:	QUOTE	
	WOw. Your daughter made 18pointstarbox kite. She is fater than us.		
	Best Winds, Ferruh Baysu		
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey			
Back to top	PROFILE PM ME! E-MAIL WWW MSNM		
sharky	Posted: Fri Sep 17, 2004 12:46 pm Post subject:	QUOTE	
Joined: 22 Mar 2004 Posts: 30 Location: Norway	the first 20 pices was cut today and im starting to hem them and put them together ton hope. this was my first time to use a rotary knife as well and i loved it bigtime.	norrow i	
Back to top	PROFILE PM ME!		
smarties	Posted: Fri Sep 17, 2004 1:13 pm Post subject:		
200	sharky wrote:		
	the first 20 pices was cut today and im starting to hem them and put them together tomorrow i hope, this was my first time to use a rotary knife as well and i loved it bigtime.		
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB,	As long you only cut the fabric and not your finger. Beware		
Canada	It is much quicker.		
	Can't wait to see picture of your double star (5)		
	Smarties (i) http://www.yvonhache.com		
	<u> </u>		

	To boldly go where no imagination as gone before! 😛 😛	
Back to top	PROFILE PM ME! E-MAIL WWW	
spectre	Posted: Fri Sep 17, 2004 3:25 pm Post subject:	QUOTE
	After 4 long night, I finished cutting 264 fabric pieces of new 12 Point DS and a new red pyro. I am tired now and tomorrow I will begin to sew. Hope to finish up wednesday. Then I'll go to another city to a kite festival. And hope that my dutch friends bring the frame of the kite with them. If everything goes ok, hope to fly the kite on next Sunday.	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
CJQ Grand Champion, Kitebuilder	Posted: Fri Sep 17, 2004 3:50 pm Post subject: D.S. THE BIG ONE	QUOTE
Hi Spectre, which grafic patern did you decide to use? the sprial or the step color de you finish in time to fly next sunday. I would rather see the star than the pyro, sooo pyro aside and finish the star O.K. ?? CLIFF P.S. Got the new 2800 rods for the DS 10 point . the weight reduction is 10 ounces.		put the
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	reduced by 2.15 ounces for a total of 12.15 oz.or 3/4 of a pound. Hopefuly that will get me close to the 6 to 7 mph. wind range . we shall see Regards CLIFF	∋e.
Back to top	PROFILE PM ME! E-MAIL	
CJQ Grand Champion, Kitebuilder	Posted: Fri Sep 17, 2004 3:53 pm Post subject: D.S. THE BIG ONE	QUOTE
of the Year 2006 Hi Again Spectre, You know what ? It would be good if you post the plans for Point). I am still pondering. That's english for I'm not sure yet!! CLIFF		E (12
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	



















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1

	View previous topic :: View next topic :: View	posts since last visi
Author	Message	
sharky	□Posted: Sat Sep 18, 2004 8:39 am Post subject:	QUOTE
	oh mother the folding of the Ripstop before heming is a realy boring thing. im upp for sugestions on the best way to do it	
Joined: 22 Mar 2004 Posts: 30 Location: Norway		
Back to top	PROFILE PM ME!	
spectre	□Posted: Sat Sep 18, 2004 9:45 am Post subject:	QUOTE
Joined: 11 Nov 2003	Hi, Sharky I am also doing this for last 5 hours. Completed 1/3 of total 264 pieces. This mean hours for folding and sewing. I am folding 24 and then sew them. Then fold 24 mg Just imagine how will the kite seen in the air when finished. May be this helps you ———————————————————————————————————	ore and sew.
Posts: 114 Location: Ankara, Turkey	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Doug LaRock Master Kite Builder	□Posted: Sun Sep 19, 2004 1:25 am Post subject:	QUOTE
	I know about hemming or edge binding lots of fabric, its got to be the most boring project. Hang in there! When your done its satisfying.	g part of a
	Doug	
Joined: 12 Jan 2004 Posts: 389 Location: Yakima,		

Back to top	PROFILE PM ME!	
sharky	Posted: Sun Sep 19, 2004 6:10 pm Post subject:	QUOTE
	well i did a litle test that turned out werry well. i mark upp where the folds shall be and then with the pointy end of the scissors i scratch along a ruler. that makes it werry eazy to make the folds afterwards.	
loined: 22 Mar 2004 Posts: 30 Location: Norway	PROFILE PM ME!	
Back to top	Water Transfer Transf	
smarties	Posted: Sun Sep 19, 2004 9:15 pm Post subject:	
Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB,	Doesn't the stratch weaken your fabric? Smarties http://www.yvonhache.com To boldly go where no imagination as gone before!	
Canada Back to top	PROFILE PM ME! E-MAIL WWW	
sharky	Posted: Sun Sep 19, 2004 9:40 pm Post subject:	QUOTE
Joined: 22 Mar 2004 Posts: 30 Location: Norway	yes a litle but the fabric wil be weakened at the folds anyway and along the heming there is 3 layers of fabric and no load across that scratch and i fold the fabric so the scratch is on the inside and dont show i cant se any problems with it as long as you do not use to much force. i did some tests on some cutings before i did it on the paneles. it might not work on all sorts of Ripstop and i would not have done it on icarex or ventex i think	
Back to top	PROFILE PM ME!	
kiteguy Kitebuilder of the Year 2005	Posted: Sun Sep 19, 2004 11:52 pm Post subject:	QUOTE
****	Sharky, that is a good idea on small scratches at the fold line. As you said, it may weaken the material a bit. However, when I make seams by sewing the material 1/4 inch apart, then folding the edges over and sewing them down creates a weakened line where I sewed first. Seems it would be quite at weaker, and under a lot more stress than when the weakened area is inside a hem. And like you said, there is no stress there, except parallel to the scratch line. That should be no big thing at a would think.	
Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas,		
Overland Park - Near Kansas City	I think I will be doing some testing, too. Thanks for sharing, Sharky.	
	Dave Ellis Kites + Kids = Education	



MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

 $\mbox{All times are GMT - 3 Hours} \\ \mbox{Goto page Previous} \ \ 1, \, 2, \, 3 \, \dots \, 32, \, {\bf 33}, \, 34 \, \dots \, 67, \, 68, \\ \mbox{} \mbox{}$

69 Next


Page **33** of **69**















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

Kitebuilder.com Forum Index » Single Line Kite Design & Construction

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗓 Techsheets 💆 Plans 🖺 Profiles 🖫 Competition 🕮 Photo Album



















Double star plan Goto page Previous 1, 2, 3 ... 33, 34, 35 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since			
Author	Message		
sharky	Posted: Mon Sep 20, 2004 7:26 pm Post subject:		
	i am trying to understand what you deskribe as a posible problem with aligning the panels but i cant get it. in what direction do you get a shift in alignment, up/down or forward/ backward. do you have any pics of the error		
Joined: 22 Mar 2004 Posts: 30 Location: Norway			
Back to top	PROFILE PM ME! www		


narky	Posted: Tue Sep 21, 2004 2:45 am Post subject:	QUOTE	
*	the information that grant showed me with the link to the della porta prodjekt explained things perfektly, in a way i am happy the im a litle behind you guys so that i have all this exelent help along my path to the finished DS thanx bigtime to all of you so far		
oined: 22 Mar 2004 osts: 30 ocation: Norway			
ack to top	PROFILE PM ME!		
oectre	Posted: Tue Sep 21, 2004 6:42 am Post subject:	QUOTE	
	Hi, here is my new 12 Point DS		
	Sorry, this is not the original frame and there is no HUB, because of this the sail is not symmetric and tight.		
vined: 11 Nov 2003 osts: 114 ocation: Ankara, Turkey			







	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Grant L Kite of the Year 2004	Posted: Tue Sep 21, 2004 8:39 am Post subject:	QUOTE
	Great Spectre (I really like the color scheme. It is like an optical illusion and plays with you eyes. I can't wait to so in the sky on a sunny day. Thanks again for all of the great information and plans for these kites. I can't wait till I ge finished and in the air.	
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
sharky	Posted: Tue Sep 21, 2004 8:50 am Post subject:	QUOTE
	hmm my 12 point doublestar is going to have the following coloure from senter and out white, gray light blue, turcoise, blu or or hmm i should drop thinking of the 12 and finish the 10p before i plan the colours for a new kite, but i cant stop nice work with your new 12p ds ferruh im looking forward to see reports on how it flyes	
Joined: 22 Mar 2004 Posts: 30 Location: Norway	Last edited by sharky on Tue Sep 21, 2004 1:20 pm; edited 1 time in total	
Back to top	PROFILE PM ME! WWW	
CJQ Grand Champion, Kitchwilder of the Year 2006	Posted: Tue Sep 21, 2004 9:04 am Post subject: The BIG STAR	QUOTE
Kitebuilder of the Year 2006	Hi Spectre, Wonderful, bueatiful, and well done. Now that you have made us the problem, it's time for you to post to double star plans OK? This looks like a 1 month project for the average builder. Still cant figure out how you have so to do all that work. Speaking of work seems like you must be retired to have all that time to design and make such you continue to be the leader of the groupkeep it up. Your like the Pied Piper, as we travel on we keep getting more followers. CLIFF	much time
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		



MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 33, **34**, 35 ... 67, 68, 69 Next

Page 34 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🖸 Plans 🖺 Profiles 🚨 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





	View previous topic :: View next topic :: View p	oosts since last visi
Author	Message	
Grand Champion,	Posted: Tue Sep 21, 2004 9:39 am Post subject: Tons Of Kites	QUOTE
Kitebuilder of the Year 2006	Hi Harold, RETIRED? Dosent seem so , days are too short , too many things to get done . Dont have time to go p pee. Feel guilty when I spend a lot of time just working on kites . Whats with that??. Think I can get enough time a 12 pointer though . Actually didnt commit my mind yet. But probably will. Got this thing about cellular stuff. CLIFF	
oined: 27 Dec 2003 losts: 1702 ocation: Coopersburg, PA - JSA		
Back to top	PROFILE PM ME! E-MAIL	
pectre	Posted: Tue Sep 21, 2004 5:31 pm Post subject:	QUOTE
oined: 11 Nov 2003 Posts: 114 .ocation: Ankara, Turkey	pyro delta. and thenwill go to a trip for a kite festival. When I turn back I'll post 12 point DS. Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
KiteSquid Master Kite Builder	Posted: Mon Sep 27, 2004 11:03 am Post subject:	QUOTE
Master Kite Builder	I had a RARE oppurtunity this past weekend at Sunfest in Ocean City MD.	
Sa.	I got to see and FLY Cliff Quinn's Double star!!!!!	
	A few weeks ago I got to fly Mark Conklin's at Beech Mountain.	
oined: 29 Aug 2003	So now I have flown 2 of these great kites 👸 and have not built one yet!!!!! 🥸	
Posts: 6248 Location: USA Virginia King George	W00000 H000000	
	I guess I need to build one myself soon	
	BTW both kites flew GREAT and are a wonderfull sight in the air.	
	and Cliff won the people's choice award at Sunfest!!!!!!!!!!	

SUPER!!!!!!!

Spectre,

What a great kite you have designed and better yet, shared the plans with us here at the best kite building forums!!!!!!

VR/

KiteSquid

AKA Takolka

AKA Harold

King George VA

P.S. Yet another post by the Squid..... Open Doesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.S. Please excuse my spelling.....

PM ME!

Back to top

PROFILE www

E-MAIL

spectre

Posts: 114

Location: Ankara, Turkey

Posted: Mon Sep 27, 2004 5:21 pm Post subject:

QUOTE


Hi, again

Yesterday, I take the spars and HUB. But there was gusty winds. I don't want to break the spars in first flight so I just launch it and look how it is seen and I want to see which corections I must do.


First problem is that the bootom bridle points are too close to each other. I'll move one of the bottom bridle apart from the other. Second problem is about the spine. It bends to much so I'll insert a long 8 mm Carbon spar inside it. This is for 10mm European spar not avia.

And here is some pics. I have some more but I can post them when turn home.





spectre QUOTE Posted: Mon Sep 27, 2004 5:26 pm Post subject: Hi, Kitesquid thanks for your words. But before I said, I not the designer of the kite. I saw this kite first in year 2000 and than 2002 in the air. And I build my own plans at home. Probalby the panels are different from the other ones which I saw. Joined: 11 Nov 2003 Best Winds, Posts: 114 Ferruh Baysu Location: Ankara, Turkey PROFILE PM ME! E-MAIL www Back to top **MSNM** CJQ Posted: Mon Sep 27, 2004 5:28 pm Post subject: The Double Star QUOTE Grand Champion, Kitebuilder of the Year 2006 HI SPECTRE, The Kite Squid said it all, fun to fly and a great looking kite. Went to a kite festival this past weekend and flew the d.s. . Actualy flew with the new down sized spars. One of the events was a Peoples Choice Award Competition . Not realy Hi Tech. Traveling down the boardwalk through out the day were hundreds of spectators , on sat afternoon there was a competition for all hand made kites . the builders brought their kites to the boardwalk displayed their kites ,over a mic. explained the makings to the public and then flew their entrys for judgeing. The Double Star was chosen their favorite choice. Yes indeed I was a happy camper!!Got a gift cirtificate from the Kite Loft on the boardwalk and immediatly cashed it in for more kite stuff. The KITE LOFT by the way is owned by people Joined: 27 Dec 2003 who believe in giving back to the kiting community. This whole kite festival weekend is subsidized by them. They Posts: 1702 provide the location for two evening meals, door prizes, competition prizes and the list goes on. We thank them for Location: Coopersburg, PA -USA Spectre, did you fly your new 12 pointer this weekend??? Let us know. **CLIFF** PROFILE PM ME! Back to top F-MAII spectre QUOTE Posted: Mon Sep 27, 2004 5:42 pm Post subject: WOW, CJQ So the doublestars take two first place in the opposite sides of the worlds. One of our Kite Club members take the first place in competition in Kite Festival. This one is smaller but it is the winner. Here is the winner: Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey



Best Winds, Ferruh Baysu

Back to top

PROFILE MSNM

PM ME!

E-MAIL www

smarties

Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB, Canada

Posted: Mon Sep 27, 2004 5:46 pm Post subject:



Congratulation for your prize Cliff! 🥵 🥵 This kite is sure a great looking kite and a nice flyer.

Spectre, your 12 pointer D.S. looks great 29 29 and thanks for sharing your plan.

I think we should try to find the inventor of this kite to congratulate him or her and show how his/her design is evolving and winning prizes.

Smarties 😃

http://www.yvonhache.com

To boldly go where no imagination as gone before! 😬 设

PROFILE www

PM ME! E-MAIL

Back to top spectre

Posts: 114

Posted: Mon Sep 27, 2004 5:57 pm Post subject:

QUOTE

QUOTE

EDIT

Hi, smarties

There is an information about the plan of the kite. In the link below, bjorn says that there is a plan of it on "drachen magazine" on mid of 90s. May be he can help us about finding the designer.

http://www.aerialis.no/community/modules/newbb/viewtopic.php?

topic_id=392&forum=6&post_id=2262#forumpost2262

Best Winds,

Ferruh Baysu

Location: Ankara, Turkey

Joined: 11 Nov 2003



Page **35** of **69**

Watch this topic for replies

Jump to:

View posts since last visit

You **can** post new topics in this forum You **can** reply to topics in this forum You **can** edit your posts in this forum You **can** delete your posts in this forum You **can** vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 35, 36, 37 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit

Author

CJQ Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Message

Posted: Mon Sep 27, 2004 11:00 pm Post subject: D.S. Weight Reduction QUOTE

Hi Bernie, Thanks for compliment, it was the kite.

The star flew very well on the first day we were there. the winds that day were prox 15 mph. and steady. The spars I used are 2800's. sixty inches long. In order to use them and because I needed 63 inches for my star I had to extend them by 3 inches. I cut 4 inch peices of 10 mm spars and glued them 1 inch on to the 2800's. thus giving me the length I needed. The other end got a 1 inch sleve of 10 mm to increase the 2800 dia to match my fittings. Doing so also allowed me to re -use my hub. The hub as I previously mentioned was reduced in diameter for additional weight loss. The following day the wind started out at around 4 to 5 mph. at about 5 to 6 mph the star would go up and maintain height if I walked back slowly. At around 6 to 7 mph the kite would stay up on its own. So the range for flight is prox 7 to over 15 mph. I am not worried about winds up in the upper teen's as you can adjust the attack angle to dump the higher force. The 2800's assume a slight bow when under sail tension, the flex is about 3/4 inches at the center, that did not appear to change at higher winds. I feel confident in the spar size selection. At first my thought was I now have a set of low wild spars and a set of wigh wind . Now after testing, the 10 mm spars will be used on a future kite of some sort. Or maybe on a 12 pointer???? dont know yet. Hope this helps you star builders.

CLIFF

Back to top

PROFILE PM ME!

E-MAIL

bjorng



Joined: 04 Mar 2004 Posts: 26

Location: Sweden, Orebro


Posted: Tue Sep 28, 2004 5:54 am Post subject:

QUOTE

spectre wrote: There is an information about the plan of the kite. In the link below, bjorn says that there is a plan of it on "drachen magazine" on mid of 90s. May be he can help us about finding the designer. http://www.aerialis.no/community/modules/newbb/viewtopic.php? topic_id=392&forum=6&post_id=2262#forumpost2262 Hi, spectre and thanks for your doublestar plan and all the great pictures! Yes, there is a plan for a similar kite (8 point, 2 m diam.) in Drachen Magazin, Issue 8 of 1998. There it's called Starflake. The author of that plan is Dr Bernard Malle from Germany. However, I don't think he is the designer/inventor. He writes in the article that he had seen it on a video from a Fanoe Kite Meeting and wanted to make one himself. (Just like you, spectre 👸) More infos on Drachen Magazine kite plans (in German): http://www.kai-splett.de/dra11_1.htm I am planning to make an 8 point, 2m Doublestar myself (using your plan) as a winter project. The winters are loooong here in Scandinavia... /bjorng **PROFILE** PM ME! Back to top E-MAIL KiteSquid QUOTE Posted: Tue Sep 28, 2004 9:23 am Post subject: Master Kite Builder spectre wrote: Hi, Kitesquid thanks for your words. But before I said, I not the designer of the kite. I saw this kite first in year 2000 and than 2002 in the air. And I build my own plans at home. Probalby the panels are different from the other ones which I saw. Joined: 29 Aug 2003 Posts: 6248 I stand corrected, but thanks for your AutoCAD skills!!!!!!!! Location: USA Virginia King George VR/ KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... Oo Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... **PROFILE** PM ME! E-MAIL Back to top 1007 1007 1007 sharky Posted: Tue Sep 28, 2004 4:03 pm Post subject: QUOTE I just found this pic on the www.aerialis.no gallery Joined: 22 Mar 2004

Posts: 30 Location: Norway

Back to top	PROFILE PM ME!	
back to top	www	
KiteSquid Master Kite Builder	Posted: Tue Sep 28, 2004 4:30 pm Post subject:	QUOTE
	wowiiiii	
	That looks GREAT!!!!!	
	VR/	
Joined: 29 Aug 2003	KiteSquid	
Posts: 6248 Location: USA Virginia King	AKA Takolka	
George	AKA Harold	
	King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL	
back to top	www	
Mountain Man Kitebuilder of the Year 2003	Posted: Tue Sep 28, 2004 7:29 pm Post subject:	QUOTE
X C	now tthat could be the sky in Dieppe Canada 2005 if things go right we could have a dozer in the mass assention of Double Stars!	n of them
	Now that would be beautiful ! (5)	
100	Bernie	
Joined: 04 Sep 2003	the Mountain Man	
Posts: 1093 Location: NB Canada	Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL	
υσοκ το τορ	www	
smarties	QUOTE	
	Posted: Tue Sep 28, 2004 8:56 pm Post subject:	
	Seems like there's another group that built double stars.	
	Smarties (2)	
Joined: 05 Nov 2003	http://www.yvonhache.com	
Posts: 1791		
Location: Dieppe, NB, Canada	To boldly go where no imagination as gone before! 😛 😛	
Back to top	PROFILE PM ME! E-MAIL	
Duck to top	www	







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 35, **36**, 37 ... 67, 68, 69 Next

Page 36 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 36, 37, 38 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since le	ast visit
Author	Message	
Mountain Man Kitebuilder of the Year 2003	Posted: Wed Sep 29, 2004 11:32 pm Post subject:	UOTE
The state of the s	I agree with kite guy! I prefer no judging on Mass assentions! no need the wwwoooooooooo and hhhhhhhhhhhaaaaaaaaaaaaa of the crowd is all we need! then its was worth the building work you that is my 2 cents (canadian) not worth much LOL Bernie	did!
Joined: 04 Sep 2003 Posts: 1093 Location: NB Canada	the Mountain Man Paint the sky "Fly a Kite!"	
Back to top	PROFILE PM ME! E-MAIL WWW	
KiteSquid Master Kite Builder	Posted: Thu Sep 30, 2004 9:38 am Post subject: dpb wrote: So how would you go about judging the cellular catagory entries at an event like that? Dave	UOTE
Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	The tie would probally be broken in the craftsmanship scores VR/ KiteSquid AKA TakoIka AKA Harold King George VA P.S. Yet another post by the Squid OD Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL WWW	

Grant L QUOTE Posted: Thu Sep 30, 2004 11:08 am Post subject: Kite of the Year 2004 I've been busy with family stuff but I finally got one set of "A " pieces together. I have the whole day Sat with no one home so I should make progress. Hope to have photos of at least the completed top half by this weekend 🚗 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis **PROFILE** PM ME! Back to top E-MAIL Grant L Posted: Mon Oct 04, 2004 2:09 am QUOTE Post subject: Kite of the Year 2004 Got started later Sat than I had hoped. I got a little sewing done. But then it was a choice between sitting in the basement sewing or throwing a steak on the grill for dinner and sitting down to a good action film with a beer 😥 🙀 So a couple of hours later when I finally got back to sewing, I did make some progress. I must say that seeing the kite grow is much more fun than watching the pile of hemmed pieces grow 👸 Sunday was spent working an early overtime shift and driving 300 miles round trip to retrieve my son from grandma, but I did manage to get all of the A, B and C pieces for the top done. I'll start on the bottom Joined: 16 Sep 2003 tomorrow. I'm waiting on the D pieces until I figure out exactly how I want to do the tips. I'll post progress Posts: 1507 photos tomorrow. Location: USA IN I am getting excited to see the kite done (2) Indianapolis **PROFILE** PM ME! Back to top E-MAIL CJQ QUOTE Posted: Mon Oct 04, 2004 9:40 am Post subject: D.S. Grand Champion, Kitebuilder of the Year 2006 HI Grant, Glad the excitement is still growing also. Does that mean you didn't decide on fittings either?? **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA PROFILE PM MEI Back to top E-MAIL Grant L Posted: Mon Oct 04, 2004 4:06 pm Post subject: QUOTE Kite of the Year 2004 Hi Cliff. I have the fittings. Just trying to decide how to get from the tips, to a string, to a fitting 🔃 Right now I am thinking about insignia cloth, (color matching,) on the D tips. Grossgrain Webbing, (color matching tips,) going through plastic rings, (like those used in the Gary's square star,) to adjacent tips. Dacron line, with knotless knot, around plastic ring going through fitting at end of spar. This way I will have one line from the bottom and one from the top going through each of the ten spar tip fittings. This will give me the ability to adjust each of the twenty tips seperatley. Once they are adjusted, I Joined: 16 Sep 2003 Posts: 1507 should be able to slip the fitting off of the spars when I take the kite appart, (ready to go for the next Location: USA IN time.) 😛 Indianapolis Anyon see any problems with this plan 😥 PROFILE PM ME! Back to top E-MAIL

spectre



Joined: 11 Nov 2003

Posts: 114

Location: Ankara, Turkey

Posted: Mon Oct 04, 2004 5:05 pm Post subject:

QUOTE

Hi, Yesterday I went to fly my 12 point DS again. First I went the area there is no wind but after I finish the building kite the wind comes. It was 7-8 mph. The kite flies well but there is a problem with my spars. The spars which I connect bridle bends too much. The 10 mm spars are thin for 3.4meter kite. Probably I'll insert 8 mm Carbon inside these spars. May be this solves my problem or I'll use 12 mm on these spars.

But don't forget that the Avia 10mm spars are different from my spars. Avia's are thicker than my spars. Avias are 68gr per meter, mine's are 43 gr.

Here is the panel dimensions, A0 pdf plot files and Autocad files for mm and inch. These is dimensions for a 3meter kite. I made 3.4meter one.

http://www.ucurtma.org/images/plans/doublestar/12pds_3m.zip

Best Winds,

Ferruh Baysu

Back to top

PROFILE **MSNM**

PM ME! E-MAIL

www

Grant L

Kite of the Year 2004




Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

Posted: Tue Oct 05, 2004 12:39 pm Post subject:

QUOTE

Here are the A, B and C pieces for the top. Making porgress (2)



Back to top

PM ME!

E-MAIL




















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.














Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 37, 38, 39 ... 67, 68, 69 Next

	View previous topic :: View next topic	:: View posts since last vis	
Author	Message		
ectre	Posted: Wed Oct 06, 2004 1:36 pm Post subject:	QUOTE	
	I like the shining red. What will be the last color? Best Winds, Ferruh Baysu		
ined: 11 Nov 2003 ists: 114 cation: Ankara, Turkey			
ack to top	PROFILE PM ME! E-MAIL WWW MSNM		
rant L te of the Year 2004	Posted: Wed Oct 06, 2004 5:17 pm Post subject:	QUOTE	
ined: 16 Sep 2003 ists: 1507	Mine will have a white center and the rest is blue and red in the pattern like Cliff's 👸		
cation: USA IN dianapolis			



Back to top

PROFILE PM ME! E-MAIL

spectre

Posted: Thu Oct 07, 2004 3:21 am Post subject:


QUOTE



Joined: 11 Nov 2003 Posts: 114

Location: Ankara, Turkey

Hi, My old wooden HUB broken several times. Now I have a new strong one. But not wood, it has a less diameter but weigh more than wooden one. It works well. HEre is the dimensions(in mm) of my new HUB.





Back to top


PM ME!

E-MAIL

Progcraft Kitebuilder of the Year 2004

Post subject: Posted: Thu Oct 07, 2004 1:33 pm

QUOTE





Joined: 29 Sep 2003 Posts: 4023 Location: Montreal, QC, Canada

Grant L wrote:

I wasn't happy with my first attempt at sewing the "A" pieces together, so I ended up starting again and using the bottom A pieces to make the top, (I got my technique figured out and all went smooth the second time around.) I went back to cut out the extra pieces to make the bottom A section, This is how much I had left when I was done 🕰 ALWAYS BUY EXTRA. I really lucked out this time 🐵 😛]

Looks like lot's of fabric to me I'd bet you could make almost a full Eddy kite with all of that 69

My friend made me the HUB for me. He told me that it is Delrin. It is two times stronger than UHMW.



There is no box

Back to top

PROFILE

PM ME! E-MAIL

THE PERSON

spectre

Posted: Fri Oct 08, 2004 1:24 am Post subject:

http://www.interstateplastics.com/meta/fmdel.htm

QUOTE

Back to top

Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey Best Winds, Ferruh Baysu

PROFILE

MSNM

PM ME!

E-MAIL

www

Kitebuilder.com :: View topic - Double star plan rbojarski Posted: Fri Oct 08, 2004 1:27 am Post subject: Master Kite Builder I finally got all the sewing done on my double star. The colors from the center out are white, rasberry, yellow, and purple. I'm going to use the MAKR fittings Steve sells for tensioning out the sail. I put loops (or tabs) on the ends of all the parts D, then attached 18 inch long lines to each of the tabs, then threaded the line thru opposite ends of the MAKR fitting. The intent (with Cliff's suggestions) is to leave the fittings unattached to the radial spars. During assembly, I can slip the fittings over the spar and tighten up the strings to tension out the sails. Sorry, I didn't take any pictures. I then tried to assemble the kite. Got to about the 4th spar and discovered I got something horribly Joined: 30 Sep 2003 twisted on one of the boxes while attaching the lines to the MAKR fittings. I had to detach half the lines from the Posts: 440 Location: Auburn, fittings and untwist the kite. I decided to quit at this point and try the assembly again tomorrow. Washington The kite pretty much takes over whatever space you use to try to assemble the beast. Not quite sure my living room is large enough (10+ foot diameter circle) to assemble the DS. I think it may just barely fit, with no room left over. Haven't even thought about trying to make a storage bag for this, yet. Cliff and Bernie....what did you end up doing for a storage bag? Ray Bojarski PROFILE PM ME! Back to top F-MAIL Mountain Man Posted: Fri Oct 08, 2004 8:29 am Post subject: Kitebuilder of the Year 2003 I made a bag that is about 5ft 4in long and about 10 inch diameter I leave the center knob and center spar on the kite just roll everything on the the center spar then put it in the bag! I will try to take a picture later today and post it tonite! Bernie the Mountain Man Paint the sky... Joined: 04 Sep 2003 "Fly a Kite!" Posts: 1093 Location: NB Canada PROFILE PM MEI F-MAII Back to top www rbojarski Posted: Fri Oct 08, 2004 8:43 am Post subject: Master Kite Builder Bernie.....Thanks for the comments about the bag. I was planning to leave the 'boxes' attached to the center spar, and then just wrap the kite up around the center spar. I just straightened out (I hope) the lines thru the MAKR fittings and rolled up the kite around the center spine. The last couple of wraps just aren't all that neat with everything wrapping around each other. I haven't tried to assemble it again. Maybe later on today. I have to head out later to get some 1.5 ounce material to make the bag for the DStar.

Joined: 30 Sep 2003 Posts: 440 Location: Auburn,

Washington Back to top

Ray Bojarski

PROFILE PM ME! E-MAIL

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 37, 38, 39 ... 67, 68,

69 Next

QUOTE

QUOTE

QUOTE

Page 38 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 38, 39, 40 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message KiteSquid QUOTE Posted: Fri Oct 08, 2004 9:14 am Post subject: Master Kite Builder spectre wrote: My friend made me the HUB for me. He told me that it is Delrin. It is two times stronger than http://www.interstateplastics.com/meta/fmdel.htm Joined: 29 Aug 2003 Posts: 6248 Derlin is a GREAT choice for this part!!!! Location: USA Virginia King George VR/ KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... Opposes the ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... **PROFILE** PM ME! E-MAIL Back to top www

smarties QUOTE Posted: Fri Oct 08, 2004 10:24 am Post subject: **FDIT** I got this comment from a mechanical engineer friend about Delrin. I though it might be useful to know this: "Delrin is a good material, and is very easy to machine. The problem is, it absorbes humidity easier Joined: 05 Nov 2003 than metals, so it will change in dimensions when in the presence of humidity, and it doesn't need Posts: 1791 much. At Comdev, the guys use to joke about it changing dimensions while you were holing it in Location: Dieppe, NB, the palm of your hand. Another caractiristic of delrin is, if you burn it, it sends off toxic fumes. Trust Canada me, I know that one for a fact. Rick Saulnier does too. So if you use it in an environment were tolerances are loose, and no chance of fire, it would be OK. Practically every machine house in town knows of delrin, and carries it." Smarties (2) http://www.yvonhache.com To boldly go where no imagination as gone before! 👸 👸 PROFILE PM ME! E-MAIL Back to top www KiteSquid QUOTE Posted: Fri Oct 08, 2004 10:43 am Post subject: Master Kite Builder While I was in the Navy the first firecontrol system I worked on used Teflon insulation on its miles of wireing... When Teflon burns it gives of Diphosgine (SP?) gas. A nerve agent.... So we would have to solder carefuly. Joined: 29 Aug 2003 Posts: 6248 My first experance with Derlin was back when I raced RC cars and I would replace every alumninum Location: USA Virginia King part with a Derlin part to save weight, Especially unsprung mass..... George VR/ KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... Oo Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... PROFILE PM ME! E-MAIL Back to top ישר ישר ישר stevef QUOTE Posted: Fri Oct 08, 2004 11:43 am Post subject: Administrator Just to confirm Ray... those fittings are called MKS Fittings. You got the wrong kitebuilding retreat! MKS = Maryland Kite Society. Find them HERE Click on the photo for more information. Joined: 27 Aug 2003 Posts: 2194 Location: USA PA Steve Ferrel ALLENTOWN Kite Studio - Go Build a Kite! Measure once, buy twice!

Back to top	PROFILE PM ME! E-MAIL		
rbojarski	Destroy Fri Oct 00, 2004 11, 24 pm. Post subject	OHOTE	
Master Kite Builder	Posted: Fri Oct 08, 2004 11:26 pm Post subject:	QUOTE	
	At least I got the first letter right. That's pretty good for an old guy (me). I'm a computer guy, but		
-	hate acronyms. Thats why I got the name wrong.		
	Ray		
Joined: 30 Sep 2003			
Posts: 440 Location: Auburn,			
Washington			
Back to top	PROFILE PM ME! E-MAIL		
Grant L Kite of the Year 2004	Posted: Fri Oct 15, 2004 6:16 pm Post subject:	QUOTE	
	ALL of the A, B and C pieces are sewn together. I'm going to make some test pieces for tonight and then get busy on the D pieces when I am happy with the results. It's getting fun to work on it as the kite grows. I hope to have a finished kite by next week		
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis			
Back to top	PROFILE PM ME! E-MAIL		
Mountain Man Kitebuilder of the Year 2003	Posted: Fri Oct 15, 2004 8:20 pm Post subject:	QUOTE	
X Naco	that is the way I was when I build mine! I know you will enjoy flyin this DSlooking fo seein pics of it flying! have fun sewing	ward to	
A CONTRACTOR	Bernie		
100	the Mountain Man Paint the sky		
Joined: 04 Sep 2003	"Fly a Kite!"		
Posts: 1093 Location: NB Canada			
Back to top	PROFILE PM ME! E-MAIL		
sharky	Posted: Tue Oct 19, 2004 11:41 am Post subject:	QUOTE	
- 13	it just wonder how many have made or are making a DS at this moment		
	I am in the midle of the building prosess right now (just a short pause in it until i have fi	xed a cop	
	of long overdue things in the house (5) or else my whife will go		
Joined: 22 Mar 2004 Posts: 30 Location: Norway			
Back to top	PROFILE PM ME!		











Log out [smarties]





2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🛂 Plans 🖺 Profiles 🖫 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 39, 40, 41 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Mountain Man Posted: Tue Oct 19, 2004 7:49 pm Post subject: QUOTE Kitebuilder of the Year 2003 well Sharky ... Cliff and I were among the first 3 on the forum to build it as you will see in the thread! really was fun building and fun flying a really good feeling flying this kite! hope every one that are building or have one done come and say Hi! would love to know how many we could have here for the Dieppe Kite festival 2005 here in NB Canada! Bernie Joined: 04 Sep 2003 the Mountain Man Posts: 1093 Location: NB Canada Paint the sky... "Fly a Kite!" PROFILE PM ME! E-MAIL Back to top www rbojarski Posted: Tue Oct 19, 2004 10:22 pm Post subject: QUOTE Master Kite Builder I'm finished with my double star, except for bridling and flying. I took it with me to the AKA convention, but never got around to trying to fly the kite. I'll try to get it down to the local kite shop on saturday to see if we can find enough room to assemble the kite, add the bridle lines, and take some pictures. Ray Bojarski Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington PROFILE PM ME! Back to top E-MAIL



Kitebuilder.com :: View topic - Double star plan CJQ Grand Champion, Kitebuilder of the Year 2006 Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -Back to top spectre

PROFILE

E-MAIL

Posted: Thu Oct 28, 2004 6:06 pm Post subject:

PM ME!

QUOTE

QUOTE

Joined: 11 Nov 2003 Posts: 114

Location: Ankara, Turkey


Hi, Grant


Very nice detail and very good sewing. Better then mine.


Posted: Thu Oct 28, 2004 2:58 pm Post subject: DS Tips

HI Grant, Y E S The tips look good , good re-enforcement and fine job stitching. Go for it!!

I am taking questions about sewing the center of the kite. I made a drawing.











Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 39, **40**, 41 ... 67, 68, 69 Next

Page 40 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP









Log out [smarties]





Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 40, 41, 42 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Grant L Posted: Thu Oct 28, 2004 7:33 pm Post subject: QUOTE Kite of the Year 2004 Hi Ferruh. The diagram does help show how to sew them together. I used something similar. On my cutting mat, (it has grid lines which help,) I line up the left edge, (under point 1 in your diagram,) with one of the grid lines. I put a piece of tape, perpindicular to this grid line at the tip of point 1. I then line up another piece of tape, parallel to the grid line, and a distance equal to the three hem allowances, (8mm + 5mm + 8mm ,) away, (going down from point 2 in your diagram. Line up the first piece with the grid line. Place the second piece, (good to good,) on top of the first piece, lining up the edge with the tape (I could just make out the tape edge through the Ripstop to line up the second edge.) I lined up point 2 with the Joined: 16 Sep 2003 Posts: 1507 perpindicular tape, (so it will be the same height as point 1,) and using double sided tape, stick them together. Every now Location: USA IN and then as you are sewing, lay them out and see how consistant you are. You might have to make minor adjustments. When Indianapolis I finished mine, it wasn't perfectly lined up, but good enough that when I sewed the first to the tenth, it all worked out. Thanks again for providing all of the plans and info. Steady Winds, Grant L PROFILE PM ME! Back to top E-MAIL

Grant L Kite of the Year 2004



Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

Posted: Tue Nov 02, 2004 5:49 pm Post subject:

QUOTE

Bottom done. Just have to connect the tips. twenty D pieces to sew to the top. Should be time to spar soon 😛 😛








Back to top

PROFILE E-MAIL



CJQ	Posted: Tue Nov 02, 2004 10:22 pm Post subject: DIEPPE 05	QUOTE
Grand Champion, Kitebuilder of the Year 2006		
****	Hi Grant, I will be in Dieppe for sure!! Cant wait. Those Canadians say they know how to put on a wild party(scuse revent) that cant be topped. We shall see!!	me ,Kite
	CLIFF	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
pb	Posted: Wed Nov 03, 2004 5:58 pm Post subject:	QUOTE
Joined: 10 Jul 2004 Posts: 296 Location: Portland Oregon	Grant, Very nice kite and in my colors too how did you know. So how many hours of sewing so far?? It looks like a hours are well worth it! PB Life is short, Let's have fun!	all the
Back to top	PROFILE PM ME! E-MAIL	
Grant L Kite of the Year 2004	Posted: Thu Nov 04, 2004 3:02 pm Post subject:	QUOTE
	ு இ இ இ இ இ இ இ இ இ இ இ இ இ இ இ இ இ இ இ	ttle
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 40, **41**, 42 ... 67, 68, 69 Next

Page 41 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





67 68 69 Next

View previous topic :: View next topic :: View posts since last		
Author	Message	
pectre	Posted: Fri Nov 05, 2004 5:54 pm Post subject:	QUOTE
	Hi, Grant We are waiting for the pictures. I hope the sky will be blue and wind is enough.	
	Here is the 3d autocad drawing of Ds. Fool, I hope you want this.	
oined: 11 Nov 2003 osts: 114 ocation: Ankara, Turkey	http://www.ucurtma.org/images/plans/doublestar/ds3d.zip	
	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW	
rant L ite of the Year 2004	Posted: Fri Nov 05, 2004 5:57 pm Post subject:	QUOTE
	Here is the almost finished kite. I have to bridle it yet and tweak the sail. Not the bes little windy here, I had no helper, and this thing really wants to fly! Hope to weekend.	
oined: 16 Sep 2003 osts: 1507 ocation: USA IN ndianapolis		



Back to top

PROFILE

PM ME!

E-MAIL

stevef

Administrator



Joined: 27 Aug 2003 Posts: 2194 Location: USA PA ALLENTOWN

Posted: Fri Nov 05, 2004 6:16 pm

Post subject:



Congratulations Grant - looks great! Cant wait to see it in the air....


Do you like the way the MKS Fitting worked? Can you get the tension real tight without slippage?

QUOTE

QUOTE

Steve Ferrel

Kite Studio - Go Build a Kite!



Back to top

PROFILE PM ME! www

E-MAIL

Grant L



PM ME!

Posted: Fri Nov 05, 2004 6:26 pm Post subject:

Steve,


I like the fittings. I found out that you need at least 75# test. I tried 50# at first and it would slip under tension. I will be adjusting and flying this weekend so I will get a better feel of how they will work out. If I need to, I can always go to 100# line. Can't wait to see it in the air. 👸

Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

Back to top

PROFILE

E-MAIL




















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.


















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 42, 43, 44 ... 67, 68, 69 Next


View previous topic :: View next topic :: View posts since last visit **Author** Message Grant L Posted: Sat Nov 06, 2004 7:59 pm Post subject: QUOTE Kite of the Year 2004 I Finally got it in the air 읯 It flew great , even though it was bridled wrong. (I didn't notice till I was setting it up, but it was too hard to change in the field. Plus the sun was going down fast 🧾)Thanks to Smarties for getting all this started and to Bernie and Cliff for leading the way and answering all of the questions. Also to Steve and Tony. The parts and fitting really worked great. (I switched to 160# line for the MKS fitting and they seem to be holding fine under all the tension.) And to Spectre for the great detailed plans and assistance. I can't wait til Dieppe 👸 👸 The photo is a bit dark but the sun was pretty low in the sky. You can tell from the attached turf that the feild was a bit soft Joined: 16 Sep 2003 Posts: 1507 from the recent rain. In fact, the sun just ducked below the horizon as the kite touched down. What a way to end a really Location: USA IN rewarding and fun project. 😛 😛 😛 😛 Indianapolis



Last edited by Grant L on Wed Feb 16, 2005 2:23 am; edited 1 time in total

Back to top

PROFILE PM ME! E-MAIL



KiteSquid Master Kite Builder	Posted: Mon Nov 08, 2004 12:21 pm Post subject:	QUOTE
waster interpulation	WOW!!!!!	
	What a rewarding kite you have there!!!!!!	
	I bet your feet still dont touch the ground!!!!!!	
Joined: 29 Aug 2003 Posts: 6248	VR/	
Location: USA Virginia King George	KiteSquid AKA TakoIka	
George	AKA Harold	
	King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling PROFILE PM ME! E-MAIL	
Back to top	www	
Fool	Posted: Mon Nov 08, 2004 4:54 pm Post subject:	QUOTE
100 to	spectre wrote:	
	Hi, Grant We are weiting for the pictures. I have the sky will be blue and wind is enough	
Jained 22 Oct 2004	We are waiting for the pictures. I hope the sky will be blue and wind is enough. Here is the 3d autocad drawing of Ds. Fool, I hope you want this.	
Joined: 22 Oct 2004 Posts: 847	http://www.ucurtma.org/images/plans/doublestar/ds3d.zip	
Location: Dayton, OH	The property of the second sec	
	That's perfect, thanks.	
	Chris Taylor	
	Dayton, OH lowerdfool(at)yahoo(dot)com	
	PROFILE PM ME! E-MAIL	
Back to top	AIM	

CJQ QUOTE Posted: Mon Nov 08, 2004 5:52 pm Post subject: D.S. First flight Grand Champion, Kitebuilder of the Year 2006 Hi Grant, Wish I was there to shake your hand and pat your back and to say well done!!! CLIFF Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL CJQ Posted: Thu Nov 11, 2004 9:59 am Post subject: D.S. QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Steve, Shame on me, I was just gem scaning some various threads and came across the one you posted asking about the sparing in the photo above. Yes, the spars you see are the light weight ones. They are the 2800's 5 ft. one peice, the wind is about, as I recall 7-8 mph here in Seaside at the time. The spars as you will note all have a slight bow, all in the same direction. Thats a good thing for two reasons. First they will flex a little more when subjected to higher wind load and also allow the tension to "even out" keeping all tip sails tight. The 10MM spars I originally used certinly are good for high winds ,the star pulls like a bear in high winds and anchoring is advisable. May re use the 10's for a bigger one?????? CLIFF Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL wdrwilson Posted: Tue Feb 15, 2005 11:26 pm QUOTE Post subject: Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax

Well I thought I would revive this popular thread with an update of my own...

After a 1 month hiatus due to work (I can't beleive how much work interferes with valuable kite building time, geeesshhh (i) I got back to working on my double star...


Here is where I am with the top... Just added the "C" panels tonight.. tomorrow will be the "D" panels. Then I will start on the bottom.

The colors are Silver, violet, raspberry and black in case you were wondering.



More photos can be seen here..

http://www.steadywinds.com/gal/dstarbuild







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 42, **43**, 44 ... 67, 68, 69 Next

Page 43 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group TOP

















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 43, 44, 45 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Grant L Posted: Wed Feb 16, 2005 2:27 am Post subject: QUOTE Kite of the Year 2004 looks great Bill 👸 I was just out flying mine today. I took some better photos to replace the ones I already had in the album. It was blowing 13 knots gusting to 23 according to the online weather. The kite was pulling hard while I was assembling it but not to bad once it was flying. At times, it seemed as if the bottom two briodle lines were almost slack. Any comments from other DS builders? Keep going Bill. It is definately worth all of the sewing 👸 👸 😛 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis **PROFILE** PM ME! Back to top E-MAIL smarties QUOTE Posted: Wed Feb 16, 2005 9:29 am Post subject: **EDIT** Looking good Bill. On your next visit to Dieppe, you'll have a lot new stuff to show us. 😉 😉 Smarties (4) http://www.yvonhache.com Joined: 05 Nov 2003 Posts: 1791 To boldly go where no imagination as gone before! 👸 👸 Location: Dieppe, NB, Canada **PROFILE** PM ME! E-MAIL Back to top www

CJQ

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Back to top

Grant L Kite of the Year 2004



Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis

Back to top

wdrwilson

Joined: 24 Oct 2003 Posts: 1359

Scotia, Halifax

Location: Canada, Nova

Posted: Wed Feb 16, 2005 3:46 pm Post subject: D.S. Bridling

QUOTE

Hi Grant , I think by your description the Star was flying just above the minimum wind speed. Tension on the center bridle attached to the point with slack in the 2 lower bridle lines indicates the wind pressure is just great enought creat lift . As the wind speed increases the lower bridles will go under tension. If you fly in extreme winds the attack angle will be close to plumb and all bridle lines will be taught, also the Star will be almost straight up. This is a must wear gloves , hold on tight situation. Wow I get excited every time I think about flying the Star.

CLIFF

PROFILE

PM ME!

E-MAIL

Posted: Wed Feb 16, 2005 5:53 pm Post subject:

QUOTE

Thanks Cliff. I think that there was plenty of wind, (at least 13 knots.) I may have had the vbridle point too high. When it was flying, the sail surface was alomst straight on into the wind and the kite wasn't pulling too hard. I did lower the bridle point fo a while and the kite pulled harder and was flying almost overhead. The field was pretty muddy, (I was hoping to fly the gecko finally but decided to wait (2)) I'll have to go out again when the field is dry so that I can walk the kite down and play with the bridle point some more. What are the lengths for you bridle lines and the general point where you attach your flying line, (You too Mountain Man.) I'll have to measure mine and compare to what you two are flying with (4)

I also want to take the time to measure the distance between the sail tips and the end of the spars so that I can mark all of the lines at an average distance and even out the sails (A)

PROFILE

4.11

E-MAIL

Posted: Wed Feb 16, 2005 8:30 pm Post subject: Re: Double Star Tips

QUOTE

CJQ wrote:

PM ME!

Hi Guys , sorry for delay in posting . Back out of retirement filling in for one of my son's employee's. Thats the bad news the good news is that i'm shaking the money tree. Gettin some bucks for my AKA trip in oct.

About the panel " D" tips. ,As Bernie has mentioned he used velcro pockets to tension the sails. I used grossgrain loops on the tips and End Caps I made with slots for adjustments. However , since Bernie's and my kites were made some further thought has been given and a special end cap was suggested for that application. The adjustable end cap is in the kite studio catlog and its called theMKS endcap. It has a hole drilled thru the cap 90 deg. to the center line and a nylon set screw to afix a line that is passed thru the side hole . The recomendation is for a 200 lb peice of line be sewn to the panel tip . that line is then slipped thru the fitting and locked in place by the screw. VERY SLICK APPLICATION. I said it was a special end cap ,not realy , steve can make them up easily. I believe that Ray B. , Grant L, and canadian Bill are employing this method. Probably if bernie and I knew of the fitting thats what we may have used . The fitting can be left in position at dis -assembly , plus it allows tensioning of the front and rear sail individualy. NEAT> Hope this helps you marc.

CLIFF

Back in September Cliff posted this information...

I have a question.. I plan on shortening the tips and adding dacron like Grant did with his kite. Should the line be sewn into the hem? if so which side of the hem, top or bottom? I was thinking I could sew a single length of line in both hems forming a loop at the tip and then tie off a piece of line to this loop to travel through the MKS fitting. Maybe I should use gross grain or flat braid for those sections...

Any advice?

--Bill

•			
Back to top	PROFILE PM ME! E-MAIL WWW		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Wed Feb 16, 2005 10:08 pm Post subject: Tip's on D panel.	QUOTE	
T ****	Hi Bill , I understand the method you have in mind . I think it's fine. Make sure that the center of the loop that is formed completes a natural triangle. What I mean is if you draw an imaginary line along the D panel edges the lines will intersect at the point your second tensioning line will attach. If that does not occur the panel tip will de-form and not be flat. Sewing in a loop will not creat a future problem as there is no reason for wear-out since it will be stationary. 200 lb. line or such will work , it wont see that stress but will sew easier and wear longer. Hope this helps. Any other thought's out there?		
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	CLIFF		
Back to top	PROFILE PM ME! E-MAIL		
Dorsal Kite Builder II	Posted: Thu Feb 17, 2005 12:30 am Post subject:	QUOTE	
Joined: 05 Oct 2003 Posts: 714	I have a thought that I wish I could save his entire thread to my computer, so when I start to make one of these I'll already have all this knowledge available on the computer. I know it's here on the Forum, but servers do go down, and harddrives do crash, so I'd like to keep a separate copy for myself. Is there any non-Herculean way to do that?		
Location: USA California Tracy - 50 miles to the right of San Francisco	"The wind is the perfect reminder of God. The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too." Dennis Baha'i Faith		
Back to top	PROFILE PM ME! E-MAIL WWW		
Snoopy	Posted: Thu Feb 17, 2005 12:57 am Post subject: saving forum	QUOTE	
Joined: 20 Dec 2003 Posts: 57 Location: USA CT Milford	Quote: I have a thought that I wish I could save his entire thread to my computer, so when I start t make one of these I'll already have all this knowledge available on the computer	:O	
	Try doing 'file, save as' on your toolbar. This should save the page into a folder you create works in netscape. With IE you may have o send yourself the page. For this thread, you we to do this 44 times, as you can only save 1 page at a time. Larry		
	Last edited by Snoopy on Thu Feb 17, 2005 1:04 am; edited 1 time in total		
Back to top	WWW PM ME!		

Kitebuilder.com :: View topic - Double star plan wdrwilson Posted: Thu Feb 17, 2005 12:57 am Post subject: QUOTE OK I decided against the loop of line in the hem idea when I actually started folding etc. I used the same approach that Grant used. 2 inches off the tip, double fold, Dacron reinforcement over top. I think I will then attach a gross grain loop to attach the line to... The other way was to fiddly (is that a word) and not as precise... --Bill Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax **PROFILE** PM ME! E-MAIL 1007 1007 1007 Back to top **MSNM** conklincomputer QUOTE Posted: Thu Feb 17, 2005 10:13 am Post subject: Dorsal wrote: I have a thought that I wish I could save his entire thread to my computer, so when I start to make one of these I'll already have all this knowledge available on the computer. I know it's here on the Forum, but servers do go down, and harddrives do crash, so I'd like to keep a separate copy for myself. Joined: 12 Jan 2004 Is there any non-Herculean way to do that? Posts: 81 Location: Midlothian, VA I did the same thing when i started my double star (although I think the thread was only 20 pages or so then! 🔯) What I did was copy and paste anything I thought was "relevant" into a seperate document. Again, I think the only folks who had completed their stars at that time were Cliff and Bernie, so it wasn't so much to look through. However, I think the exercise is worth doing, there was a lot of good discussion on how to attach the frame to the tips, several different methods. Marc 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com **PROFILE** PM ME! F-MAIL Back to top ישרישרישר Display posts from previous: All times are GMT - 3 Hours NEW POST Kitebuilder.com Forum Index » Single Goto page Previous 1, 2, 3 ... 43, 44, 45 ... 67, 68, TOPIC REPLY Line Kite Design & Construction 69 Next Page 44 of 69 Watch this topic for replies Jump to: View posts since last visit You can post new topics in this forum You can reply to topics in this forum You **can** edit your posts in this forum You can delete your posts in this forum You **can** vote in polls in this forum TOP Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

http://www.kitebuilder.com/forums/viewtopic.php?t=695&postdays=0&postorder=asc&start=430~(4~of~4)2007-03-13~15:48:53~(4~of~4)2007-03-13~

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 44, 45, 46 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit **Author**

wdrwilson

Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova

Scotia, Halifax


Message

Posted: Sun Feb 20, 2005 10:51 pm Post subject:

QUOTE

I have now attached the "D" Panels to the first half of the Double Star. I reinforced the tips with 3" of Dacron and then used gross-grain tabs for the tension line attachment points.

Being the impatient type, I decided I had to see how the star looks when assembled. So I managed to attach 6 spars to the hub and then I ran out of room (as expected 🔑). Here is what it looks like...



Now onto the bottom... in retrospect I should have built each half together instead of completing one and then the other. ahh well, I hope to have it done in the next 10 days or so. More photos here!

Back to top

PROFILE MSNM

PM ME!

E-MAIL

www

smarties

Joined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB,

Canada

Posted: Mon Feb 21, 2005 9:23 am Post subject: QUOTE **EDIT**

Looking good Bill! Keep us posted! You're almost done! Can't wait to see it in Dieppe's sky beside MM DS! 😉

Smarties 끝

http://www.yvonhache.com

To boldly go where no imagination as gone before! 🖰 🖰





Back to top	PROFILE PM ME! E-MAIL	
Duck to top	www	
Grant L Kite of the Year 2004	□Posted: Mon Feb 21, 2005 9:56 am Post subject:	QUOTE
	Looking Good Bill.	be more. I'll take a embled. The sails are r. I am curious, how
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
imagin Kite Builder I	□Posted: Mon Feb 21, 2005 8:11 pm Post subject:	QUOTE
	Those colours are going to make a real impact. Very nice!	
	Knowledge is limited. Imagination encircles the world.	
Joined: 22 Oct 2003 Posts: 330 Location: Moncton, NB Canada		
Back to top	PROFILE PM ME! WWW ICO	
spectre	Posted: Wed Feb 23, 2005 4:44 am Post subject: I am waiting for the pictures with blue background. The number of the DS are going hire. Hope to see them all in the same picture.	QUOTE
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Fool	Posted: Wed Feb 23, 2005 11:17 am Post subject:	QUOTE
Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH	I got back to work on mine last night some more. I only edge bound 20 panels an hours time. If I can do that 4 more days in a row I'll have all the edge bindir won't be long before it's complete. Here's my thoughts on my D panels and the tension adjusting. I went with the came up with to use the mks fittings from steve and a peice of dacron line sew panel to help set tension adjustment. But I think I'm going to go one step furth panel 1 peices of dacron line to one edge and another to the other edge then set together to make them one solid piece. It would look something like this: >== nice to be able to sew the dacron in while sewing the edge binding, that way it seams along the edges of the panel to keep it nice and taught. How tough is it 150lbs dacron to each other? I'm not wanting another timing malfunction on my the dacron line got sucked in through the needle plate.	same idea that cliff n to the end of the er and sew on each ew the two pieces = It would be really puts tension on the to sew 2 peices of
	Chris Taylor Dayton, OH	

	lowerdfool(at)yahoo(dot)com			
Back to top	PROFILE PM ME! E-MAIL			
	AIM			
wdrwilson	Posted: Wed Feb 23, 2005 11:39 am Post subject:	QUOTE		
	Fool,			
36.4				
	If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 Iwhite ines all going through the same			
le l				
oined: 24 Oct 2003 Posts: 1359				
ocation: Canada, Nova Scotia, Halifax				
cotta, Hamax	Bill			
Pack to top	PROFILE PM ME! E-MAIL WWW			
Back to top	MSNM			
Fool	Posted: Wed Feb 23, 2005 11:49 am Post subject:	QUOTE		
ARTON AND AND AND AND AND AND AND AND AND AN				
-30	wdrwilson wrote:			
	Fool,			
	If you have a cording foot it should be pretty easy to sew the pieces together.			
oined: 22 Oct 2004 Posts: 847	You will loose adjustment on individual panels though and you may end up with one being me taught than the other just a thought. I am using two pieces but the top and bottom lines ar			
Location: Dayton, OH	different colors might help my field adjustments 4 lwhite ines all going through the sall going through th			
	MKS fitting can get a bit confusing			
	Bill			
	I meant 2 pieces of line for each panel. I want every tip to have it's own adjustability. So I	l'd have 4		
	clumps of 2 lines in each fitting.			
	clumps of 2 lines in each fitting.	a nave i		
		Ta Have 4		
	clumps of 2 lines in each fitting. Chris Taylor Dayton, OH	Ta Have 4		
	Chris Taylor	d have 1		
Back to top	Chris Taylor Dayton, OH			
<u> </u>	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com	d nave		
<u> </u>	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL	QUOTE		
<u> </u>	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject:			
<u> </u>	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM			
	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject:			
·	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote:			
Back to top wdrwilson Joined: 24 Oct 2003 Posts: 1359	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote:			
wdrwilson Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one			
wdrwilson Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 lwhite			
Wdrwilson Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 lwhite ines all going through the same MKS fitting can get a bit confusing			
wdrwilson Joined: 24 Oct 2003	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 lwhite			
wdrwilson Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 lwhite ines all going through the same MKS fitting can get a bit confusing Bill			
wdrwilson Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova	Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE AIM Posted: Wed Feb 23, 2005 12:11 pm Post subject: Fool wrote: wdrwilson wrote: Fool, If you have a cording foot it should be pretty easy to sew the pieces together. You will loose adjustment on individual panels though and you may end up with one being more taught than the other just a thought. I am using two pieces but the top and bottom lines are different colors might help my field adjustments 4 lwhite ines all going through the same MKS fitting can get a bit confusing			

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🖸 Plans 🖺 Profiles 🚨 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





	View previous topic :: View next topic :: View posts sin	nce last vi
Author	Message	
wdrwilson	Posted: Mon Feb 28, 2005 4:48 pm Post subject:	QUOTI
oined: 24 Oct 2003 Posts: 1359 Ocation: Canada, Nova Scotia, Halifax	niels schuurman wrote: after the very enthousiastic posts on this forum about the double star I build one myself this weekend my doublestar has his maiden flight just as my new flowform see the pictures in my photoalbum at: www.fotoalbum.dds.nl/dabarn ciao, niels Well done!! I like it a lot!! And your flow form is very nice as well. Bill Bill Wilson www.steadywinds.com	
ack to top	Imagination is the highest kite one can fly Lauren Bacall PROFILE PM ME! E-MAIL WWW	
citeSquid Master Kite Builder oined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	Posted: Mon Feb 28, 2005 5:07 pm Post subject: Two more GREAT looking kites!!!!!!! VR/ KiteSquid AKA Takolka AKA Harold King George VA P.S. Yet another post by the Squid Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling	QUOTE
ack to top	PROFILE PM ME! E-MAIL	



wdrwilson



Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax

Posted: Wed Mar 02, 2005 1:54 am Post subject:

QUOTE

Finally the Double Star is complete. 🙆 I finished off the last of the bottom section late this evening. This kite is really impressive when it's fully assembled, a full 10 foot diameter! (old news for most of you 🕝). I haven't adjusted the tip tension much but it seems that the MKS fittings will work out fine.

Here are the first pictures of the kite completely assembled. I have to add the bridle and it will be ready to fly! 😃





More photos http://www.steadywinds.com/gal/dstarbuild

cheers,

--Bill

Bill Wilson

www.steadywinds.com

Imagination is the highest kite one can fly. - Lauren Bacall

Back to top

PROFILE **MSNM**

PM ME! E-MAIL www

stevef

Administrator

Posted: Wed Mar 02, 2005 2:08 am Post subject: QUOTE

ooooo and you even dressed to match! Looks good Bill, cant wait to see it in the air. Can you get us a KAP shot from above it?

Joined: 27 Aug 2003 Steve Ferrel

Posts: 2194 Location: USA PA ALLENTOWN

Kite Studio - Go Build a Kite!


www

Measure once, buy twice!

Back to top

PM ME! PROFILE

E-MAIL

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🖸 Plans 🖺 Profiles 🚨 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 46, 47, 48 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since last v		
Author	Message		
rogcraft itebuilder of the Year 2004	Posted: Wed Mar 02, 2005 2:22 pm Post subject:	QUOTI	
	Looks great Bill. It should really shine in the air with some sunlight on it P. There is no box		
oined: 29 Sep 2003 osts: 4023 ocation: Montreal, QC, anada			
ack to top	PROFILE PM ME! E-MAIL WWW		
vdrwilson	Posted: Thu Mar 03, 2005 4:57 pm Post subject:	QUOTE	
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Well today the wind was about 30 Km/H gusting to 40 km/h and I foolishly decided to try and fly r woooo hoooo what a ride. The first challenge was putting the kite together on a soggy field with howling wind and -10c temp us though. I hadn't bridled the kite yet so I did that in the field as well, very cold fingers after that It was a little too cold to adjust all of the tips so I decided to give it a go anyway and it Flew It roar of a jet plane and was stapled to the sky. When the wind would shift it would sweep a little but	s. That didn't sto	
	slack in the line didn't fix. Very happy!!!!	3	
	What a great feeling The wind was really blowing hard and I had visions of the 10 mm Carbon rods snapping like twigs. this kite. So I handed the kite off to my friend, and walked the kite down.	Lot's of pull on	
	Here are is a photo, the sky is grey today but I brightened the photo up the best I could		



QUOTE

Cheers,

Bill

Bill Wilson

www.steadywinds.com

Imagination is the highest kite one can fly. - Lauren Bacall

Back to top

PROFILE MSNM

E-MAIL www

KiteSquid

Master Kite Builder



Joined: 29 Aug 2003

Posts: 6248

Location: USA Virginia King

George

Posted: Thu Mar 03, 2005 5:56 pm Post subject:

wdrwilson wrote: What a great feeling...

PM ME!

OH YEH!!!! the feeling of airing out some fabric for the first time!!!!!!!!

WOOOOOOOO HOOOOOOOOO

I bet the smile is frozen on your face!!!!!!!

Great looking kite!!!!!

VR/

KiteSquid

AKA Takolka


AKA Harold King George VA

P.S. Yet another post by the Squid..... 2 Doesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.




















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 47, 48, 49 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since last visit
Author	Message
smarties	Posted: Sat Mar 05, 2005 2:07 pm Post subject:
	No wind in the forecast for tomorrow (Sunday). Hopefully mother nature will prove them wrong.
	Smarties 😃
Joined: 05 Nov 2003 Posts: 1791	http://www.yvonhache.com
Location: Dieppe, NB, Canada	To boldly go where no imagination as gone before! $\stackrel{\longleftarrow}{\longleftrightarrow}$
Back to top	PROFILE PM ME! E-MAIL WWW

wdrwilson



Joined: 24 Oct 2003 Posts: 1359

Location: Canada, Nova Scotia, Halifax Posted: Sat Mar 05, 2005 4:38 pm Post subject:

I tuned up the DStar today...

I have added some photos to my site...

http://www.steadywinds.com/gal/dstarbuild



QUOTE

--Bill

Bill Wilson

www.steadywinds.com

Imagination is the highest kite one can fly. - Lauren Bacall


Back to top

PROFILE | PM ME!


E-MAIL

www

MSNM



smarties	Posted: Mon Mar 07, 2005 12:50 am Post subject:		
	Nice shot Imagin. It was beautiful too see these two kites flying together.		
Joined: 05 Nov 2003	Smarties (i) http://www.yvonhache.com		
Posts: 1791 Location: Dieppe, NB, Canada	To boldly go where no imagination as gone before! 😛 😛		
Back to top	PROFILE PM ME! E-MAIL WWW		
Grant L Kite of the Year 2004	□Posted: Mon Mar 07, 2005 1:23 am Post subject:	QUOTE	
	I can't wait to see four or five or [∞] ⊕ ⊕ ⊕		
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis			
Back to top	PROFILE PM ME! E-MAIL		
conklincomputer	□Posted: Mon Mar 07, 2005 1:09 pm Post subject:	QUOTE	
DON'T FREAD ONLYS	Bill, the new DS looks great! I have to admit, I wasn't sure about the color choices when looking at the inside pictures, but it looks great outside! Yours and MM's really compliment each other too.		
Joined: 12 Jan 2004 Posts: 81 Location: Midlothian, VA	Marc 1/2 of Airborne Virus and RAF webmeister http://www.richmondairforce.com		
Back to top	PROFILE PM ME! E-MAIL WWW		



Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group ТОР

















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 48, 49, 50 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message CJQ Posted: Mon Mar 21, 2005 8:10 pm Post subject: Anoyher D.S. QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Fool, you did good son. Wasent it exciting? flying right out of the box and being such a crowd pleaser. I get all cranked up listening to D.S. stories. Makes me want to run into the kite room and take mine out and hug it. (guess I got to seek counceling) The 1 1/2 in of tensioning line is quite ample. My Star has not streached much at all. Humid days make very little difference. I read that your spars have a bow? is that correct?? If so what direction do they bend. I use as my light wind spars 2810's. The spars all get a bow when the assembly is finished. Probably a 2 in. bow in the center. It suprizes me the 10 mm spar bows. Thats a hefty spar. Now that you have joined our Joined: 27 Dec 2003 group you must go to the DIEPPE Festival,,,What do you think Bernie???Any way, looking forward Posts: 1702 to the pictures. Another thought just crossed my mind. When down in florida last few weeks I flew Location: Coopersburg, PA my D.S. . The friends I was staying with live in a Golf community. I decided to fly my kite in a grass USA area aside one of the fairways. The D.S. wasent up more than 5 minutes and there were at least 15 to 20 people standing around (two with cameras) watching the kite. All were totaly amazed. There is something about this kite that grabs peoples liking. Of all the kites in my collection this one by far is the most attention getter. Happy flying!! **CLIFF PROFILE** PM ME! Back to top E-MAIL Doug LaRock QUOTE Posted: Tue Mar 22, 2005 1:57 am Post subject: Master Kite Builder Cliff, so you have been out attracting attention with your kite. Way to go!! When people stop and talk and ask questions its a great ad for the sport. Hey Fool good job!! It's a great feeling you get when a new project flies. Doug Joined: 12 Jan 2004 Posts: 389 Location: Yakima, Washington **PROFILE** PM ME! Back to top E-MAIL

Fool



Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH Posted: Tue Mar 22, 2005 10:57 am Post subject: Re: Anoyher D.S.

QUOTE

CJQ wrote:

Hi Fool, you did good son. Wasent it exciting? flying right out of the box and being such a crowd pleaser. I get all cranked up listening to D.S. stories. Makes me want to run into the kite room and take mine out and hug it. (guess I got to seek counceling) The 1 1/2 in of tensioning line is quite ample. My Star has not streached much at all. Humid days make very little difference. I read that your spars have a bow? is that correct?? If so what direction do they bend. I use as my light wind spars 2810's. The spars all get a bow when the assembly is finished. Probably a 2 in. bow in the center. It suprizes me the 10 mm spar bows. Thats a hefty spar. Now that you have joined our group you must go to the DIEPPE Festival,,,What do you think Bernie???Any way , looking forward to the pictures. Another thought just crossed my mind. When down in florida last few weeks I flew my D.S. . The friends I was staying with live in a Golf community. I decided to fly my kite in a grass area aside one of the fairways. The D.S. wasent up more than 5 minutes and there were at least 15 to 20 people standing around (two with cameras) watching the kite. All were totaly amazed. There is something about this kite that grabs peoples liking. Of all the kites in my collection this one by far is the most attention getter. Happy flying!!

CLIFF

The spars used to have a bow before I cut them down 1.25" each. So now I have (10) 58.75" spars. They would bow from the points to the back side of one of the halves. Way more than I liked hense the reasoning behind cutting the spars down. I just need about an hour and 4 extra hands to tension the kite properly then it should be set for life.

Chris Taylor Dayton, OH

lowerdfool(at)yahoo(dot)com

Back to top



PM ME! E-MAIL



QUOTE





Joined: 22 Oct 2004 Posts: 847

Location: Dayton, OH

Posted: Tue Mar 22, 2005 11:59 am Post subject:

I was sent this pic from a fellow local flier today.








Chris Taylor Dayton, OH

AIM

lowerdfool(at)yahoo(dot)com

Back to top





Joined: 29 Aug 2003 Posts: 6248

Location: USA Virginia King

George

PROFILE PM ME!

E-MAIL

Posted: Tue Mar 22, 2005 12:36 pm Post subject:

QUOTE

LOOKING GREAT!!!!!!!!!!!!!!!!!

VR/ KiteSquid AKA Takolka **AKA Harold** King George VA

P.S. Yet another post by the Squid..... OD Doesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.
























Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






	View previous topic :: View next topic :: View pos	ts since last vis
Author	Message	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Wed Mar 23, 2005 12:37 am Post subject: D.S. TEAM	QUOTE
	HI RICH, Think about joining the team????? Lots of benifits, ask any of us he,he. CLIFF	
oined: 27 Dec 2003 osts: 1702 ocation: Coopersburg, PA - ISA		
Back to top	PROFILE PM ME! E-MAIL	
Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH	Posted: Mon Mar 28, 2005 12:28 pm Post subject: Here's some ground photos taken on sat. at my girlfriend's grandparent's house. Have good weather around these parts to get the kite back in the air or get any more photo Kinda similar to the one of MM that ended up in the papers. Makes a cute desktop back gebekah, and Myself. Chris Taylor Dayton, OH	os while flying
Back to top	lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM	



kitepoor Posted: Mon Mar 28, 2005 4:23 pm Post subject: QUOTE Kite Builder II I am going to have to buy one of those edge binders and learn how to use it!!!! That looks great! Joined: 05 Sep 2003 Soooo clean. Posts: 548 Location: USA Virginia first if was the digital camera that I needed, now this, I wonder when I get to start building kites Harrisonburg again? Randy a kite a nice thing kite in the air a beautiful thing kites to share the coolest thing **PROFILE** Back to top PM ME! CJQ QUOTE Posted: Mon Mar 28, 2005 5:22 pm Post subject: Fool's D.S. Grand Champion, Kitebuilder of the Year 2006 Chris, I like the colors and mostly what the black edging does. Great job. **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL Grant L Posted: Mon Mar 28, 2005 6:14 pm Post subject: QUOTE Kite of the Year 2004 I agree! Looks great, especially with the edge binding. I can't wait to see it in person Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis **PROFILE** PM ME! Back to top E-MAIL Fool Posted: Tue May 03, 2005 5:01 pm Post subject: QUOTE OK, so I've broken another (5th one) spar. I have the center hub set up to free float on the center spar. The way the first 4 broke were a freak accident for the most part but I think my bridle points are wearing on the spar ends so I'm going to put a solid piece of Carbon in each end of every spar about 5" deep. The wind I was trying to fly in was between 13-17 with gusts of 23 on occasion and I was holding the bridle point when I heard the spar split. I'm planning an making the hub Joined: 22 Oct 2004 stationary to help keep the spars straight and make them a little more rigid overall instead of Posts: 847 Location: Dayton, OH allowing them to flex. What are some ideas for keeping the hub centered, but also being able to remove it for packing the kite? I was thinking some o-rings or small rubber bands between the feral and spar would prevent the hub from slipping. I'd really rather stay away from permanently gluing the hub to the center spar. Chris Taylor Dayton, OH



















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

















View previous topic :: View next topic :: View posts since last visit




Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 50, 51, 52 ... 67, 68, 69 Next

Author Message Fool QUOTE Posted: Wed May 04, 2005 8:44 am Post subject: I'm using the regular 10 mm Carbon spars. No solid Carbon in the ends. Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH PROFILE PM ME! E-MAIL Back to top AIM CJQ Posted: Wed May 04, 2005 9:13 am Post subject: Spar breakage QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Chris, which end of the spars break inner or outer?? I have not had a problem with the 10mm, my hub is fixed . There are two theorys about fix or float, both make sense. I have had some bad crashes with no problems. The damage I do get when flying on sand is when the star comes down hard ,the back nose gets buried in the sand. It started to do a number on my sail point. My next star will have a large diameter cone shaped disc fitting to prevent that from occuring. My light wind spars are 2850's ,5 ft long. I re-used my origional hub drilled for the 10mm's. To adapt them I cut short pc's. of the 10mm and glued the (externally) adaptors onto the 2850's. I actualy needed Joined: 27 Dec 2003 slightly more than 60" so the short adaptors act like external Ferrels. Not good,,, The 10 mm pc's Posts: 1702 are straight grain Carbon, not a good external ferrule, they split when stressed. To solve that Location: Coopersburg, PA problem I installed 3/8 in. brass sleeves (collars) on the outer tips to prevent splitting. The 2850's USA reduced my spar weight by 50%. I plan on re-using the 10mm's on my 5 meter 12 point star now under construction. Havent decided on what extension material I will use for the additional lenght required, or what kind of ferruling. Let us know how you make out with your changes. CLIFF PROFILE PM ME! Back to top E-MAIL



1007 1007 1007

spectre	Posted: Fri May 06, 2005 7:11 am Post subject:	QUOTE
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	And with the blue sky http://www.ucurtma.org/images/plans/doublestar/DS_Cervia_01.jpg http://www.ucurtma.org/images/plans/doublestar/DS_Cervia_02.jpg http://www.ucurtma.org/images/plans/doublestar/DS_Cervia_03.jpg http://www.ucurtma.org/images/plans/doublestar/DS_Cervia_04.jpg Best Winds, Ferruh Baysu	
Back to top	Last edited by spectre on Fri May 06, 2005 11:43 am; edited 1 time in total PROFILE PM ME! E-MAIL WWW MSNM	
KiteSquid Master Kite Builder Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	Posted: Fri May 06, 2005 9:05 am Post subject: OOOO I do love those photos Who's kites are they??????? VR/ KiteSquid AKA Takolka AKA Harold King George VA P.S. Yet another post by the Squid Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.P.S. Please excuse my spelling	QUOTE
Joined: 15 May 2004 Posts: 84 Location: Oswego, NY	Posted: Sat May 14, 2005 10:42 pm Post subject: DS Project Well, the Cervia pictures finally pushed me over the edge. I'll try the 8 point to begin; I don't have a lot of room. Has anyone experimented with shock cord on the D tip ends? Could I get enough tension? Seems like assembly would be simpler and the tension would even out, the smaller size shouldn't have quite as much stress on the panels. Jason jason g It's more fun to fly with a club. NYKE,GLKS.KICNYS,TKF,Keystone	
Back to top	The Seam Ripper is my friend; the Se	

CJQ Grand Champion, Kitebuilder of the Year 2006

¥ ****

Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Posted: Sun May 15, 2005 8:38 am Post subject: 8 POINT STAR

QUOTE

HI Jason, Cervia Festival, are you refering to the picture showing 15 stars all flying together?? I'm told one was still on the groung. Ausum photo , wish I was there. Glad you are going to do the star. As for the shock cord I would rather go with a thick dacron line (hollow core) rather than a heavy duty bungie. Some guys used velcro pockets , others used a heavy line sewn in to the tips. The ones using line fastening are tensioning with the MKS fitting Stevef sells. I , for a few reasons would choose the MKS fitting with a nylon set screw, simple and effective. You will find that as careful as as you sew some panels will end up a little floppy in the wind. The shock cord method may not provide enough tension to sinch up enough slack. IMHO, Dig your heals in and give it a go , be shure to show us your progress.

CLIFF

Back to top

PROFILE

PM ME!

E-MAIL

jason g Master Kite Builder



Joined: 15 May 2004

Posts: 84

Location: Oswego, NY

Posted: Thu Jun 09, 2005 1:54 pm Post subject: DStar "Spidey"

QUOTE

Like I told Cliff a couople of weeks ago, I feel like I'm standing on the shoulders of giants in just attempting a doublestar. This first one of mine is just an 8 pointer. Instead of the circular patterns I tried for a spider look with the black legs and red body on (everything else) white.

How successful will depend on how it looks in the air, but of course no co-operation in the wind dept today. As usual I really learned a lot in making this kite.

[img]http://www.kitebuilder.com/forums/album_pic.php?pic_id=2523[/img]

http://www.kitebuilder.com/forums/album_pic.php?pic_id=2523

jason g

It's more fun to fly with a club. NYKE,GLKS.KICNYS,TKF,Keystone

The Seam Ripper is my friend; the Seam Ripper is my friend; the Seam Ripper is my friend....

Back to top

PROFILE WWW PM ME!

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

69 Next

Page 51 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 51, **52**, 53 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View post	s since last visit
Author	Message	
Progcraft Kitebuilder of the Year 2004	Posted: Thu Jun 09, 2005 2:04 pm Post subject:	QUOTE
	Woah, that's interesting. It does in fact resemble a spider. Nice work! Creative P. There is no box	
Joined: 29 Sep 2003 Posts: 4023 Location: Montreal, QC, Canada		
Back to top	PROFILE PM ME! E-MAIL WWW	
wdrwilson	Posted: Thu Jun 09, 2005 2:25 pm Post subject: WOhoooo Way to go That looks really cool. Have you flown it yet? can't wait to see some pics in the air Bill	QUOTE
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Bill Wilson www.steadywinds.com Imagination is the highest kite one can fly Lauren Bacall	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	

KiteSquid	Posted: Thu Jun 09, 2005 4:52 pm Post subject:	QUOTE
Master Kite Builder	Nice variation!!!!!!!	
	I Like it!!!!!	
	VR/ KiteSquid	
Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	AKA Takolka AKA Harold King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL WWW	
smarties	Posted: Thu Jun 09, 2005 10:20 pm Post subject:	
	Nice work. I like the idea of a spider.	
Joined: 05 Nov 2003	I can't believe this thread is still going on. The double star is surely a big hit and well des 2004 kite of the year title.	erves the
Posts: 1791 Location: Dieppe, NB, Canada	Smarties Uhttp://www.yvonhache.com	
	To boldly go where no imagination as gone before! 😛 😛	
Back to top	PROFILE PM ME! E-MAIL WWW	
Dorsal Kite Builder II	Posted: Fri Jun 10, 2005 1:56 am Post subject: Measurements	QUOTE
	Hey guys, I have a silly question. When you use the tinkertoy hub made by Steve, how far are the inner ends of the rods from each other? In other words, if I stick two 48 inch rods into opposing holes, are the outer ends (48+1)X2=98 inches apart, or is it some other measurment? ?	
Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco	"The wind is the perfect reminder of God. The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too." Dennis Baha'i Faith	
Back to top	PROFILE PM ME! E-MAIL WWW	

CJQ

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Posted: Fri Jun 10, 2005 9:23 am Post subject: HUB HOLES

QUOTE

Hi Dorsal, good question. I dont think there is a fixed dimension. The depth of the holes in any given hub will be determined by the type of spar material and the diameter. or, wether the hub will have a center hole ,or the number of spars that will be incerted in that hub. The hub would be made to the smallest size possible to reduce weight. The other factor is to provide the optimum engagement to reduce deformation under load. The number of spars must be taken into consideration cause if the holes are too deep they will interfer with each other in the center. So, I geuss there is not a standard. Tony, when he designs a hub must know what the application is before he starts. Refering to the hub I made for my D.S. started out at 5 in. in diameter. there are 10 radial spar holes and one in the center for the spine. Spar size was 10 MM. the original radial hole depth was 1 3/4 in. The holes were almoust touching at the bottom of the drilling. Thru trial and error after the star was flown I went thru a weight reduction process. The hub diameter was reduced from 5 to 4 in's. that reduced the hole depth by 1/2 in. leaving 1 1/4 depth. That dimension is quite sufficent to provide adaquite strength. The hub thickness is 3/4 in. Doing the math as you had mentioned earlier adds about 1 1/2 in's. to the total(opposing)spars. This is MHO. Steve or tony may add or correct this info. Dorsal you going to make a D.S. ???

CLIFF

Back to top

PROFILE

PM ME!

KiteSquid

Master Kite Builder



Joined: 29 Aug 2003 Posts: 6248

Location: USA Virginia King

George

E-MAIL

Posted: Fri Jun 10, 2005 9:26 am Post subject: QUOTE

If you are concerned, I would use an internal furrle in the spars and insert the furrle into the tinker toy, so the overall length would be the spar length x2 + the diamater of the tinker toy.....

But you must stat this before you order your tinker toy.

VR/

KiteSquid AKA Takolka **AKA Harold** King George VA

P.S. Yet another post by the Squid..... Oo Doesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.S. Please excuse my spelling.....

Back to top

PROFILE

PM ME!

E-MAIL

www

Dorsal Kite Builder II



Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco

Posted: Fri Jun 10, 2005 2:41 pm Post subject: QUOTE

Yes Cliff, I'm working to design one with 9 points. (Nine is a significant number to members of the Baha'i Faith, like my wife and myself.) Since the number is different than that of the original design, I need to know the dimensions so I can design the shape of each of the panels. I wish this discussion thread hadn't become so huge. I know there are some great observations and suggestions buried within the bowels of its 52 pages, but finding them is a nearly monumental task!

"The wind is the perfect reminder of God.

The only way we can prove it exists is by observing the things it affects.

That's why I believe in the wind, too."

Dennis Baha'i Faith



You can reply to topics in this forum You can edit your posts in this forum You **can** delete your posts in this forum You can vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group



















Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star	plan Goto page Previous 1, 2, 3 52, 53 , 54 67, 68, 69 Next	
	View previous topic :: View next topic :: View pos	its since last visit
Author	Message	
spectre	Posted: Sat Jun 11, 2005 5:53 am Post subject:	QUOTE
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey	Hi, Dorsal What will be the diameter of your kite? In theory your calculation is true. It will be 98 practical it is not, because tpye of the end connectors/pockets which you use on kite. that if you have 48 inch spars the kite dia will be 96-98inch. Don't cut the frames until building the kite sail. Use 1-2" longer center spar. And don't forget that the fabric will stretch a little bit. If any one makes a 9point one, here is the panels for a 3meter diameter kite: http://www.ucurtma.org/images/plans/doublestar/9pds/DS_9P_inch.pdf	
	Best Winds, Ferruh Baysu	
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
Dorsal Kite Builder II	Posted: Sat Jun 11, 2005 6:00 am Post subject:	QUOTE
	Ferruh - I was planning to use 60" (150 cm) rods, which does come to 3m, now that I think it. Thanks for the panel layouts - I'll check the dimensions against the ones I came up with. Do you maybe have an image of the completed kite, that I can see the proportions of the palayouts?? If so, would you please let me know, or email them to me?	
Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco	♥	
Back to top	PROFILE PM ME! E-MAIL WWW	

Kitebuilder.com :: View topic - Double star plan stevef Posted: Sun Jun 12, 2005 9:38 am Post subject: Re: DStar "Spidey" Administrator jason g wrote: Joined: 27 Aug 2003 Posts: 2194 Location: USA PA ALLENTOWN long way... Super job, Steve Ferrel Kite Studio - Go Build a Kite!

Back to top

stevef Administrator



Like I told Cliff a couople of weeks ago, I feel like I'm standing on the shoulders of giants in just attempting a doublestar. This first one of mine is just an 8 pointer. Instead of the circular patterns I tried for a spider look with the black legs and red body on (everything else) white.

How successful will depend on how it looks in the air, but of course no co-operation in the wind dept today. As usual I really learned a lot in making this kite.

[img]http://www.kitebuilder.com/forums/album_pic.php?pic_id=2523[/img]

http://www.kitebuilder.com/forums/album_pic.php?pic_id=2523

Very good Jason! Tieing the graphic into the shape of the kite.... bonus points! You have come a

You guys interested in kitemakers competiton... watch out for Jason!

Measure once, buy twice!



PROFILE PM ME! ישר ישר ישר

E-MAIL

Posted: Sun Jun 12, 2005 9:45 am Post subject: Re: Measurements

QUOTE

QUOTE

Dorsal wrote:

Hey guys, I have a silly question. When you use the tinkertoy hub made by Steve, how far are the inner ends of the rods from each other? In other words, if I stick two 48 inch rods into opposing holes, are the outer ends (48+1)X2=98 inches apart, or is it some other measurment?

Denis, how far apart would you like them to be? I am at home right now and dont have the fitting in front of me, but we can make them to your spec... as long as the holes do not intersect. Realize when you drop a drill 2 inches into plastic, you do not get a 2 inch spar insertion.... drill bits are pointed...

Steve Ferrel

Kite Studio - Go Build a Kite!

Measure once, buy twice!



Back to top

PROFILE PM ME! www

E-MAIL

Dorsal Kite Builder II

Posted: Sun Jun 12, 2005 3:57 pm Post subject: QUOTE



Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco

Well Steve - I did my design as if the spars were 60 3/4 inches long, 8mm in diameter. So, I presumed the bottom of the holes described a circle 3/4" in radius, which leaves about .435" (less the drill point) of "stopper" at the bottom of each hole. If the hub were 4 1/2" in diameter, that would allow the rods to insert about 1 1/2" into the hub.

That should work, right? I'd like to reduce the diameter from 5", to reduce the weight as much as practical.

Hey, a question for the group: I am thinking about "gilding" the edges of the panels. Does anyone know of a source for GOLD ribbon, say, 3/4 - 1" wide, that would work? I was thinking to stomp around the local JoAnn's to see if they have some decorative ribbon that might survive being sewed to a kite. Any other suggestions??

David to to	PROFILE PM ME! E-MAIL	
Back to top	www	
KiteSquid Master Kite Builder	Posted: Mon Jun 13, 2005 9:54 am Post subject:	QUOTE
	I would have to send you to the farbic section of Wal-Mart, as the prices are generally lo fabric stores. Check the fiber content if you are using RSN for your sail and polyester ribbon, they I	
Joined: 29 Aug 2003 Posts: 6248	diffrent stretch when the RSN pickes up moisture from the air Tight edging with a loo happen If it it bias ribbon, then you should have less of an issue than using Grossgrain	se sail can
Location: USA Virginia King George	Check how it will hold up in the wind by making a flap test strip for your car antenna, bu SURE that it will not contact any point on the car as you will end up with scrtched paint, chrome	
	VR/ KiteSquid	
	AKA Takolka AKA Harold	
	King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL	
Dorsal Kite Builder II	Posted: Mon Jun 13, 2005 11:04 pm Post subject:	QUOTE
	Thanks Harold - I hadn't thought about letting a strip flap off the car antenna to test for	wearability
Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco		
Back to top	PROFILE PM ME! E-MAIL WWW	
KiteSquid Master Kite Builder	Posted: Tue Jun 14, 2005 9:09 am Post subject:	QUOTE
Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George		

Remeber that one hour at legal highway speeds is equal to over a year of kite flight time.... VR/ KiteSquid AKA Takolka **AKA Harold** King George VA P.S. Yet another post by the Squid..... ODoesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially. P.P.P.S. Please excuse my spelling..... PROFILE PM ME! E-MAIL Back to top www jason g Posted: Tue Jun 14, 2005 9:05 pm Post subject: Spidey Flies QUOTE Master Kite Builder We still haven't had a decent breeze (except for the hurricane leftovers and TStorms - Sorry no Ben Franklin attempts -) But he's up [img]http://www.kitebuilder.com/forums/album_pic.php?pic_id=2536[/img] Joined: 15 May 2004 hopefully the breezes will cooperate at Kites over Keuka on Sat. Posts: 84 Location: Oswego, NY jason g It's more fun to fly with a club. NYKE, GLKS. KICNYS, TKF, Keystone The Seam Ripper is my friend; the Seam Ripper is my friend; the Seam Ripper is my friend.... **PROFILE** PM ME! Back to top www smarties QUOTE Posted: Wed Jun 15, 2005 6:35 am Post subject: Re: Spidey Flies **EDIT** Beautiful!!! Smarties (2) http://www.yvonhache.com Joined: 05 Nov 2003 Posts: 1791 To boldly go where no imagination as gone before! 😛 👸 Location: Dieppe, NB, Canada PROFILE PM ME! E-MAIL Back to top www Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 52, **53**, 54 ... 67, 68, 69 Next

Page 53 of 69



















Kitebuilder.com - Learn. Share. Fly.


















Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 53, 54, 55 ... 67, 68, 69 Next



Dorsal Posted: Thu Jun 16, 2005 12:01 am Post subject: QUOTE Kite Builder II Sorry, I HATE Black Widow spiders - too many painful memories from getting bit by the nasty little buggers! But I'm glad you finished the kite, and that it flies well. Congratulations! Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco **PROFILE** PM ME! E-MAIL Back to top www rbojarski Posted: Tue Jul 05, 2005 12:36 am Post subject: QUOTE Master Kite Builder Finally got around to trying to fly my double star today. Tried to launch it at the 4th of July festival down in Orting, Washington. Here's a pic of the Double Star on display outside a vendor tent at the festival. [img]http://www.kitebuilder.com/forums/album_pic.php?pic_id=2569[/img] Joined: 30 Sep 2003 Here's a second picture of the kite all bridled up and ready for a launch. Posts: 440 Location: Auburn, http://www.kitebuilder.com/forums/album_pic.php?pic_id=2568 Washington Orting is infamous for lack of winds, and lack of CONSISTENT winds. The best the winds got up to was a very brief 5 mph, I managed to struggle the thing into the air, and pumped it up to about 15 feet of the ground, but couldn't shoot a picture and try to fly the kite at the same time. The kite was certainly display to gather the crowds. Folks were even stopping to take pictures of their children in front of the kite. The vendors were all rooting for me to get it launched (and I tried for about an hour), but the winds just wouldn't cooperate. Maybe next time! Last edited by rbojarski on Tue Jul 05, 2005 10:18 am; edited 1 time in total PROFILE PM ME! Back to top E-MAIL Grant L Posted: Tue Jul 05, 2005 1:50 am QUOTE Post subject: Kite of the Year 2004 Nice Going ⊕ 😭 🛞 Chris and I ended up running with ours to get them in the air at the Airwaves festival this spring 🔒 🙉 😛 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis PM ME! **PROFILE** Back to top E-MAIL

spectre	Posted: Tue Jul 05, 2005 4:08 am Post subject:	QUOTE
	Nice job, I like the contrast of the center colours. Now need a better photo in air with blue bacground. I hope you find good wind to fly your kite.	9
	Best Winds, Ferruh Baysu	
Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
wdrwilson	Posted: Wed Aug 17, 2005 11:52 am Post subject:	QUOTE
	Here is a shot of double stars by GrantL, CJQ and wdrwilson (hmmm one of these thing like the other 😂 😂)	s is not
	http://www.steadywinds.com/gal/dieppe2005/100_3492	
Joined: 24 Oct 2003 Posts: 1359 Location: Canada, Nova Scotia, Halifax	Cheers, Bill	
	Bill Wilson	
	www.steadywinds.com Imagination is the highest kite one can fly Lauren Bacall	
Back to top	PROFILE PM ME! E-MAIL WWW	
r bojarski Master Kite Builder	Posted: Wed Aug 17, 2005 11:59 am Post subject:	QUOTE
	Billthanks for sharing the link. I just looked thru the rest of the pictures. Looks like you great weather and a great festival.	ı had
Joined: 30 Sep 2003	Ray Bojarski	
Posts: 440 Location: Auburn, Washington		
Back to top	PROFILE PM ME! E-MAIL	
Progcraft Kitebuilder of the Year 2004	Posted: Wed Aug 17, 2005 12:22 pm Post subject:	QUOTE
	Thanks for the link!!! Question: Is that a nose-diving Trilobyte in picture 46??	
	P	
Joined: 29 Sep 2003 Posts: 4023 Location: Montreal, QC, Canada	There is no box	
Back to top	PROFILE PM ME! E-MAIL	





















Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 54, 55, 56 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Fool QUOTE Posted: Wed Aug 17, 2005 4:51 pm Post subject: I've figured out a few different methods for making a mini double star. @20% the original size. Once we finish building a few I'll post up details for anyone interested. Hopefully it'll be able to fly indoors or outdoors in decent breezes. I'll let you all know more info later though. I will say it won't take but a day or two to build. I've got plan drawings on my pc but need to make sure everything goes together good before I expose them. Joined: 22 Oct 2004 Posts: 847 Chris Taylor Location: Dayton, OH Dayton, OH lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL Back to top AIM mhartzel Posted: Wed Aug 17, 2005 6:29 pm Post subject: QUOTE A mini double star... BRILLIANT I'd be willing to build one. Mark Joined: 09 Dec 2003 Posts: 907 Sand, Street or Sky... I love to fly. Location: USA, Michigan, FIREFOX Fraser **PROFILE** PM ME! E-MAIL Back to top www smarties QUOTE Posted: Thu Aug 18, 2005 12:36 am Post subject: **EDIT** I've been thinking of building a mini double start too. I have very light small aluminium tubing for the spars. Probably a winter project for me. Keep us posted. Smarties (4) Joined: 05 Nov 2003 http://www.yvonhache.com Posts: 1791 Location: Dieppe, NB, Canada To boldly go where no imagination as gone before! 😛 ც

Back to top	PROFILE PM ME! E-MAIL	
Dorsal (ite Builder II	Posted: Thu Aug 18, 2005 1:22 am Post subject:	QUOT
	I'm still waiting for Steve to replenish his supply of Ice Blue fabric, so I can make mine. I want to make it out of that color!	really
oined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right of San Francisco	"The wind is the perfect reminder of God. The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too." Dennis Baha'i Faith	
Back to top	PROFILE PM ME! E-MAIL WWW	
ool	Posted: Thu Aug 18, 2005 8:39 am Post subject:	QUOT
oined: 22 Oct 2004 Posts: 847 Ocation: Dayton, OH	We should have the first one built by the weekend. I'll post pics as soon as we get them. Chris Taylor Dayton, OH lowerdfool(at)yahoo(dot)com	
ack to top	PROFILE PM ME! E-MAIL AIM	
oined: 17 Dec 2003	Posted: Thu Aug 18, 2005 2:11 pm Post subject: All this talk about miniaturizing has got my attention. Maybe I can come up with some te to make one about 6 to 8 inches, using light washi, bamboo and basswood. Hmmmm. Dave Cherry Blossoms fall like rain, A lively kite steals the sky, Paradise in a moment.	chniques
ocation: Portland, OR Back to top	PROFILE PM ME!	
KiteSquid Master Kite Builder	Posted: Fri Aug 19, 2005 9:47 am Post subject:	QUOT
oined: 29 Aug 2003	Orcon sail and Carbon spars VR/ KiteSquid AKA Takolka AKA Harold	
Posts: 6248 Location: USA Virginia King George	P.S. Yet another post by the Squid Open Doesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 54, **55**, 56 ... 67, 68,

69 Next

















tebuilder.cor

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 55, 56, 57 ... 67, 68, 69 Next View previous topic :: View next topic :: View posts since last visit Author Message rbojarski Posted: Fri Aug 26, 2005 12:03 pm Post subject: QUOTE Master Kite Builder A question for all you double star experts.... I do promise to get mine in the air one of these days 🙆 , but I've been thinking about the framing for the D-Star. After building the G.Envall square flake, S.Spencers 5 sided facet kite, and a Pefado which is an 8 Joined: 30 Sep 2003 sided cell kite, I curious about the framing on the D-Star. Why can't the kite be tensioned with Posts: 440 spars around the circumference of the kite kite the pefado and facet kites? This would eliminate the Location: Auburn, heavy center spar, and the 10 spars around the circumference of the star would be considerably Washington shorter than the total length of the spars radiating out from the center of the kite. It seems the star could be assembled/disassembled much quicker using only the circumference Has anyone else thought of this or tried this? How heavy would the circumference spars need to be? Thanks, Ray Bojarski **PROFILE** PM ME! Back to top E-MAIL Fool QUOTE Posted: Fri Aug 26, 2005 1:08 pm Post subject: Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH

rbojarski wrote:

A question for all you double star experts....

I do promise to get mine in the air one of these days (2), but I've been thinking about the framing for the D-Star.

After building the G.Envall square flake, S.Spencers 5 sided facet kite, and a Pefado which is an 8 sided cell kite, I curious about the framing on the D-Star. Why can't the kite be tensioned with spars around the circumference of the kite kite the pefado and facet kites? This would eliminate the heavy center spar, and the 10 spars around the circumference of the star would be considerably shorter than the total length of the spars radiating out from the center of the kite.

It seems the star could be assembled/disassembled much quicker using only the circumference spars.

Has anyone else thought of this or tried this? How heavy would the circumference spars need to be?

Thanks. Ray Bojarski

I've been thinking about this since I'm planning on sparking the mini DS the same way. If it was jointed I don't think the spars would work but as one solid looking ring it might work. I'd imagine the outter frame would have to be fairly tough since the sail pulls inward as the winds get stronger. Although some good fiberglass sparing would be a lot more rigd overall. You'd shave the weight of 3 spars since it would only really requilre 6.5 to get a 10' diameter. 31.4159' to be exact. Hmmm. It might just work. Give it a try and tell us if it works.

Chris Taylor Dayton, OH

lowerdfool(at)yahoo(dot)com

Back to top

PROFILE PM ME!

E-MAIL

AIM

Dorsal Kite Builder II

Posted: Fri Aug 26, 2005 3:37 pm Post subject:

QUOTE

QUOTE

Yeah, the joints would be a killer.

PM ME!

BTW, my math came to the same conclusion as Chris'



Location: USA California Tracy - 50 miles to the right

of San Francisco

Back to top

PROFILE ישר ישר ישר

rboiarski Master Kite Builder



Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington

Posted: Sun Aug 28, 2005 1:16 am Post subject:

E-MAIL

For joints I would probably try to use reinforced plastic tubing, like Scott used on the facet kite, and like I used on the Pefado. The tubing has some amount of flex to it, and would be much less of a bend than the 5 sided facet or the 8 sided pefado. The pieces of tubing could be attached to the ends of the sails via split rings.

I was hoping someone like Spectre or Cliff Quinn could post a comment about perimeter framing. I really don't want to invest a bunch of money in 10 mm spars (or larger) is he has already tried perimeter framing, or can think of some reason why it would not work. I used .2500 fiber glass rods for the perimeter framing for the pefado. The kite ends up being about 60 inches in diameter. I'm using 8 pieces of rod, each 22 inches long.

It should work quite well on a smaller sized d-star.

Ray Bojarski

Back to top	PROFILE PM ME!		
<u> </u>	E-MAIL		
pectre	Posted: Mon Aug 29, 2005 4:18 am Post subject:	QUOTE	
	Hi, Ray		
	I didn't try this. On Pefado the spines are closer to the outside. Not in the center. So very short and I think tension is less than on Doublestar.	o the Panels are	
W 7	When I am flying my 3.6meter DS, I saw that there is too much stress on the lower bridle points.		
oined: 11 Nov 2003 osts: 114	The frame bends too much. So I made a 4 point bridle. I connect an additional point to the spine to adjust the angle of the kite. The buttom bridle points are to stop rotation of		
ocation: Ankara, Turkey	To reduce tension also you can use one point bridle. This is what I am doing in first pulls less and also tension is less. But the kite flows very low.		
	There is a 2meter snowflake plan http://www.geocities.com/p_leriche/snowflak/snowflak.html		
	You can try a ring like here. It will be easier. Take five 2meter length 10mm FG. Th	is will be more	
	than you need but you can cut one of them.		
	If I have time, I can try it easily but in these days I don't have time for kite flying. only join one kite Festival.	This year I can	
	Best Winds,		
	Ferruh Baysu		
Back to top	PROFILE PM ME! E-MAIL WWW		
K iteSquid Master Kite Builder	Posted: Mon Aug 29, 2005 9:18 am Post subject:	QUOTE	
	rbojarski wrote:		
80	The pieces of tubing could be attached to the ends of the sails via split rings.		
	I try to stay away from split rings (also called key rings) as they rust and that stain:	e the sail but I	
oined: 29 Aug 2003	have seen one spred open and fail	s the sail, but i	
Posts: 6248 Location: USA Virginia King George	I would probally sew loops to the end of the sail that thread thru the fittings before down.	being sewn	
	VR/		
	KiteSquid		
	AKA Takolka AKA Harold		
	King George VA		
	P.S. Yet another post by the Squid Opposes the ever shut up???		
	P.P.S. The wind is like the air, only pushier.		
	P.P.P.S. All information provided is for hobby use. None may be used commercially.		
	P.P.P.S. Please excuse my spelling		
Back to top	PROFILE PM ME! E-MAIL		
back to top	www.		

CJQ

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -

USA

Posted: Mon Aug 29, 2005 10:19 am Post subject: 12 Point DS

QUOTE

Hi Ferruh, as I mentioned before I am going thru a re-sparring of my new 5.3 meter DS The 10mm /8mm will not do the job. Ray did have a unique suggestion sparring around the O.D. The spars I initially used do ok for the kite once it's in the air. I expirenced spar s braking on launch. To launch I pull on the center point and when the angle increases the star will lift off well. The problem is when it stands up all the weight (9.5lbs) is on the two bottom spars. The spars are 5 ft. 10mm ferruled with an 8mm to make up 8 1/2 feet. I wonder if an external sparring would function and spread the load. My plan is to replace the inner 10mm spars with 12.7mm and replace the 8mm spars with the 10mm. I did make a substitution of the 8mm on the bottom so the two lower ones are all 10mm. That stopped the brakeage. However I would like to add a safety factor with the new substitution. An additional benifit will be a little more sail tension with less spar bowing. The 12 mm star will launch at 5 mph wind. The top end is prox 10 to 12 mph. I had it up at 15 mph and had a scary flight. So, If winds are at that level It ain't giong up. Ferruh I bridle with 3 points ,two at the bottom and the center point. Do your DS bridle lines come to the fly line and meet at one tow point or do you spread the two from the bottom away from the center one. I do the latter. This seems to stop rotation somewhat.

I saw Cliff's big DS at Dieppe and it was spectacular 🥸 🥋 but the noise the spars made when

breaking was worse than nails on a chalk board, (at least to a kitebuilder. 😫


CLIFF

Back to top

PROFILE E-MAIL

PM ME!

Grant L



Posted: Mon Aug 29, 2005 5:17 pm Post subject: QUOTE

Joined: 16 Sep 2003 Posts: 1507

Location: USA IN Indianapolis

Back to top

PROFILE

PM ME!

E-MAIL

bjorng

Posted: Mon Aug 29, 2005 5:36 pm Post subject:

QUOTE



Joined: 04 Mar 2004

Posts: 26

Location: Sweden, Orebro

rbojarski wrote:

A question for all you double star experts....

I do promise to get mine in the air one of these days 🔑 , but I've been thinking about the framing for the D-Star.

After building the G.Envall square flake, S.Spencers 5 sided facet kite, and a Pefado which is an 8 sided cell kite, I curious about the framing on the D-Star. Why can't the kite be tensioned with spars around the circumference of the kite kite the pefado and facet kites? This would eliminate the heavy center spar, and the 10 spars around the circumference of the star would be considerably shorter than the total length of the spars radiating out from the center of the kite.

It seems the star could be assembled/disassembled much quicker using only the circumference


Has anyone else thought of this or tried this? How heavy would the circumference spars need to be?

Thanks. Ray Bojarski

Ray,

Maybe this is what you have in mind?

http://www.kite1.at/images/drachen_reiss/starflake_violett.jpg






















Kitebuilder.com - Learn. Share. Fly.























Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 67, 68, 69 Next

Double sta	r plan Goto page Previous 1, 2, 3 56, 57 , 58 67, 68, 69 Next
	View previous topic :: View next topic :: View posts since last visit
Author	Message
bjorng	Posted: Tue Aug 30, 2005 3:44 am Post subject: Re: DS W/ radial sparing
	CJQ wrote:
1	Hello Bjorn, Great pictures. Can you tell us the diameter. Looks smaller than 3meters?? CLIFF
Joined: 04 Mar 2004 Posts: 26 Location: Sweden, Orebro	No, I have no information on this, I'm afraid. I found these pictures on an Austrian site. It's run by an Austrian kite club. If you follow the link "Unsere Drachen" (= Our Kites) on the following address you will find more kite pictures: http://www.kite1.at/ No technical information, though. (**) /Björn
Back to top	PROFILE PM ME! E-MAIL
spectre	Posted: Tue Aug 30, 2005 4:33 am Post subject:
	If I am not seeing wrong, the kite has one point bridle. Probably when attaching lower bridles will cause to distort the shape of the kite. The kite will be liter but because of the low angle the kite need more wind and flight very low.
Joined: 11 Nov 2003 Posts: 114	Best Winds, Ferruh Baysu
Location: Ankara, Turkey Back to top	PROFILE PM ME! E-MAIL WWW MSNM

rbojarski Master Kite Builder



Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington

Posted: Thu Sep 01, 2005 11:09 am Post subject:

QUOTE

Bjorn.....That's almost what I had in mind. I was thinking of using reinforced plastic tubing as connectors at the tips of each star point. The perimeter would then be a 10 sided polygon, not a continuous loop as in your pictures.

Great photos, of great looking kites.

I guess I'll just have to seriously thing about this mod.

Any idea what size rods I would need to frame the d-star with 10 perimeter segments? Would the 10 mm rods be big enough? Could I use something with a smaller diameter? Would I need something larger than 10 mm?

Thanks, Ray Bojarski

Back to top

PROFILE

PM ME!

E-MAIL

Fool

Posted: Thu Sep 01, 2005 12:00 pm Post subject:

QUOTE



Joined: 22 Oct 2004 Posts: 847

Location: Dayton, OH

rbojarski wrote:

Bjorn.....That's almost what I had in mind. I was thinking of using reinforced plastic tubing as connectors at the tips of each star point. The perimeter would then be a 10 sided polygon, not a continuous loop as in your pictures.

Great photos, of great looking kites.

I guess I'll just have to seriously thing about this mod.

Any idea what size rods I would need to frame the d-star with 10 perimeter segments? Would the 10 mm rods be big enough? Could I use something with a smaller diameter? Would I need something larger than 10 mm?

Thanks, Ray Bojarski

My thoughts on your 10 sided flexible jointed frame is that the frame willnot hold it's shape as a decagon. The tension on the kite will be of inward force and also front to back since the ds has in actuality 2 sails on one frame. The joints could possibly fold inwards with the flexibility of the star. If you look at a snowflake it is one point of fabric for one joint. The only way it would work on the double star is if there was EXACT tension on every point at the joints and then putting the thing together would make it even harder to assemble than the way it is done now. I think outside forces like a thump on the ground would cause the joints to change position as well. So even if it was exact tension all the way around it could fold up if the wind just suddenly dies off.

With a solid ring the tension doesn't have to be exact because the ring will more often than not hold it's shape bouncing on the ground or flying in the air.

The double star tends to fall like a rock in the sky if the wind isn't stable or consistent.

Chris Taylor Dayton, OH

AIM

lowerdfool(at)yahoo(dot)com

Back to top

PM ME! PROFILE

E-MAIL

kiteguy

Kitebuilder of the Year 2005



Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas Posted: Sat Sep 03, 2005 4:29 am Post subject: Re: 12 Point DS

CJQ wrote:

Hi Ferruh, as I mentioned before I am going thru a re-sparring of my new 5.3 meter DS Ferruh I bridle with 3 points , two at the bottom and the center point. Do your DS bridle lines come to the fly line and meet at one tow point or do you spread the two from the bottom away from the center one. I do the latter. This seems to stop rotation somewhat.

CLIFF

Just wondering...if one were to bridle from 4 points at the bottom and one at the center. Would that stop the rotation of the big beast any more? Surely the extra would not make any difference.



QUOTE



Dave Fllis

Kites + Kids = Education

Back to top

PROFILE PM ME! www

E-MAIL

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003 Posts: 1702

Location: Coopersburg, PA -

USA

Posted: Sat Sep 03, 2005 9:54 am Post subject: D.S. Bridle

QUOTE

Hi Dave , just read your last post and my previous post asking Spectre about his method of bridling. Quite frankly I have egg on my face. The question I posed was Dumb. Dont know why I asked it. When I bridled my new 5.3 meter star initially I hadto determine the attack angle. That was done by holding the blidles at the tow point (2 lower bbidles, equal length) and the center bridle somewhat longer. By pulling the center bridle ,causing the star to stand up the star lifted by it self when the attack angle was almoust correct. The part that I had failed to remember was once I determined the correct angle I brought the star down and added a secondary bridle to join the center and lower bridles. I added a double larkshead loop to that line so I could make slight angle adjustments when the wind force was higher or lower. As far as ROTATION I dont expirence that problem with my 3 meter star or the big one. When I see referal to rotation I think of spinning. Spinning never occurs. When the wind is shifty both stars will wander side to side. That is the nature of that kite. the benifit of adding more bridle lines spreads the load which is a benifit in high winds. Changing the subject,,,, I saw on a European link the double stars with an outer ring frame, also I saw in another photo the same star in a stack formation I think there was 4 or 5. Quite impressive.

CLIFF

Back to top

PROFILE

PM MEI

E-MAIL

Dorsal Kite Builder II



Joined: 05 Oct 2003 Posts: 714

Location: USA California Tracy - 50 miles to the right of San Francisco

Back to top

Posted: Sun Sep 04, 2005 11:18 pm Post subject: What strentgh flight lines?

QUOTE

Hey - uhhh - dumb question here I guess. It was probably mentioned somewhere in the past 57 pages of discussion, but I don't know how to run a search within a specific thread. What is the suggested strength of lines to fly a 3 meter double-star?

I'm talking about the set of lines I'm going to fly the kite with, in whatever wind tempts me to do so. Thanks.

PROFILE

PM ME! E-MAIL

NOT NOT NO







Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 56, **57**, 58 ... 67, 68, 69 Next

Page 57 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP



















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 57, 58 , 59 67, 68, 69 Next			
View previous topic :: View next topic :: View posts since last vis			
Author	Message		
kitepoor Kite Builder II ★★	Posted: Mon Sep 05, 2005 3:02 pm Post subject:	QUOTE	
Joined: 05 Sep 2003 Posts: 548 Location: USA Virginia Harrisonburg	this is likely to be a dumb reply to Ray, but here goes my idea How about a a dihedral block as a connector at each end of the spars? That would be rigid, and the web could be drilled to receive bunji type tensioners. I suppose that an aluminum ferrel could be bent to match the desired angle and still drilled to receive tensioning device. It seems to me the trouble with any segmented idea is that the spars could pivot inside their connectors and allow the frame to fold on an axis out of one plane, but then maybe the bridle contake care of that. I like watching you guys do this kite, cause I know I will not be building one, just too many sma parts for my attention span. Randy a kite a nice thing kite in the air a beautiful thing		
Back to top	kites to share the coolest thing PROFILE PM ME!		
Dorsal Kite Builder II	Posted: Tue Mar 14, 2006 5:24 pm Post subject:	QUOTE	
Joined: 05 Oct 2003 Posts: 714 Location: USA California Tracy - 50 miles to the right	Hey, I'm finally getting time to sew my doubleStar together (about 1/2 done). But the more I get sewn together, the more something is bothering me. You see, I want to make a storage bag for the kite, also. So, here's probably a dumb question - How do you get one of these into a bag for storage? Do you just roll the sail up like a burrito, around the central spar? In a 64" bag? Do you remove the central spar and somehow fold the sail into submission? Remove all the spars and just jam it into a stuff-sack like you do to the large inflatables?		
of San Francisco	"The wind is the perfect reminder of God. The only way we can prove it exists is by observing the things it affects. That's why I believe in the wind, too." Dennis Baha'i Faith		

Back to top	PROFILE PM ME! E-MAIL	
Grant L Kite of the Year 2004	Posted: Tue Mar 14, 2006 5:54 pm Post subject:	QUOTE
	I take the sail off of the spine to store mine and the sail really doesn't take up much don't have a bag for the sail though (2). I still haven't found a good way to fold it. E assemble it, there is a lot of untangling involved (2). I think that Chris has a way to avoids the tangles. (I am going to have to have him teach me this year at Airwaves in the sail really doesn't take up much sail rea	Every time I fold his that
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Tue Mar 14, 2006 5:58 pm Post subject:	QUOTE
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA	Double Stars. One for the sails and other for the spars. The hub gets placed in with the notice that once a sail unit (front and back section) is completed the sail will no longer lay flat. When I break down remove all spars. I then will grasp the sail at the center end wave the sail in the air to panels as smooth as possible. But at the end your holding there will be a twist. I will fold that twist as flat as possible, then finally I will loosely fold the sail in prox. one for starting from the center. You will then have 9 tips on the out side. That twist will be a time you set your kite up. Best thing to do is fan out the sail, step thru the cells to reand shove the spine thru the center pocket and attach the sail. Next install your hub	wn my stars I o get the try to carefuly ot sections a concern each each the cente incert your
	spars attach the tips flip the kite over and repeat the process for the other side. I thin Star owners has his own method of assembly. I do believe we all have seperate bags helps. CLIFF	
Back to top	PROFILE PM ME! E-MAIL	
Fool	Posted: Tue Mar 14, 2006 11:17 pm Post subject:	QUOTE
	I have seperate bags like cliff mentioned. The way I built my bag was a 7" diameter of bottom) then a 14" tube is attached to that. The way I roll my sail is kind of complicate I decided to take some pictures of the process and will post them here in a few.	
Joined: 22 Oct 2004 Posts: 847	Chris Taylor Dayton, OH	
Location: Dayton, OH	lowerdfool(at)yahoo(dot)com	
	PROFILE PM ME! E-MAIL	

Fool



Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH Posted: Tue Mar 14, 2006 11:45 pm Post subject: Here's how I pack it.





Step 1: Grab and seperate from the center points. You'll need to pull the bottom of the center out through one of the openings.

So it looks like this. You'll also need to pull it tight for the next step.



Step 2: Fold the centers together. Make sure you keep the 2 halves seperated.



Step 3: Gather the points into a bunch.



Step 4: Here you can add a rubber band or bunge to help keep the points from getting overly tangled.

I usually don't worry about it becuase it untangles in about 5 minutes anyhow. Just depends how "A. Retentive" you are.



Step 5: Have your "packing partner" pull the sail tight. No matter how you pack this thing you'll most likely get wrinkles.

It only needs about 15 minutes of sitting out and the wrinkles will disappear. Start rolling all the ends towards the center.

The tighter you get it the easier it is to pack into the bag. (2)



Step 6: Continue to roll it till you get to a nice roll. If the bridle is left hanging you can wrap that around to help hold it together.



Step 7: stuff it into it's bag. I put the hub at the bottom so I don't lose it.

When you go to unpack and fly seperate the centers undo your rubberband/bungie. Grab one point and another point a few points over

and lift that over your head. This will find your center section of the two halves. Insert the center spar with hub and work your way around inserting the spars.

Chris Taylor

Dayton, OH

lowerdfool(at)yahoo(dot)com

Back to top

Dorsal

Kite Builder II

Joined: 05 Oct 2003 Posts: 714

Location: USA California Tracy - 50 miles to the right

of San Francisco

Back to top

PROFILE AIM

PM ME!

E-MAIL

Posted: Wed Mar 15, 2006 12:19 am Post subject:

QUOTE

Wow Chris - Thanks for taking the time for the photos. The sail might get wrinkled, but I'm so simple that a few photos really explain a lot. (2)

Cliff - Next time yours are out, would you mind posting some "pack it up" photos also? I'm having a hard time visualizing what you describe. 🙆

PROFILE www

PM ME!

E-MAIL



Page 58 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

Home Kite Supplies Auctions Forums Techsheets Plans Profiles Competition Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 58, **59**, 60 ... 67, 68, 69 Next View previous topic :: View next topic :: View posts since last visit **Author** Message spectre QUOTE Posted: Mon May 15, 2006 10:57 am Post subject: On saturday (3th of May), we climb mountain Nemrut where is a very famous historical place. The wind was gusty - beetween 3-18km/h. First I take out my delta variant Hekseebeeset after 5-6 minutes the wind down to 0. I began to prepare my DS. First try was a fail. But I was lucky that a wind came around 10-17kmph and never stop. I flight my DS for 15 minutes at 2200meters high from sea level. Here is a photo from my friends camera. Joined: 11 Nov 2003 Posts: 114 Location: Ankara, Turkey



and a panaromic view (a little bit wide)

http://www.ucurtma.org/images/doublestarpanorama.jpg

Best Winds,

Ferruh Baysu

Back to top

PROFILE PM ME! E-MAIL WWW
MSNM

ilder.com :: View topic - Double star plan			
KiteSquid Master Kite Builder	Posted: Mon May 15, 2006 11:07 am Post subject:	QUOTE	
	NICE photo!!!!!!		
	It looks like FUN!!!!		
	VR/ KiteSquid		
Joined: 29 Aug 2003 Posts: 6248	AKA Takolka		
Location: USA Virginia King George	AKA Harold King George VA		
	P.S. Yet another post by the Squid ODoesn't he ever shut up???		
	P.P.S. The wind is like the air, only pushier.		
	P.P.P.S. All information provided is for hobby use. None may be used commercially.		
	P.P.P.S. Please excuse my spelling		
Back to top	PROFILE PM ME! E-MAIL WWW		
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Mon May 15, 2006 11:18 am Post subject:	QUOTE	
****	Hello Ferruh, Thank you for sharing your photo's. For some reason I like your Double Star very much. The Panorama Picture is quite imp		
E	Gld you are still flying kites ,havent heard from you for some time. Dont be a stranger. CLIFF		
	PS Had to come back and add this note Ferruh, The Double Star activity on this forum has had over 18 thousand 8 hundred views. By most viewed topic all because of your plans and Smarties recognizing a truly amazing kite. Thanks for making it happen.	far the	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA			
Back to top	PROFILE PM ME! E-MAIL		

smarties QUOTE Posted: Mon May 15, 2006 11:53 am Post subject: **EDIT** CJQ wrote: ...all because of your plans and Smarties recognizing a truly amazing kite. Thanks for making it happen. Joined: 05 Nov 2003 Thanks Cliff for the comment. I haven't built one yet but it is in the queue. Posts: 1791 Location: Dieppe, NB, Canada Hi Ferruh, thanks for the picture and little story. Now that site is even more historical with you DS flying over. 👩 Smarties (iii) http://www.yvonhache.com To boldly go where no imagination as gone before! 😛 😛 PM ME! PROFILE E-MAIL Back to top www spectre Posted: Mon May 15, 2006 3:28 pm Post subject: Re: Double star plan QUOTE Smarties. everything begin with your question. Thanks for your question. Otherwise I could not do this plan. smarties wrote: Joined: 11 Nov 2003 Posts: 114 Anyone knows where I can find a plan to built a double star kite like Ferruh Baysu? Location: Ankara, Turkey



Cliff, I will always fly and make kites. But, last year I did not have too much time for kites after changing my job.

Best Winds, Ferruh Baysu

Back to top

PROFILE MSNM

PM ME! E-MAIL WWW

CJQ

Grand Champion, Kitebuilder of the Year 2006



Joined: 27 Dec 2003

Posts: 1702 Location: Coopersburg, PA -

USA


Posted: Mon May 15, 2006 4:41 pm Post subject:


FERRUH, it's good to know you still have kites as a passion in your future. Now we have another challenge for you. Many are not as creative as you but have the ability to, build kites that others have created, such as the double star. If you develop a design and wish to share it with us we all would be appriciative.

QUOTE

Regards

CLIFF













Log out [smarties]





itebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.














Kitebuilder.com Forum Index » Single Line Kite Design & Construction






Double star plan Goto page Previous 1, 2, 3 ... 59, 60, 61 ... 67, 68, 69 Next

	View p	previous topic :: View next topic :: View posts since last v
Author	Message	
ectre	Posted: Mon May 29, 2006 7:50 am Post subject:	QUOTE
	Triple DS. One 3meter 10 point on the front and two 2 meter 8 point on the back.	
ned: 11 Nov 2003 sts: 114 aation: Ankara, Turkey		






http://www.kitebuilder.com/forums/viewtopic.php?t=695&postdays=0&postorder=asc&start=590~(3~of~7)2007-03-13~15:50:02

uilder.com :: View topic - Double star plan		
Back to top	PROFILE PM ME! E-MAIL WWW MSNM	
KiteSquid Master Kite Builder	Posted: Tue May 30, 2006 7:42 am Post subject:	QUOTE
	THAT is IMPRESSIVE!!!!!!!!	
	NICE!!!!!!!!	
	VR/	
Joined: 29 Aug 2003 Posts: 6248	KiteSquid AKA TakoIka	
Location: USA Virginia King George	AKA Harold	
Coorgo	King George VA	
	P.S. Yet another post by the Squid 🔯 Doesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Back to top	PROFILE PM ME! E-MAIL WWW	
smarties	QUOTI	-
E C	Posted: Tue May 30, 2006 8:11 am Post subject:	
20	Impressive indead! ② ② 😊 😊	
	It must pull hard on the line??	
Joined: 05 Nov 2003 Posts: 1791	Smarties ©	
Location: Dieppe, NB, Canada	http://www.yvonhache.com	
Carraud	To boldly go where no imagination as gone before! 😛 😛	
Back to top	PROFILE PM ME! E-MAIL	
	www	

Doug LaRock Master Kite Builder	Posted: Tue May 30, 2006 12:51 pm Post subject:	QUOTE
	WOW it looks great	
	Doug	
Joined: 12 Jan 2004 Posts: 389 Location: Yakima, Washington		
Back to top	PROFILE PM ME! E-MAIL	
CJQ Grand Champion,	Posted: Tue May 30, 2006 3:14 pm Post subject:	QUOTE
Kitebuilder of the Year 2006	Hi Ferruh, YES indeed the picture is very impressive. It is a dangerous thing to show me those DS/3DS images. I have too many things plate right now and this makes me crazy. I have downloaded the pic's. and will put them on my hot sheet to consider.	s on my
	Regards	
	CLIFF	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
Quad Nut	Posted: Tue May 30, 2006 8:20 pm Post subject:	QUOTE
	SWEET 6 "Triple stack of double stars" 6	
N. Control	Triple stack of double stars	
Joined: 24 Oct 2005 Posts: 1837 Location: Key West, Florida		
Back to top	PROFILE PM ME!	
kitefreak	Posted: Mon Jun 05, 2006 6:33 pm Post subject: triple triple flower	QUOTE
	Hereare some pictures of a flower a friend of me built.	
MATE	Kitefreak.	
Joined: 29 May 2006 Posts: 56 Location: holland		
Location. Honaria		



















Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 🗈 Techsheets 🛂 Plans 🖺 Profiles 🛣 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 60, 61, 62 ... 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit

Author Message

spectre

Posted: Tue Jun 06, 2006 5:17 am Post subject:

QUOTE

Posts: 114

Location: Ankara, Turkey

My friend Henk Boelens from Holland has one of them. We flight this kite in Frejus 2002. His kite has three parts red, green and purple. In Frejus we build and flight only two parts. It is a very big hard pulling kite.









Best Winds, Ferruh Baysu

Back to top

PROFILE

PM ME!

E-MAIL www.w

MSNM

KiteSquid Master Kite Builder

Posted: Tue Jun 06, 2006 7:42 am Post subject:

QUOTE



Joined: 29 Aug 2003

Posts: 6248

Location: USA Virginia King

George

CJQ wrote:

Besides, Every time my D.S. crashes its another 25 buck demo. This one would put me in the poor house.

Just spar it in Stainless Steel Rods and you would never break one, the kite would probally never get airbore, in less than a catagory 5 huricane force winds..... but you would stop paying for Steve's next vacation..... 👸

VR/

KiteSquid AKA Takolka AKA Harold King George VA

P.S. Yet another post by the Squid..... ODoesn't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.P.S. Please excuse my spelling......

Back to top

PROFILE PM ME! www

E-MAIL

kitefreak

Posted: Tue Jun 06, 2006 12:08 pm Post subject:


QUOTE



Joined: 29 May 2006

Posts: 56 Location: holland you are correct the kite is from henk Boelens. he is also a friend of my. Every time we see hank take the big orange back we run, because it is a big job to set this kite up.

Kitefreak.






The flight was mostly a success. I still have to adjust some of the tension lines a little, and play around a little with the bridle lines. I was so happy to finally get the kite airborne, that I decided to just let the kite fly. Winds were pretty marginal, only about 6.5 to 7.5 mph. The kite flew fairly well and stable as long as the winds were over 7 mph.

Ray Bojarski

PROFILE PM ME! Back to top E-MAIL smarties QUOTE Posted: Sun Jul 23, 2006 9:14 pm Post subject: **EDIT** I like your choice of color. It's different from what I've seen so far. 😁 ⊙ Pressure is going up for me to build one. Joined: 05 Nov 2003 Posts: 1791 Smarties (2) Location: Dieppe, NB, http://www.yvonhache.com Canada To boldly go where no imagination as gone before! 🖰 🖰 PM ME! PROFILE E-MAIL Back to top www



MEW TOPIC



Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 60, **61**, 62 ... 67, 68,

Page 61 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum

TOP

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.




















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1 2 3

	View previous topic :: View next topic :: View posts si	nce last vis
	, p	
Author	Message	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Tue Jul 25, 2006 8:12 am Post subject:	QUOTE
	Hi Dorsal, It takes a man to admit his error's. Sorry it happened . I know how you feel. "I There", Can we help ?? CLIFF	Been
loined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - JSA		
Back to top	PROFILE PM ME! E-MAIL	
RiteSquid Master Kite Builder Poined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	Dorsal, We're here for you Can you figure out how it went wrong? What did you leran?? I hate to ask this but how can the fourm learn from your error???????? VR/ KiteSquid AKA Takolka AKA Harold King George VA P.S. Yet another post by the Squid Open Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier.	QUOTE



Why@urp



Joined: 13 Jun 2005 Posts: 571 Location: San Francisco, CA Posted: Wed Aug 02, 2006 2:49 pm Post subject:

QUOTE

I know i am really late to the game here...

but just wanted to let you all know how inspiring all the posts on this thread are. I actually read all 61 pages (it grew to 62 in the meanwhile....) and decided to give it a shot.

I had been wanting to do one for a while, but like a lot of people was kinda dreading all those edges.

I decided to edgebind. My back is still killing me from sitting at the sewing machine all those hours. But now that i have flown it, all that kinda fades away!







quick specs:

to save \$\$, I fabricated the center hub myself out of 2-part epoxy putty

i used p400s ferruled with long (8") solid Graphite and thread wrapped at the joints and plugged with 5" solid Graphite where they enter the hub

i used Steve's MKS fittings at the points

haven't weighted it yet

	I know anything I could say in praise of what a great design this kite is has already been just say thanks again and encourage anyone who is on the fence about making one to JUS	
Back to top	PROFILE PM ME!	
kiteguy Kitebuilder of the Year 2005	Posted: Wed Aug 02, 2006 3:12 pm Post subject:	QUOTE
***	A year ago I got one of the 4.5 ft Lotus kites for a birthday present. (Small double star)	
	Last weekend I saw that Harbour Freight had some the same kite for sale at \$6.xx. I thouat that price I could get two or three and put them together for a huge box kite, like I sav picture someplace.	-
Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City	I thought "KiteHarbour Freighthow good could they be? Well, I went and bought one home, pulled it out of the package, and put it together, sort of. I found that it was a bit of at \$6.xx! The sewing was shoddy, the parts did not fit, and it was made from hot cut (I the Nylon material. Not Ripstop, and not very crispy. Rods were fiberglass tubes, small diames Save your money, and do not buy one of these things.	verpriced nink)
	Dave Ellis	
	Kites + Kids = Education	
Back to top	PROFILE PM ME! E-MAIL WWW	
Grant L Kite of the Year 2004	Posted: Wed Aug 02, 2006 4:15 pm Post subject:	QUOTE
	② ② OS Great Why@urp. I like the colors. Quite an accomplishment and a be proud of ⊖	a kite to
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
CJQ Grand Champion, Kitebuilder	Posted: Wed Aug 02, 2006 4:55 pm Post subject:	QUOTE
of the Year 2006	Why@, welcome to the Double Star Club. Good looker. We all know how you feel about your acomplishment. Isn't it strange how all the pain and stress that was part of the project disapeares when the D.S. flys for the first time. It's amazing. Glad your happy. Job well done. Oh, very creative center hub by the way. Good use of sparing also. CLIFF	
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	

Why@urp



Joined: 13 Jun 2005 Posts: 571

Location: San Francisco, CA

Posted: Thu Aug 03, 2006 12:01 pm Post subject:

QUOTE

hey thanks a lot grant & cliff.

cliff: it IS funny how it all fades away. still, it amazes me that after your first one, you turned around and made your MASTERPIECE knowing how much work you were in for...



here's a question: has anyone experimented with moving the tow point up and down the bridle? I had a chance to fly the DS in pretty steady wind for a few hours yesterday. the wind speed changed over time but everything else was pretty constant. so I tried some experimentation

it might just be my imagination, but it seems like moving the tow point higher (i tried as much as 3" towards the upper Bridle Line) makes the kite sit more upright, and puts less stress on it in high wind, at the price of less lift and a lower flight angle. moving it lower gives it more lift in light wind.

Back to top

PROFILE PM ME!

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 61, **62**, 63 ... 67, 68, 69 Next

Page 62 of 69

Watch this topic for replies

View posts since last visit

Jump to:

You can post new topics in this forum
You can reply to topics in this forum
You can edit your posts in this forum
You can delete your posts in this forum
You can vote in polls in this forum

TOP

Kitebuilder.com Forum © 2006 phpBB © 2001, 2002 phpBB Group

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 62, 63, 64 ... 67, 68, 69 Next View previous topic :: View next topic :: View posts since last visit Author Message CJQ Posted: Thu Aug 03, 2006 1:36 pm Post subject: QUOTE Grand Champion, Kitebuilder of the Year 2006 Bingo Why@, thats exactly right. The more up-right the more wind it will dump and lift gets reduced. I would assume that the bridle lines are attached at the center point and two lower spar tips (5 oclock and 7 oclock) Shortining the center bridle puts the Star more up-right and reverse, lengthening does the oposite. When the wind picks up the Star pulls like crazy. You understand and have made the correct changes. Good going. **CLIFF** Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL **Quad Nut** Posted: Thu Aug 03, 2006 2:09 pm Post subject: QUOTE Why@urp wrote: . . . moving the tow point higher makes the kite sit more upright, and puts less stress on it in high wind, at the price of less lift and a lower flight angle. moving it lower gives it more lift in light wind.

Joined: 24 Oct 2005

Posts: 1837 Location: Key West, Florida Changing the Angle of Attack will produce those results for all kites.

The wind travels parallel to the ground(usually), when it moves across the panels of the kite, it is turned. The panels that turn it down towards the ground, create lift. Panels turning it to the side create stability. Some panels do both, some do neither.

The higher the wind speed the lower the turning angle has to be to overcome the weight of the kite.



Back to top

PROFILE PM ME!

Fool Posted: Fri Aug 04, 2006 12:11 am Post subject: QUOTE Great looking DS why@. Your spars look very flexible in those pictures though. How was your tension when putting it together. I've found that if my DS is kept in a hot car it'll be super tight to put together. If it's fresh out of the closet it's really easy to go together. Anyone else notice stuff like this? Joined: 22 Oct 2004 Chris Taylor Posts: 847 Dayton, OH Location: Dayton, OH lowerdfool(at)yahoo(dot)com **PROFILE** PM ME! E-MAIL Back to top AIM **Quad Nut** Posted: Fri Aug 04, 2006 12:27 am Post subject: QUOTE Fool wrote: I've found that if my DS is kept in a hot car it'll be super tight to put together. If it's fresh out of the closet it's really easy to go together. Anyone else notice stuff like this? Joined: 24 Oct 2005 😥 If it's built out of RSN, that would be normal, due to moisture. Poly doesn't retain moisture but, Posts: 1837 like all fabrics, it does shrink and expand with temperature. Location: Key West, Florida Also, spars will expand or contract length-wise due to temperature. The combination of the 2 will cause the *tightness* you're talking about. **PROFILE** Back to top PM MEI Posted: Fri Aug 04, 2006 8:59 am Post subject: QUOTE Grand Champion, Kitebuilder of the Year 2006 Hi Fool, good observation. On my small DS the spars had a slight bend. I initialy used 10 mm spars and those spars ocasionaly would bend if the sail was dry . When I put the kite on a diet and replaced the 10 mm's with 8 mm's these would bend more. I didn't think bending was bad. The important thing is that each spar has an equal amount . On my large Star with 12 mm spars I normaly keep them straight. CLIFF Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA -USA **PROFILE** PM ME! Back to top E-MAIL KiteSquid QUOTE Posted: Fri Aug 04, 2006 9:30 am Post subject: Master Kite Builder Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George

some interesting observations on what I would call a large kite.

Moisture effects sail size of RSN

Heat effects the size of all materials in diffret amounts

Length and Stifness of spars effect sail shape

And we as kite builders have to take all of that into account when selecting the componet parts for our creations......

So what I have read between the lines is that we are Mechanical Engineers as well as Artists because our kites have to fly, as well as being pleasing to the senses.

Food for thought.

VR/

KiteSquid

AKA Takolka

AKA Harold

King George VA

P.S. Yet another post by the Squid..... Opposen't he ever shut up???

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.S. Please excuse my spelling.....

Back to top

PROFILE

PM ME! | E-MAIL

_

Why@urp

Posted: Fri Aug 04, 2006 4:34 pm Post subject:

QUOTE



Joined: 13 Jun 2005

Posts: 571

Location: San Francisco, CA

funny you should mention this topic, fool...

i have cut the spars down a 1/2 at a time as i refined the endcap solution (final: mks fittings) and i have been wondering which of the following is correct:

- 1- the flexed spars (besides looking pretty cool, i think) give the DS more "bounce/flex" on rough landings, thus adding durability
- 2- straight spars would be stronger on rough landings, thus adding durability.

i don't really know which of these is true, since i haven't cut them enough to be straight, mostly because of the tension issue you mentioned. i'm afraid if i cut them too much, when the RSN stretches over time, the DS will become too loose.

so far only a very rough landing in the beginning has broken a spar. and super high winds before i thread-wrapped the joints broke one also. (sidenote: that break was actually kind of cool-looking because it allowed the line to slip off one end of the horizontal spar and the whole thing collapsed like a flower in mid-air. sad but neat looking anyway)

since i used p400s, which are wrapped tubes, instead of pultruded, i feel like i've been able to get away with a lighter, smaller diameter frame, although a couple of times in high winds i have chickened out and taken it down when it starts flexing or deforming. So far about 18 mph has been the limit of my courage...

ps: it launches at about 6-7 mph with steady wind.

Back to top

PROFILE PM ME!

KiteSquid Master Kite Builder	Posted: Fri Aug 04, 2006 5:02 pm Post subject:	QUOTE
***	It sounds like you have ben haveing a lot of fun flying your double star.	
	I to have issues in cutting spars to short.	
	I keep looking for a spar stretcher, but I cant find one	
Joined: 29 Aug 2003 Posts: 6248	VR/	
Location: USA Virginia King	KiteSquid AKA TakoIka	
George	AKA Harold	
	King George VA	
	P.S. Yet another post by the Squid ODoesn't he ever shut up???	
	P.P.S. The wind is like the air, only pushier.	
	P.P.P.S. All information provided is for hobby use. None may be used commercially.	
	P.P.P.S. Please excuse my spelling	
Pack to ton	PROFILE PM ME! E-MAIL	
Back to top	www	
DFWFlyer	Posted: Fri Aug 04, 2006 5:24 pm Post subject:	QUOTE
TO SE	Kito Cavid vaneto.	
	KiteSquid wrote: I keep looking for a spar stretcher, but I cant find one	
Joined: 16 Jul 2006 Posts: 256	in teep isoming to a span en state, part i sant time en en.	
Location: DFW, TX	Carefully cut the spar in half at the midpoint, spread them apart until they are the correction glue them back together again with B.S. glue.	ect length,
Back to top	PROFILE PM ME! AIM	
back to top	MSNM	
Why@urp	Posted: Fri Aug 04, 2006 5:26 pm Post subject:	QUOTE
	LOL!!	
	and on the other side i have become really great at finding uses for all the shorties of	trimmed
	skyshark spars.	tilililled
Joined: 13 Jun 2005 Posts: 571	pretty soon everythin in my house will be made from pieced-together Carbon fiber tube	s!
Location: San Francisco, CA	and yes, it is a lot of fun to fly. and using the storage method so helpfully posted here,	it actually is
	pretty quick and easy to set up and take down.	-
	and it has even surpassed my giant red ghost delta as far as people coming up and say	-
	aaahhhh. probably one of the best comments i consistently get is: "it's so beautiful, it lo shouldn't even fly". that is a pretty interesting feature of the DS: with what appears to	
	sail area enclosing all that empty space, it is such a hard-pulling kite.	
	and i still like the way that, when i have all the radial spars in place and stretch out the horizontal spar, the radials all snap into their curves and it kinda springs into shape.	2nd
Dool, to to:	PROFILE	
Back to top	PM ME!	
	Display posts from previous:	

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.






















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 63, 64, 65 ... 67, 68, 69 Next

	View previous topic :: View next topic :: View po	sts since last visit		
Author	Message			
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Fri Aug 04, 2006 5:28 pm Post subject:	QUOTE		
¥***	Hi DFW, I thought I knew a lot about glues But the B.S. stuff I havent tried.			
	CLIFF			
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA				
Back to top	PROFILE PM ME! E-MAIL			
Why@urp	Posted: Fri Aug 04, 2006 5:31 pm Post subject:	QUOTE		
	i do what DFW described with CA Glue. what is BS glue? ps: i do know you were just kidding, squid! Last edited by Why@urp on Fri Aug 04, 2006 6:10 pm; edited 1 time in total			
Joined: 13 Jun 2005 Posts: 571 Location: San Francisco, CA	Last cutted by Whye dip off Fit Adg 04, 2000 0. To pin, cutted 1 time in total			
Back to top	PROFILE PM ME!			
DFWFlyer 	Posted: Fri Aug 04, 2006 5:41 pm Post subject:	QUOTE		
	c'mon guys. Don't let this young punk slip a little humor by ya!			
Joined: 16 Jul 2006 Posts: 256 Location: DFW, TX				
Back to top	PROFILE PM ME! AIM MSNM			



Why@urp wrote:

ps: i do know you were just kidding, squid! 😂

Yes!!!!!

VR/

KiteSquid

AKA Takolka

AKA Harold

King George VA

P.S. Yet another post by the Squid..... Oppose Doesn't he ever shut up???

Posted: Sat Aug 05, 2006 10:35 am Post subject: about B.S. glue

P.P.S. The wind is like the air, only pushier.

P.P.P.S. All information provided is for hobby use. None may be used commercially.

P.P.P.S. Please excuse my spelling.....

Back to top

PROFILE

E-MAIL

1007 1007 1007

WayWord Son



Joined: 07 Jun 2005

Posts: 470

Location: bay area, california

Why@urp wrote:

PM ME!

i do what DFW described with CA Glue. what is BS glue?

B.S. glue was invented by scientists to hold unlikly or unprovable theorys together, 🔑 it has found much use by recreational fishermen, to hold unlikly mesurmets, and wieghts together. (6) the

also, good quality b.s. glue is geting rather expensive, (as well as its precursers B.S. eliments) aperently politicians and news media personalities are buying up most of the supply causing shortages in the world wide B.S. market.

personaly i wont use B.S. Glue. true, at first it can have a very strong bond, but that is usualy only temperary, apon exposure the bs glue may break down, and you are left with a corrosive mess of toxic goo. 🚱

no b.s here 🙌

i saw why@'s double star in the air at the bearkly kite festavel, from the other end of the park, 🔯 it is a very impresive and beautifull kite in the air, 🔑 when me and my brother were headed to the car. i noticed why@ and a "newly created" kite enthusiest holding the double star on the ground, and had to go comment on how good a job he did, 🨩 it was a wonderfull suprise to find out he was a fellow member of this forum who I had priviously corrasponded with.

why@ I look forword to flying with you in the future.

"...Those who Hope in the Lord, will soar apon wings like Eagles..."



longing for some "groovy" 60's tie dye R/S 🅞? click the thumbnail

QUOTE

Back to top	PROFILE PM ME! E-MAIL	
Why@urp	Posted: Sat Aug 05, 2006 1:17 pm Post subject:	QUOTE
Joined: 13 Jun 2005 Posts: 571 Location: San Francisco, CA	awww shucks! thanks a lot wayword. it was my first time meeting someone in person these forums. what a cool thing! i look forward to seeing you around also. yeah, the DS definitely converted the guy who was helping me hold it down. he said he we when he saw me launch it and decided to stay to see it. he was gung-ho and stayed for a couple hours. his wife was a little shy about kites at first. but when she told me she had not flown a kite before, i busted out my sure-fire secret weapon: i encouraged her to fly the recently finished. within 15 minutes she was walking around the field on her own looking best wind!" and now back to the thread: seeing the awesome tie-dyed fabric you did gave me a great kite that would be incredible, but probably get the World Record for most labor involved in EVER: a 12-point double star made from tie-dyed fabric with the panels arranged so the velooks like a tie-dyed pattern! Ouch! my brain just fractured thinking about the work that would involve from dyeing sewing but it sure would be incredible! thanks again for the compliments! I look forward to flying with you in the near future!	as leaving nother lever ed Bird I for "the idea for a n any kite whole kite
Back to top	PROFILE	
Why@urp	PM ME!	OHER
	Posted: Sat Aug 05, 2006 11:37 pm Post subject: hey cliff, i forgot to ask you a couple questions in an earlier post: since you are the undisputed chathe Doublestar, I was wondering,	mpion of
Joined: 13 Jun 2005 Posts: 571 Location: San Francisco, CA	1. is the 12-point DS you won the title with still the largest you have made? i can't remen posts about any others, but i may have missed it the 12-point is such a masterpiece, ar your drive and skills, i just know the thought of larger ones has at least crossed your mine 2. can you ballpark a comparison of total time spent on 10-point versus time on 12-point? even have to be actual hours. percentages would be fine. i know i'll never undertake that but i'm just curious.	nd with d, right? ? doesn't
Back to top	PROFILE PM ME!	

Display posts from previous:





Kitebuilder.com Forum Index » Single Line Kite Design & Construction

All times are GMT - 3 Hours Goto page Previous 1, 2, 3 ... 63, **64**, 65 ... 67, 68, 69 Next

Page 64 of 69

Watch this topic for replies

Jump to:

View posts since last visit

You can post new topics in this forum You can reply to topics in this forum You can edit your posts in this forum You can delete your posts in this forum You can vote in polls in this forum



















tebuilder.com

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.



















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ... 64, 65, 66, 67, 68, 69 Next

View previous topic :: View next topic :: View posts since last visit Author Message Why@urp Posted: Sat Aug 05, 2006 11:51 pm Post subject: QUOTE Quote: Changing the Angle of Attack will produce those results for all kites. The wind travels parallel to the ground(usually), when it moves across the panels of the kite, it is turned. The panels that turn it down towards the ground, create lift. Panels turning it to the side Joined: 13 Jun 2005 create stability. Some panels do both, some do neither. Posts: 571 Location: San Francisco, CA The higher the wind speed the lower the turning angle has to be to overcome the weight of the kite. oh yeah, while i have DS on the brain (flew mine at Ocean Beach today and it has to have been the most perfect wind I personally have ever flown a kite in. the DS just absolutely PARKED above the beach and didn't even wobble for 2 hours. 🙋) quad nut: i know what you are saying about angle of all kites. 👸 but this kite doesn't fly at the same "overall kite angle" as other kites if that makes any sense. where most kites fly like this: / the DS flies like this: \ i realize that that KITE angle makes most of the individual PANELS sit like this: / but since there are soooo many angles involved i was really wondering how much angle change anyone had experimented with on a DS to accomodate varying wind speeds... (and what the results had just wanted to clarify that earlier question cause i didn't remember it having been mentioned in the thread that the kite as a whole lays back rather than forward, which observers often comment about... 😬 **PROFILE** Back to top PM ME!

rbojarski Master Kite Builder



Joined: 30 Sep 2003 Posts: 440 Location: Auburn, Washington

Posted: Sat Aug 05, 2006 11:55 pm Post subject:

Time doesn't matter to Cliff.....he's retired!

I'm another double star builder and flier. Some folks have asked me how long it took to make. By now, I can't even remember. I just know that if I made another 10 point double star, it would probably take about 20% longer. There are some things I did on mine that I would take more care doing the second time around. For example, I'd be a lot more precise cutting out the pieces and joining them together. I'd probably try to get someone to make templates for all the pieces from something more substantial than mat board. I'd also hot tack all the pieces together, maybe make the edge binding quad fold, rather than dual fold, etc.

Mine came out pretty nicely and it flies well as long as the winds are 8+, I just have some more kite making skills 18 month later and could make it better the second time around.

Ray Bojarski

Last edited by rbojarski on Sat Aug 05, 2006 11:56 pm; edited 1 time in total

Back to top

rbojarski

Master Kite Builder



Posted: Sat Aug 05, 2006 11:55 pm Post subject:

QUOTE

QUOTE

Duplicate post deleted.

PM ME!

Ray Bojarski

Joined: 30 Sep 2003 Posts: 440 Location: Auburn,

Washington

PROFILE

PM ME!

E-MAIL

Back to top

Quad Nut



Joined: 24 Oct 2005 Posts: 1837

Location: Key West, Florida

Posted: Sun Aug 06, 2006 12:17 pm

Post subject:

QUOTE

Why@urp wrote:

i know what you are saying about angle of all kites. ც but this kite doesn't fly at the same "overall kite angle" as other kites if that makes any sense, where most kites fly like this: / the DS flies like this: \

i realize that that KITE angle makes most of the individual PANELS sit like this: / but since there are soooo many angles involved i was really wondering how much angle change anyone had experimented with on a DS to accomodate varying wind speeds...

Yup yup, I hear ya. (6) I should clarify.

Your looking at the overall kite, and not the areas that are creating the lift. The overall angle of the kite is not what you focus on when determining the AoA.

In some cases the entire kite IS the lifting area. (Roks, Eddys, Genkis, etc. . . .) But in the 'complex' kites (cellular, dimensional, etc. . .) it's the horizontal panels(when the overall kite is vertical. . .AoA=0deg) that are going to turn the most air downward, and create the most lift, when the AoA is increased.

In this sence all lifting areas will be sitting like this: /

In other words: Each kite type has a specific AoA that produces lift sufficient to overcome it's weight at each wind speed.

Regardless of the AoA you start with on the ground, it will have the same AoA when it reaches equilibrium, relative to the wind speed. The difference will be in it's height above the ground.

Assume you start with an ground AoA of 30 deg. As the kite increases in altitude, the AoA gets lower, to the point where the lift equals the weight of the kite(equilibrium). If the wind speed

	increases, the kite gains altitude, and visa versa.	
	Force(lift) = Mass(air molecules) * (Wind)Speed	
	In practical terms: A lower wind speed requires a higher 'ground' AoA to acheive the same altitude, and vis SooooSet your ground AoA to acheive the desired altitude.	a versa.
	©	
Back to top	PROFILE PM ME!	
Popeye	Posted: Sat Mar 03, 2007 11:15 am Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	I finished my doublestar about four weeks ago. I kept track of my time and it took me 4 from beginning to end. Cliff gave me a lot of good advice along the way and mine turned I haven't bridled it or flown it yet because it's too cold for me.	
Back to top	PROFILE PM ME!	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Sat Mar 03, 2007 12:39 pm Post subject:	QUOTE
Y ****	Hi Popeye, You dont have to fly it to show us pictures. How about setting it up in your li and shooting some pic's. CLIFF	ving room
Joined: 27 Dec 2003 Posts: 1702 Location: Coopersburg, PA - USA		
Posts: 1702 Location: Coopersburg, PA - JSA	PROFILE PM ME! E-MAIL	
Posts: 1702 Location: Coopersburg, PA - USA Back to top Grant L		QUOTE
Posts: 1702 Location: Coopersburg, PA -	E-MAIL	QUOTE
Posts: 1702 Location: Coopersburg, PA - USA Back to top Grant L Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis	Posted: Sat Mar 03, 2007 1:38 pm Post subject: PICTURES!!!	QUOTE
Posts: 1702 Location: Coopersburg, PA - JSA Back to top Grant L Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis Back to top	Posted: Sat Mar 03, 2007 1:38 pm Post subject: PICTURES!!!PICTURES !!!PICTURES !!!	9 6
Posts: 1702 Location: Coopersburg, PA - USA Back to top Grant L Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis Back to top Popeye Joined: 01 Jan 2007 Posts: 25	Posted: Sat Mar 03, 2007 1:38 pm Post subject: PICTURES!!!	QUOTE
Posts: 1702 Location: Coopersburg, PA - USA Back to top Grant L Kite of the Year 2004 Joined: 16 Sep 2003 Posts: 1507	Profile PM ME! Posted: Sat Mar 03, 2007 1:38 pm Post subject: PICTURES!!!	QUOTE QUOTE posted my

kiteguy Kitebuilder of the Year 2005

The state of the s

Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City

Posted: Sun Mar 04, 2007 2:43 pm Post subject:

QUOTE

Kites and photos by Popeye























ebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🚨 Auctions 🗓 Forums 📵 Techsheets 💆 Plans 🖺 Profiles 🖫 Competition 🕮 Photo Album















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3. .. 65, 66, 67, 68, 69 Next

	View previous topic :: View next topic :: View posts sir	nce last visit
Author	Message	
CJQ Grand Champion, Kitebuilder of the Year 2006	Posted: Sun Mar 04, 2007 3:07 pm Post subject:	QUOTE
Y ****	Hi Popeye, glad we twisted your arm a little. Fine looking kites. Neat thing is all the D.S. are di color combinations . Your crossdeck is nice. Good contrasting colors.	ifferent
	CLIFF Hey isn't it great to have friends like KiteGuy to move pictures around.	
Joined: 27 Dec 2003		
Posts: 1702 Location: Coopersburg, PA - USA		
Back to top	PROFILE PM ME! E-MAIL	
Popeye	Posted: Sun Mar 04, 2007 3:30 pm Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	Thanks, Kiteguy.	
Back to top	PROFILE PM ME!	
Why@urp	Posted: Sun Mar 04, 2007 3:42 pm Post subject:	QUOTE
Joined: 13 Jun 2005 Posts: 571 Location: San Francisco, CA	Yep, that Kiteguy's a pretty cool dude! I recently received a gigantic tube tail with a Carbon lead circle spreader thingy from Kiteguy in the mail. It's made of Ripstop with a really cool herringb of pattern that (he says) he got cheap at WalMart The sucker is HUGE, looks like about 15-long and a foot in diameter The tail also included my VERY FIRST feather!	one kind
	The nasty, ugly, rainy, cold, disgusting, misty, drab, oppressive weather here seems to have finally, FINALLY broken (at least for a little while) so I'm hoping to get a chance to fly it today 😳 🖰 🕒	
	If I do, I'll post a picture somewhere.	
	THANKS AGAIN, KITEGUY!!! The generosity and all-around upstandingness of forum members on!!!!! 😛 😛 😛	lives
	PS - Cliff, if the credits above your avatar get any longer, Steve's going to have to increase the	Э



Back to top	PROFILE PM ME! E-MAIL	
back to top	www	
Popeye	Posted: Mon Mar 05, 2007 8:41 pm Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	Squid, One thing I learned that works really well to make the hems go faster (and straighter) crease and fold them before sewing. What I did was took an old table knife (without teeth) and used it to form a crease. My cutting hard to get a crease so I used some poster board from the office supply to lay the fabric on. Ustraigtedge I can line up the hem width and pressing down on the fabric with the knife I can redown a couple times and get a beginning of a crease. Once I got the hang of it I got the pressing right. I got the 520 hems done in about 15 hours. It seems like a long time but this is probable hardest part to get through. Using my thumbs from the center of the fabric I finish the crease in both directions. I can get small as 1/4" no problem and it comes out straight. This kind of wrecks the poster board after but it's less time consuming than trying to get a straight crease any other way I tried. Because the poster board was too short for some of the panels I used clear box tape on the bijoin pieces. Other things I learned is that doubleside tape is the way to go to hold the panels before stitch never would have gotten them flat otherwise. Steve has some tape called C3 which was the board There's 55yd on a roll and the DS takes almost a whole roll. Other thing I learned is that Cliff is the best. (no, seriously!) He IS the king. Spectre's plans were as good as I've seen, and his detail was just what I needed to see. The last thing I learned is that I could not have done it without the Forum.	g mat is too Using my I'un up and Isure just Ily the Ithe hem as 520 hems ack side to
Back to top	PROFILE PM ME!	
KiteSquid Master Kite Builder Joined: 29 Aug 2003 Posts: 6248 Location: USA Virginia King George	Posted: Tue Mar 06, 2007 11:34 am Post subject: I like your idea of using a blunt tool to start your creases. I need to try it myself!!!!!!! Thanks sharing, as I too have now learned from your kite build. I have what I call "litter on a stick" most of you have seen it. those corigated plastic signs adveverything that nobody wants Well, when I am driving around I pick up as many as I see: stake to the plastics recycling, but the new ones on the wire bases, I bring home and use for the will try one inplace of the posterboard in Popeye's creasing methond to see if it works. And Popeye, thanks for sharing!!!!!!!! VR/ KiteSquid AKA TakoIka AKA Harold King George VA P.S. Yet another post by the Squid Doesn't he ever shut up??? P.P.S. The wind is like the air, only pushier. P.P.P.S. All information provided is for hobby use. None may be used commercially.	vertising some I
Back to top	PROFILE PM ME! E-MAIL WWW	

Pumpkin



Joined: 30 Oct 2006

Posts: 764

Location: Birmingham UK

Posted: Tue Mar 06, 2007 12:24 pm Post subject:

QUOTE

I've heard of that creasing method being used on quilting...never tried on RSN........ Will have to. Thanks Popeye

Best Regards

Pete

Where did you say the string goes?

Back to top

PROFILE

PM ME!

www

kiteguy

Kitebuilder of the Year 2005

Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near

Kansas City

Posted: Tue Mar 06, 2007 2:10 pm Post subject:


QUOTE

They have a tiny iron at the quilting department at my fabric store. The ironing face is about 1 inch from tip to base.

Looks like a great tool for ironing seams, light weight, too. However, the people selling the tiny iron are quite proud of it, if pride is reflected by price. 29

I will stick to some variation of the table knife method previously suggested by Popeye.

by the way, Why@, here is a picture of your new tube.



It is the photo I posted when I put the tube up for auction. Nobody bid on it, so that made it worthless. You, my friend, got a worthless item!



Dave Ellis

Kites + Kids = Education

PM ME!

Back to top

PROFILE

E-MAIL

10071007100

Display posts from previous:





















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





	View previous topic :: View next topic :: Vie	w posts since last visit
Author	Message	
Popeye	Posted: Tue Mar 06, 2007 8:06 pm Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	The creasing really helped me get straight flat hems. Someone on the forum fro suggested using a credit card, but that doesn't work for me, a metal edge is what best. That little iron? I looked at too-yeah it's pretty pricey Something else I just found but have not tried out is called foam sheet. I found section of the fabric store. It comes in several thicknesses and sizes up to 24" x expensive than poster board but might do the job. I bought a small piece of 3mi The poster board is cheap and disposable that works for me. What kind of signs do you mean Squid? Like the ones the window guys stick on Hey, I bet you could get lots of free posterboard after an election. Why, it would recycling.	at I found works it in the Kids craft 36" It's more m thick to try out. people's lawns?
Back to top	PROFILE PM ME!	
Grant L Kite of the Year 2004	Posted: Tue Mar 06, 2007 9:30 pm Post subject: When I did mine, I took a fairly thick piece of music wire and ground a rounded sure that it was nice and smooth. I used it, a straight edge and my cutting mat hems. It greatly increased the speed of hemming all 280 edges	•
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	

KiteSquid Master Kite Builder



Joined: 29 Aug 2003 Posts: 6248

Location: USA Virginia King George Posted: Wed Mar 07, 2007 12:06 pm Post subject:

QUOTE

I will stick a Tapestry Needle into a handle to test this. Think of a blunt ice pick or awl.

Tapestry Needles are avaiable at most craft and sewing stores.

They have blunt points and are avaiable in many sizes.

I have some on hand and will probally use the one witht the largest diamater.


Other tools that may work include the Hera Marker from Clover:



Clover's Hera Marker For Applique & Sewing:



An awl that has been blunted, like Clover's Ball Point Awl:



cbabbman	Posted: Wed Mar 07, 2007 6:25 pm Post subject:	QUOTE
	with the length of this thread and how far back it goes, what is the current parts list for the project? After reading through 10's of pages, you have all talked me into building one it looks	nis
Joined: 10 Jul 2006 Posts: 30	fascinating Thanks!	
Back to top	PROFILE PM ME!	
Popeye	Posted: Wed Mar 07, 2007 9:39 pm Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	Spectre's plans give a pretty good materials list for framing, etc. I just looked and I bought 4 yards for "A" panel color 5 yards for "B" panel color 3.5 yards for "C" panel color 3 yards for "D" panel color. I had some extra at the end but it's better than coming up short. If you go back (I think it's around page 48) Cliff gives some really great advice on doing the D panel tips with "d" rings. That's how I and the look is really sharp. You know ever since you all got me to set it up in the living room, I kind of, um you known.	
	up 🔒	,
Back to top	PROFILE PM ME!	
kiteguy Kitebuilder of the Year 2005	Posted: Thu Mar 08, 2007 1:08 am Post subject: Popeye wrote: You know ever since you all got me to set it up in the living room, I kind of, um you know, it up	QUOTE
Joined: 15 Sep 2003 Posts: 3196 Location: USA - Kansas, Overland Park - Near Kansas City	I heard that if it is up more than 4 hours you should contact your doctor!! Dave Ellis Kites + Kids = Education	
Back to top	PROFILE PM ME! E-MAIL WWW	
Mike	Posted: Thu Mar 08, 2007 10:01 am Post subject:	QUOTE
	lol, nothing like a good priapism joke!	
Joined: 21 Jan 2004 Posts: 155		

Back to top	PROFILE PM ME!			
cbabbman	Posted: Thu Ma	r 08, 2007 8:24 pm Post subje	ect:	QUOTE
Joined: 10 Jul 2006 Posts: 30	find some genera missing somethin	I information on Cliff's D Panels og?	this thread it's a good one too but I earlier in the thread than the 40's pages. e more about how you connect the d pan	am I
Back to top	PROFILE PM ME!			
	Display post	s from previous:		
	FOST Kitebuilder.c	com Forum Index » Single Line Kite struction	All times are GN Goto page Previous 1, 2, 3 (
Page 67 of 69				
Watch this topic for replies		Jump to:		
View posts since last visit			You can post new topics i You can reply to topics i You can edit your posts i You can delete your posts i You can vote in polls i	n this forun n this forun n this forun
		Kitebuilder.com Forum © 20 phpBB © 2001, 2002 phpBB Gre		то









Log out [smarties]





Kitebuilder.com's

2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black' Forums & Auctions!

Kitebuilder.com - Learn. Share. Fly.

🗎 Home 🔟 Kite Supplies 🖪 Auctions 🗓 Forums 🗈 Techsheets 🛂 Plans 🖺 Profiles 🖫 Competition 📵 Photo Album

Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 ..., 67, 68, 69 Next

	View previous topic :: View next topic :: View posts since	last visit
Author	Message	
Grant L Kite of the Year 2004	Posted: Thu Mar 08, 2007 9:19 pm Post subject:	UOTE
	cbabbman wrote:	
	ok, I've tried to read back through every page of this thread it's a good one too but I could only find some general information on Cliff's D Panels earlier in the thread than the 40's pages am I missing something?	
Va.	Cliff, could you point me to the post or talk a little more about how you connect the d panels to the spars? Thanks	
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis	http://www.kitebuilder.com/forums/viewtopic.php?t=695&postdays=0&postorder=asc&start=110	
Папаропз	and some more on page 14 😛	
Back to top	PROFILE PM ME! E-MAIL	
cbabbman	Posted: Fri Mar 09, 2007 12:18 am Post subject:	UOTE
9	well poo I did see that post but was thinking D ring, not a triangle thanks Grant Does Steve carry these?	
Joined: 10 Jul 2006 Posts: 30		

_		
Back to top	PROFILE	
Constitution	PM ME!	
Grant L Kite of the Year 2004	Posted: Fri Mar 09, 2007 3:19 am Post subject:	QUOTE
	I am pretty sure that Cliff made his own. Mine used small rings and grossgrain ribbon. I can't find a photo of the rings I used but here is did the tips od the "D" parts. I then sewed grossgrain ribbons between the tips, running it through a ring in the process. http://www.kitebuilder.com/forums/viewtopic.php?t=695&postdays=0&postorder=asc&start=390	how I
Joined: 16 Sep 2003 Posts: 1507 Location: USA IN Indianapolis		
Back to top	PROFILE PM ME! E-MAIL	
Popeye	Posted: Fri Mar 09, 2007 3:56 pm Post subject:	QUOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	OOPS! Sorry about that cbabbman Grant's right- they were triangles, I used D's because Steve didn't have the triangles at the time. I used Grant's reinforcement approach, and used grosgrain for the loops as well. Sorry if I messed you up	
Back to top	PROFILE PM ME!	
cbabbman	Posted: Fri Mar 09, 2007 7:44 pm Post subject:	QUOTE
	Quote:	
	Sorry if I messed you up	
Joined: 10 Jul 2006	mess me up? Hell, you guys are the ones who keep me from messing up! that's why I try to ask a bunch of questions before I start a b	ouild
Posts: 30	I like the reinforcement on the ends of the D panels and I like the idea of connecting the tips with grosgrain and then using the ring on lines to pull through the spar end fitting.	ıly 2
	ok, now, just a couple of more questions on parts I hope	
	Is this the fitting you used for the spar end? http://www.kitebuilder.com/catalog/product_info.php/products_id/1090?osCsid=6b08eb51b6e4c099f1e03b8b6839d0f8	
	What size ring did you use?	
	I haven't used grossgrain ribbon before for anything did you get it from Steve or is this something I can pick up at my local fabric store	э?
	The only thing I can't seem to find would be the proper nok fitting for the center spar, can you point me to it?	
	I have a cart full of stuff to pull the trigger on once I have everything lined up	
	This is going to be fun, I hope	

Back to top	PROFILE PM ME!	
Popeye	Posted: Sat Mar 10, 2007 11:01 am Post subject:	UOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	Yep use MKS I used 10mm pultruded Graphite tubing (60"). You need 12 pieces. #RLG394060 (I also got a couple spares because if you crash and break one you'll have to fly something else till you get a replacement.) When I got to final assembly I found that I didn't have to trim the spars. The tips of my spars are only about 2" away from the tip of the Depanels giving me a little room for adjustment later. Get the 10mm MKS #CMKS500, you need 12. Steve's Tinkertoy fitting #CTTU500 is the one to get. I was going to build my own but why? when you can get an accurately machined one I used the 1/2" Aluminum D ring #LALD50 You can find Grosgrain at the local fabric store. You'll have to search the aisle where they have the ribbon. I used 1/4" but Cliff said 3/8" verbe better. I wanted black and they only had it in 1/4" but it's pretty strong. I did my tips a little different than Grant. I used one ring at each tip and ran four 150# lines through the MKS. Two from each side. This we can tension each tip independently. By the time you get all four panels stitched out to length, all the slight variations in the seam width with show up in the lengths. I was worried that if I did not have the abitlity to tension each I might get a sag or a wrinkle. To get four lines through the hole I cut two pieces about 24" folded them in half and put a single piece through the bend. Put the single lire through the hole in the MKS and pull the lines through. It's tight but you can do it. Once you got the bend through just cut at the bend and have four lines.	e. would vay I ill
Back to top	PROFILE PM ME!	
Popeye	Posted: Sat Mar 10, 2007 11:06 am Post subject:	UOTE
Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI	Oh I forgot, about the spine fittings. I used the same MKS as the tips. That's why you need 12. I don't know what others did but I put two 250#'s through. The MKS has that little lock screw which holds the line. I found that if I loosen top and pull the center down it releases the tension on the tips and makes setting up and taking down a snap. And yes it was fun to build.	the
Back to top	PROFILE PM ME!	
cbabbman	Posted: Sat Mar 10, 2007 11:50 am Post subject:	UOTE
6	excellent info Popeye I had most of that stuff in my cart Another question for the group I'm contemplating edge binding everything as I want the stained glass effect Steve sells both edge bin and pre-cut 1" Ripstop	nding
Joined: 10 Jul 2006 Posts: 30	What's the real difference and what have you guys done/used in the past for this?	
Back to top	PROFILE PM ME!	

Popeye Posted: Sat Mar 10, 2007 11:53 am Post subject: QUOTE This is what I did. Does this help? Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI **PROFILE** Back to top PM ME! Popeye Posted: Sat Mar 10, 2007 11:58 am Post subject: QUOTE I just put a couple more images in the photo album of some other details for you to look at. Joined: 01 Jan 2007 Posts: 25 Location: Brighton MI **PROFILE** Back to top PM ME!

















2006 Kitebuilder of the year: Cliff Quinn 2006 Kite of the year: Kelvin Wood's 'Man in Black'



Kitebuilder.com - Learn. Share. Fly.





















Kitebuilder.com Forum Index » Single Line Kite Design & Construction





Double star plan Goto page Previous 1, 2, 3 67, 68, 69				
View previous topic :: View next topic :: View posts since last vis				
Author	Message			
Fool	Posted: Mon Mar 12, 2007 12:06 pm Post subject:	QUOTE		
Joined: 22 Oct 2004 Posts: 847 Location: Dayton, OH	cbabbman wrote: excellent info Popeye I had most of that stuff in my cart Another question for the group I'm contemplating edge binding everything as I want the stained glass effect Steve sells both edge binding and pre-cut 1" Ripstop What's the real difference and what have you guys done/used in the past for this? The edge binding Steve sells is more of a trailing edge material for a sport kite. You'll want something that will stretch with the fabric. Get the 1" precut rip-stop. I used I believe 4 or 5 52yrd rolls. Also it would be worth picking up a universal double fold edge binding attachment from ebay. Even if you don't want it to feed directly into the machine you can use it to quickly fold the 1" twice into 1/4" finish. There is a lot of info on this attachment on this forum that can be found with a quick search.			
Back to top	lowerdfool(at)yahoo(dot)com PROFILE PM ME! E-MAIL AIM			
scooterandre	Posted: Tue Mar 13, 2007 8:46 am Post subject:	QUOTE		
Joined: 19 Oct 2006 Posts: 1 Location: Oldenzaal (Netherlands)	Hello, fellow DS-builders. First, I want to thank you all for the good tips and tricks in this topic. Without them, it would have taken much more time so far. I am also making a double star and have just finished the hemming. However, in all those 69 pages, there is one thing I miss, a detailed photo of the center. Is there any reinforcement in it? How long are the lines, which are sewed at the centre and how many are there? Greetings from the Netherlands, André ter Pelle			

Back to top	PROFILE		
Grant L	PM ME!		
Kite of the Year 2004	Posted: Tue Mar 13, 2007 9:39 am Post subject:	QUOTE	
lained, 14 San 2002	From memory, I did sew dacron reinforcement to the pieces that had the center lines sewn to them. I sewed two lines to each of the center pieces on opposite sides of the spine sleeve. (I haven't done it yet, but I have considered sewing one line to each center piece, on the inner side. When you are first assembling the kite, there is very little tension and the spine end caps on mine tend to keep sliding off of the end of the spine (2)) Start out with them a couple feet long, (way more than you will really need,) and then trim them once the kite is assembled. You can leave extra for later adjustments. The tension really does vary with humidity etc.		
oined: 16 Sep 2003 Posts: 1507 ocation: USA IN ndianapolis	extra for later adjustments. The tension really does vary with humbing etc.		
Back to top	PROFILE PM ME! E-MAIL		
j ason g Master Kite Builder	□Posted: Tue Mar 13, 2007 3:52 pm Post subject:	QUOTE	
	Unless I am reading the forum index improperly, this DS topic has crashed through 25,000 individual views. Sorry I haven't posted more.		
	jason g It's more fun to fly with a club.		
loined: 15 May 2004 Posts: 84 Location: Oswego, NY	NYKE,GLKS.KICNYS,TKF,Keystone The Seam Ripper is my friend; the Seam Ripper is my friend; the Seam Ripper is my friend		
Back to top	PROFILE PM ME!		
Pumpkin	Posted: Tue Mar 13, 2007 4:26 pm Post subject:	QUOTE	
Joined: 30 Oct 2006 Posts: 764 Location: Birmingham UK	jason g wrote: Unless I am reading the forum index improperly, this DS topic has crashed through 2 individual views. Sorry I haven't posted more. Couldn't resist pushing towards 70 pages as welldunno if this is a forum recor impressive if a little daunting to anyone starting on page 1 №		
	Best Regards Pete Where did you say the string goes?		
Back to top	PROFILE PM ME!		
smarties	Posted: Tue Mar 13, 2007 6:14 pm Post subject:	EDIT	
	I never thought that my original question would go so far. There's enough to write a book. Seeing other members still building this beautiful kite is rising the pressure for me to build one too		
loined: 05 Nov 2003 Posts: 1791 Location: Dieppe, NB,	It's going up in my priority list. I can't wait to have the time to build one. Smarties http://www.yvonhache.com		
Canada	THID: AWWW AAODDACDE COM		
















KITE PLANS

DOUBLESTAR



PARTS

- 1. 11-12 meter, 150 cm wide ripstop nylon(Color 1: 275cm, Color 2: 380cm, Color 3: 300cm, Color 4: 200cm)
- 2. 11 x 150cm(60inch) 10 mm Carbon Tube
- **3.** A Ten Point Center Connector (HUB/Tinker Toy, mine is wooden. I used 3 mm wood. Has a dia of 13.5cm and height of 1.8cm)
- 4. Dacron reinforcement.
- **5.** 2x10mm nocks.
- 6. 10 endcaps.




PANELS

Here is the Panels dimensions in several formats. The original dimensions are in Centimeters. I also convert them into inch. But I recommend you to use metric. If you have any CAD Office in your area, it is good to print them.

JPEG	Centimeter	Inch
AutoCAD 2000 DWG	One unit is one Centimeter	One unit is one Inch
PDF (A1 Paper Size/cm)	PANEL A / PANEL B / PANEL C / PANEL D	

I show every panels in different <u>COLORS</u>. Panel A is Blue, Panel B is Red, Panel C is Green and Panel D is Purple. You need 20 x Panel A, 40 x Panel B, 40 x Panel C, and 40 x Panel D. This <u>PICTURE</u> shows how I cut the panels to minimize Fabric use.

SEWING PANELS(ONE HALF)



We will sew front and back of the kite. Front and are back of the kite are same.

You need 10xPanel A, 20xPanel B, 20xPanel C and 20xPanel D for each side.

You must sew reinforcement two of the Panel A for each side of the kite. When sewing center these panel will be other side of each other.

Sew the edges of the panels. Double fold the **EDGES** and sew.

Sew the Panel A's(Center of the Panels) to each other shown in PICTURE.

Sewing Panel A -> Panel B.

Sewing Panel B -> Panel C.

Sewing Panel C -> Panel D.

Sewing Panel D -> Panel D.

SEWING POCKECTS AND CENTER LINE

Now sew pockets for spars and connect to front and back side. Sorry about the sewing quality: (I used 5x10cm dacron. Because I forget the end caps of the spars, spars pierce some of the pockets so I sew a second layer of dacron which you can see in the PHOTO.

For Center sew a line. Each end of the line will sew the darcon reinforcements on PANEL As. Do for back and front side. When I making my kite I made a mistake on the center. I sew wrong. So your center will be different. PHOTO of my kite's center front.

BRIDLE

The kite has a sipmle 3 point BRIDLE.

SPARS

The Center spar will be 150 cm and attach a nock eack side of the kite. The other spars will be shorter then 150 cm. Because you will use a Center HUB/Tinker toy the size of the spars will be different then my spars. You must calculate it or you must try the correct length.

8 POINT 2M DOUBLESTAR

Here is an PDF file of the 8 Point Doublestar Panels.

Sorry I put only in centimeters. But the PDF Document is in A0 Papersize. If you able to print in A0 size then you will have the original size panels.

For a strong kite I recommend to use 8 mm carbon tube. <u>But my friend have one with 6 mm spar</u>. It can flight in very low winds. But I don't know the upper wind limit.

This is my first detailed kite plan. Please tell me any information which is missing above.

Also, you can find lots of information about the kite in Kitebuilder Forum.

DOUBLESTARs made with this plan

Please send me your Doublestar's pictures.



Bernie, the Mountain Man,




Marc Conklin Midlothian, VA, USA



Cliff Quinn, USA



Erhan Tüfekçioglu, Turkey 8 point, 2m



Halit Cebeci, Turkey 8 point 2m




Bill Wilson, Canada




Leandro Galvez, Brasil 1.5m Bamboo/Paper





Chris Taylor, Dayton, OH































 $http://www.ucurtma.org/images/plans/doublestar/cutting\ panels.jpg\ (1\ of\ 2)2007-03-13\ 15:58:14$


http://www.ucurtma.org/images/plans/doublestar/cutting panels.jpg





 $http://www.ucurtma.org/images/plans/doublestar/sewing_edges.jpg$















http://www.ucurtma.org/images/plans/doublestar/sewing panel d to d.jpg













stattrack.0catch.com -Following You Everywhere


<u>free web hosting | web host | real estate websites | affordable web hosting | shopping cart | php hosting</u>

Pets | web page hosting | web hosting | web hosting | web hosting service | laptop

MAXIMIZE □ CLOSE X | web hosting

Welcome to
Mr and Mrs Mountain Man's
Double Star





Created by Bernie Houle the Mountain Man

stattrack.0catch.com -Following You Everywhere

free web hosting | web host | free website | affordable web hosting | shopping cart | php hosting

Pets | web page hosting | web hosting | web hosting | web hosting service | laptop

computers | web hosting

prev

MAXIMIZE CLOSE X

Top Section our Kitchen Photo by Peggy



Thumbnails

<u>free web hosting | web host | free website | affordable web hosting | shopping cart | php hosting | Pets | web page hosting | web hosting | web hosting | web hosting | web hosting | aptop computers | web hosting |</u>

prev

Showing end piece Photo by Peggy




Thumbnails

free web hosting | web host | free hosting | affordable web hosting | shopping cart | php hosting

Pets | web page hosting | web hosting | web hosting | web hosting | laptop

computers | web hosting

prev Showing end piece Photo by Peggy



Thumbnails


<u>free web hosting | web host | real estate websites | affordable web hosting | shopping cart | phphosting | hosting | table | hosting | table | hosting | ho</u>

Pets | web page hosting | web hosting | web hosting | web hosting service | laptop computers | web hosting

Close up of center piece

prev next

Photo by Peggy



Thumbnails

<u>free web hosting | web host | real estate websites | affordable web hosting | shopping cart | php hosting</u>

Pets | web page hosting | web hosting | web hosting | web hosting service | laptop computers | web hosting

prev Top Section
Outside
Photo by Peggy




Thumbnails

<u>free web hosting | web host | real estate websites | affordable web hosting | shopping cart | php hosting | Pets | web page hosting | web hos</u>



prev Different View Photo by Peggy



Thumbnails

free web hosting | web host | real estate websites | affordable web hosting | shopping cart | php hosting

Pets | web page hosting | web hosting | web hosting | web hosting service | laptop computers | web hosting

prev

Top Section Another View Photo by Peggy



Thumbnails

free web hosting | web host | real estate websites | affordable web hosting | shopping cart | php hosting Pets | web page hosting | web hosting | website hosting | web hosting service | laptop computers | web hosting




The Complete Web Hosting Resource

- E-Commerce Hosting
 Windows Hosting
 Managed Hosting
 Dedicated Hosting



prev

Top Section another view **Photo by Peggy**



Thumbnails



File Not Found!

The file you are searching for is not located on our servers. Please check your spelling. File names may be case sensitive. Please verify the URL as this is the most common reason for this error.

If you would like your own 100 MB FREE WEB SITE with a long list of features simply sign up at bravepages.com.

LOGIN CONTACT US TECH SUPPORT UPGRADE YOUR SITE







Click here to find the Top Web Hosts



















































/ DSC03643


02.05.2005







































Steadywinds.com



HomeKite BuildingKite PortfolioPhotosArchivesContact

Dieppe Kite International 2005

Gallery: Steadywinds Gallery & Album: Festivals and Workshops & Album: Dieppe Kite International 2005 &



CJQ, GrantL and wdrwilson double stars.

[add comment]

 Gallery: Steadywinds Gallery ❖ Album: Festivals and Workshops ❖ Album: Dieppe Kite International 2005 ❖ Powered by Gallery v1.4.4



Kite 'n' Art Kunstdrachenverlag

Lotus



Produkte

Künstler

Info & Service

Kontakt

Verkauf

Iimitierte Editionen
 Kunstdrucke

Flying Posters

▶Blankos zum Bemalen

Werbemittel

Bausatz für Kids

Zubehör

Lenkdrachen

Kinderdrachen

Auftragsprodukte

Künstler-Unikate XXL-Drachen

Kastendrachen

Windspiele

Roto

Bernds Box

Houtermans Box

The Box

Cody F-Box

Classic Box

Lotus

5-Star-Box

F-Box Beach

Constellation

Crossdeck

Tri-Crossdeck





Gibt es eine bessere Art, Sterne vom Himmel zu holen, als diejenige mittels einer Drachenleine?! Wohl kaum. Deshalb verwundert es auch nicht, dass Sternförmiges in den unterschiedlichsten Ausprägungen unsere Drachenhimmel bevölkert. Der hier vorliegende Sterndrachen von Wolfgang Grimsel (Fa. Colours in Motion) trägt mit seinem stolzen Namen und seiner interessanten räumlichen Gestalt jedoch nicht schwachen Lichtschein sondern pralle Blütenpracht ans Firmament...





Lotus

10-strahliger Sterndrachen der Firma Colours in Motion; solide verarbeiteter Drachen mit bezaubernder Optik; 120 Segelflächen aus Spinnakernylon, Gestänge aus 4mm Fiberglasstäben und einem, die Waage aufspannenden, 6mm Karbonstab; ein munter tanzender aber stets zuverlässiger Flieger, der bei jedem Publikum Beifall findet. Eine stattliche Erscheinung mit 150 x 150 x 60 cm mit einem reisefreundlichen Packmaß von nur 75cm. Lieferung ohne Anleitung (s. unten) in einem Nylonköcher mit ca. 50m Schnur auf einem einfachen Handgriff (empfohlene Bruchlast der Flugleine: 65 kg)

Preis: inkl. MwSt. 79,- €

Zubehör gleich mitbestellen:

Wir empfehlen unser <u>Schnurset für Einleiner: 100m Dacron, 65kg</u> Tragkraft, flugfertig mit Wirbelkarabiner auf einer Ringspule und

<u>Kitefix, unseren kombinierbaren Spezialbodenanker</u> für nahezu alle Böden und Drachengrößen

Details:

Die Befestigungsmethode des Gestänges an den Spitzen des Sterns ist nun (ab dem Modelljahr 2005) sehr haltbar und praktikabel gelöst (... bei Vorgängermodellen gab es hier eine Schwachstelle...)


Zum Aufbau:


Auf dem zentralen Mittelstab befindet sich ein massives, rundes Verbinderteil mit 10 gleichen Löchern, in die die Spannstäbe eingesetzt werden, über deren Splittkappen die Verbindungsleinen zwischen den roten Segelspitzen eingehängt werden (mittleres Foto re.).

Der zentrale Mittelstab ist in einer Stabtasche, an der sich der zentrale Waagepunkt mit der fest angebrachten Waageleine befindet, die zu dem einzig dickeren (6mm Karbon) Spreizstab führt. Beginnen Sie den Aufbau mit diesem dickeren Stab an der Waageleine. Achten Sie darauf, dass die Waageschnur vom Mittelpunkt genau in die Richtung dieses dickeren Spreizstabes zeigt (das ist im Flug die Strebe vom Mittelpunkt zur untersten Sternspitze, die den Druck der Waageleinen aufnehmen wird (vgl. große Fotos ganz oben)).

Danach setzen Sie die übrigen 9 gleichen Spreizstäbe ein, um das Segel aufzuspannen und befestigen die Flugleine an der kleinen Schlaufe der Waage so, wie auf der Skizze rechts dargestellt, fertig.









zurück zum Überblick Kastendrachen

zum Überblick XXL-Drachen

zum Überblick Zubehör

zum Überblick Produktgruppen

zur Preisliste mit links zu allen Produkten

zum Überblick "windige Tipps"

zu Infos zu Bestellung & Kauf

[Home] [Die Innovation] [Spielräume] [Produkte] [Künstler] [Info & Service] [Kontakt] [Verkauf]



